PCT

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : C07K 5/00, 7/00, C12Q 1/68 C08L 77/00	**A1**

(11) International Publication Number:	**WO 92/20702**
(43) International Publication Date:	26 November 1992 (26.11.92)

(21) International Application Number: PCT/EP92/01219

(22) International Filing Date: 22 May 1992 (22.05.92)

(30) Priority data:
0986/91	24 May 1991 (24.05.91)	DK
0987/91	24 May 1991 (24.05.91)	DK
0510/92	15 April 1992 (15.04.92)	DK

(71)(72) Applicants and Inventors: BUCHARDT, Ole [DK/DK]; Søndergårdsvej 73, DK-3500 Værløse (DK). **EGHOLM, Michael** [DK/DK]; Sindshvilevej 5, 3. tv., DK-2000 Frederiksberg (DK). **NIELSEN, Peter, Eigil** [DK/DK]; Hjortevænget 509, DK-2980 Kokkedal (DK). **BERG, Rolf, Henrik** [DK/DK]; Langelandsvej 20 B, 3. tv, DK-2000 Frederiksberg (DK).

(74) Agent: HALLYBONE, Huw, George; Carpmaels & Ransford, 43 Bloomsbury Square, London WC1A 2RA (GB).

(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC (European patent), MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, RU, SD, SE, SE (European patent), SN (OAPI patent), TD (OAPI patent), TG (OAPI patent), US.

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PEPTIDE NUCLEIC ACIDS

(57) Abstract

A novel class of compounds, known as peptide nucleic acids, bind complementary ssDNA and RNA strands more strongly than a corresponding DNA. The peptide nucleic acids generally comprise ligands such as naturally occurring DNA bases attached to a peptide backbone through a suitable linker.

PEPTIDE NUCLEIC ACIDS

RELATED APPLICATIONS

This application is a continuation-in-part of the
5 following Danish Patent Applications: No. 986/91, filed May
24, 1991, No. 987/91, filed May 24, 1991, and No. 510/92,
filed April 15, 1992.   The entire disclosure of each
application is incorporated herein by reference.

10 FIELD OF THE INVENTION

This invention is directed to compounds that are not
polynucleotides yet which bind to complementary DNA and RNA
strands more strongly the corresponding DNA.   In particular,
the invention concerns compounds wherein naturally-occurring
15 nucleobases   or   other   nucleobase-binding   moieties   are
covalently bound to a polyamide backbone.

BACKGROUND OF THE INVENTION

Oligodeoxyribonucleotides as long as 100 base pairs
20 (bp) are routinely synthesized by solid phase methods using
commercially available, fully automatic synthesis machines.
The chemical synthesis of oligoribonucleotides, however, is
far less routine.   Oligoribonucleotides also are much less
stable than oligodeoxyribonucleotides, a fact which has
25 contributed to the more prevalent use of oligodeoxyribonucleo-
tides in medical and biological research directed to, for
exampl , gene therapy or the regulation of transcription r
translation.

-2-

The function of a gene starts by transcription of its information to a messenger RNA (mRNA) which, by interaction with the ribosomal complex, directs the synthesis of a protein coded for by its sequence. The synthetic process is known as
5 translation. Translation requires the presence of various co-factors and building blocks, the amino acids, and their transfer RNAs (tRNA), all of which are present in normal cells.

Transcription initiation requires specific recognition
10 of a promoter DNA sequence by the RNA-synthesizing enzyme, RNA polymerase. In many cases in prokaryotic cells, and probably in all cases in eukaryotic cells, this recognition is preceded by sequence-specific binding of a protein transcription factor to the promoter. Other proteins which bind to the promoter,
15 but whose binding prohibits action of RNA polymerase, are known as repressors. Thus, gene activation typically is regulated positively by transcription factors and negatively by repressors.

Most conventional drugs function by interaction with
20 and modulation of one or more targeted endogenous proteins, e.g., enzymes. Such drugs, however, typically are not specific for targeted proteins but interact with other proteins as well. Thus, a relatively large dose of drug must be used to effectively modulate a targeted protein. Typical
25 daily doses of drugs are from 10^{-5}-10^{-1} millimoles per kilogram of body weight or 10^{-3}-10 millimoles for a 100 kilogram person. If this modulation instead could be effected by interaction with and inactivation of mRNA, a dramatic reduction in the necessary amount of drug necessary could
30 likely be achieved, along with a corresponding reduction in side effects. Further reductions could be effected if such interaction could be rendered site- specific. Given that a functioning gene continually produces mRNA, it would thus be even more advantageous if gene transcription could be arrest d
35 in its entirety.

Oligodeoxynucleotides ffer such opportunities. For example, synthetic ligode xynucle tides could be used as

antisense pr b s to bl ck and eventually lead to the breakdown
of mRNA. Thus, synthetic DNA c uld suppress translation *in
vivo*. It als may be possible to modulate the genome of an
animal by, for example, triple helix formation using
5 oligonucleotides or other DNA recognizing agents. However,
there are a number of drawbacks associated with triple helix
formation. For example, it can only be used for homopurine
sequences and it requires unphysiologically high ionic
strength and low pH.

10   Furthermore, unmodified oligonucleotides are
unpractical both in the antisense approach and in the triple
helix approach because they have short *in vivo* half-lives,
they are difficult to prepare in more than milligram
quantities and, thus, are prohibitively costly, and they are
15 poor cell membrane penetrators.

      These problems have resulted in an extensive search for
improvements and alternatives. For example, the problems
arising in connection with double-stranded DNA (dsDNA)
recognition through triple helix formation have been
20 diminished by a clever "switch back" chemical linking whereby
a sequence of polypurine on one strand is recognized, and by
"switching back", a homopurine sequence on the other strand
can be recognized. *See, e.g.*, McCurdy, Moulds, and Froehler,
Nucleosides, in press. Also, good helix formation has been
25 obtained by using artificial bases, thereby improving binding
conditions with regard to ionic strength and pH.

      In order to improve half life as well as membrane
penetration, a large number of variations in polynucleotide
backbones has been undertaken, although so far not with
30 desired results. These variations include the use of
methylphosphonates, monothiophosphates, dithiophosphates,
phosphoramidates, phosphate esters, bridged phosphoroamidates,
bridged phosphorothioates, bridged methylenephosphonates,
dephospho internucleotide analogs with siloxane bridges,
35 carbonate bridges, carboxymethyl st r bridges, acetamide
bridges, carbamate bridges, thioether, sulf xy, sulf no

-4-

bridges, various "plastic" DNAs, α-anomeric bridges, and borane derivatives.

International patent application WO 86/05518 broadly claims a polymeric composition effective to bind to a single-
5 stranded polynucleotide containing a target sequence of bases. The composition is said to comprise non-homopolymeric, substantially stereoregular polymer molecules of the form:

$$R_1 \quad R_2 \quad R_3 \qquad R_n$$
$$B \sim B \sim B \sim \ldots B,$$

10 where:

(a) R_1-R_n are recognition moieties selected from purine, purine-like, pyrimidine, and pyrimidine like heterocycles effective to bind by Watson/Crick pairing to corresponding, in-sequence bases in the target
15   sequence;

(b)   n is such that the total number of Watson/Crick hydro-gen bonds formed between a polymer molecule and target sequence is at least about 15;

(c)   B - B are backbone moieties joined predominantly by
20   chemically stable, substantially uncharged, predominantly achiral linkages;

(d)   the backbone moiety length ranges from 5 to 7 atoms if the backbone moieties have a cyclic structure, and ranges from 4 to 6 atoms if the backbone moieties have
25   an acyclic structure; and

(e)   the backbone moieties support the recognition moieties at position which allow Watson/Crick base pairing between the recognition moieties and the corresponding, in-sequence bases of the target
30   sequence.

According to WO 86/05518, the recognition moieties are various natural nucleobases and nucleobase-analogs and the backbone moieties are either cyclic backbone moieties comprising furan or morpholine rings r acyclic backb ne moieties of the
35 following forms:

-5-

5

10

15

20

25

where E is -CO- or -SO$_2$-. The specification of the application provides general descriptions for the synthesis
30 of subunits, for backbone coupling reactions, and for polymer assembly strategies. However, the specification provides no example wherein a claimed compound or structure is actually prepared. Although WO 86/05518 indicates that the claimed polymer compositions can bind target sequences and, as a
35 result, have possible diagnostic and therapeutic applications, the application contains no data relating to the binding affinity of a claimed polymer.

International patent application WO 86/05519 claims diagnostic reagents and systems that comprise polymers
40 described in WO 86/05518, but attached to a solid support. WO 86/05519 also provides no examples concerning actually preparation of a claimed diagnostic reagent, much less data showing the diagnostic efficiency of such a reagent.

Int rnational patent application WO 89/12060 claims
45 various building blocks for synthesizing lig nucleotide analogs, as well as oligonucl otide anal gs formed by joining

-6-

such building blocks in a defined sequence. The building
blocks may be either "rigid" (containing a ring) or "flexible"
(lacking a ring). In both cases the building blocks contain
a hydroxy group and a mercapto group, through which the
5 building blocks are said to join to form oligonucleotide
analogs. The linking moiety in the oligonucleotide analogs
is selected from the group consisting of sulfide (-S-),
sulfoxide (-SO-), and sulfone (-SO$_2$-). WO 89/12060 provides
a general description concerning synthesis of the building
10 blocks and coupling reactions for the synthesis of
oligonucleotide analogs, along with experimental examples
describing the preparation of building blocks. However, the
application provides no examples directed to the preparation
of a claimed oligonucleotide analog and no data confirming the
15 specific binding of an oligonucleotide analog to a target
oligonucleotide.

Furthermore, oligonucleotides or their derivatives have
been linked to intercalators in order to improve binding, to
polylysine or other basic groups in order to improve binding
20 both to double-stranded and single-stranded DNA, and to pep-
tides in order to improve membrane penetration. However, such
linking has not resulted in satisfactory binding for either
double-stranded or single-stranded DNA. Other problems which
resulted   from,   for   example,   methylphosphonates   and
25 monothiophosphates   were   the   occurrence   of   chirality,
insufficient synthetic yield or difficulties in performing
solid phase assisted syntheses.

In most cases only a few of these modifications could
be used. Even then, only short sequences -- often only dimers
30 --   or monomers could be generated. Furthermore, the
oligomers actually produced have rarely been shown to bind to
DNA or RNA or have not been examined biologically.

The great majority of these backbone modifications led
to decreased stability for hybrids formed between the modified
35 oligonucleotide and its complementary native oligonucleotide,
as assay d by measuring T$_m$ values. Consequently, it is
generally understood in the art that backb ne m difications

-7-

destabilize such hybrids, i.e., result in lower T_m values, and should be kept to a minimum.

OBJECTS OF THE INVENTION

5   It is one object of the present invention to provide compounds that bind ssDNA and RNA strands to form stable hybrids therewith.

It is a further object of the invention to provide compounds that bind ssDNA and RNA strands more strongly the 10 corresponding DNA.

It is another object to provide compounds wherein naturally-occurring nucleobases or other nucleobase-binding moieties are covalently bound to a peptide backbone.

It is yet another object to provide compounds other 15 than RNA that can bind one strand of a double-stranded polynucleotide, thereby displacing the other strand.

It is still another object to provide therapeutic and prophylactic methods that employ such compounds.

20 SUMMARY OF THE INVENTION

The present invention provides a novel class of compounds, known as peptide nucleic acids (PNAs), that bind complementary ssDNA and RNA strands more strongly than a corresponding DNA. The compounds of the invention generally 25 comprise ligands linked to a peptide backbone via an aza nitrogen. Representative ligands include either the four main naturally occurring DNA bases (i.e., thymine, cytosine, adenine or guanine) or other naturally occurring nucleobases (e.g., inosine, uracil, 5-methylcytosine or thiouracil) or 30 artificial bases (e.g., bromothymine, azaadenines or azaguanines, etc.) attached to a peptide backbone through a suitable linker.

In certain preferred embodiments, the peptide nucleic acids of the invention have the general formula (I):

-8-

(I)

wherein:

n is at least 2,

each of L^1-L^n is independently selected from the group consisting of hydrogen, hydroxy, $(C_1$-$C_4)$alkanoyl, naturally occurring nucleobases, non-naturally occurring nucleobases, aromatic moieties, DNA intercalators, nucleobase-binding groups, heterocyclic moieties, and reporter ligands, at least one of L^1-L^n being a naturally occurring nucleobase, a non-naturally occurring nucleobase, a DNA intercalator, or a nucleobase-binding group;

each of A^1-A^n is a single bond, a methylene group or a group of formula (IIa) or (IIb):

(IIa)   (IIb)

where:

X is O, S, Se, NR^3, CH_2 or $C(CH_3)_2$;

Y is a single bond, O, S or NR^4;

each of p and q is zero or an integer from 1 to 5, the sum p+q being not more than 10;

each of r and s is zero or an integer from 1 to 5, the sum r+s being not more than 10;

ach R^1 and R^2 is independently selected from the group consisting of hydrogen, $(C_1$-$C_4)$alkyl which may be hydroxy- or alkoxy- or alkylthio-substituted, hydr xy, alk xy, alkylthio, amino and halogen; and

-9-

ach R^3 and R^4 is independently selected from the group c nsisting of hydrogen, (C_1-C_4)alkyl, hydr xy- r alkoxy- or alkylthio-substituted (C_1-C_4)alkyl, hydroxy, alkoxy, alkylthio and amino;

each of B^1-B^n is N or R^3N^+, where R^3 is as defined above;

each of C^1-C^n is CR^6R^7, CHR^6CHR^7 or $CR^6R^7CH_2$, where R^6 is hydrogen and R^7 is selected from the group consisting of the side chains of naturally occurring alpha amino acids, or R^6 and R^7 are independently selected from the group consisting of hydrogen, (C_2-C_6)alkyl, aryl, aralkyl, heteroaryl, hydroxy, (C_1-C_6)alkoxy, (C_1-C_6)alkylthio, NR^3R^4 and SR^5, where R^3 and R^4 are as defined above, and R^5 is hydrogen, (C_1-C_6)alkyl, hydroxy-, alkoxy-, or alkylthio- substituted (C_1-C_6)alkyl, or R^6 and R^7 taken together complete an alicyclic or heterocyclic system;

each of D^1-D^n is CR^6R^7, $CH_2CR^6R^7$ or CHR^6CHR^7, where R^6 and R^7 are as defined above;

each of G^1-G^{n-1} is $-NR^3CO-$, $-NR^3CS-$, $-NR^3SO-$ or $-NR^3SO_2-$, Y in either orientation, where R^3 is as defined above;

Q is $-CO_2H$, $-CONR'R''$, $-SO_3H$ or $-SO_2NR'R''$ or an activated derivative of $-CO_2H$ or $-SO_3H$; and

I is $-NHR'''R''''$ or $-NR'''C(O)R''''$, where R', R", R''' and R'''' are independently selected from the group consisting of hydrogen, alkyl, amino protecting groups, reporter ligands, intercalators, chelators, peptides, proteins, carbohydrates, lipids, steroids, oligonucleotid s and soluble and non-soluble polymers.

The peptide nucleic acids of the invention differ fr m those disclosed in WO 86/05518 in that their recognition moieties are attached to an aza nitrogen atom in the backbone, rather than to an amide nitrogen atom, a hydrazine moiety r a carbon atom in the backbone.

-10-

Preferred peptid nucleic acids have general formula (III):

(III)

wherein:

5   each L is independently selected from the group consisting of hydrogen, phenyl, heterocyclic moieties, naturally occurring nucleobases, and non-naturally occurring nucleobases;

        each $R^{7'}$ is independently selected from the group

10 consisting of hydrogen and the side chains of naturally occurring alpha amino acids;

        n is an integer from 1 to 60;

        each of k, l and m is independently zero or an integer from 1 to 5;

15   R^{h} is OH, NH_2 or -$NHLysNH_2$; and

        R^{l} is H or $COCH_3$.

Particularly preferred are compounds having formula (III) wherein each L is independently selected from the group consisting of the nucleobases thymine (T), adenine (A),

20 cytosine (C), guanine (G) and uracil (U), k and m are zero or 1, and n is an integer from 1 to 30, in particular from 4 to 20. An example of such a compound is provided in Figure 1, which shows the structural similarity between such compounds and single-stranded DNA.

25   The peptide nucleic acids of the invention are synthesized by adaptation f standard peptide synthesis pr cedures, either in soluti n or on a s lid phase. The synthons used are specially designed monomer amino acids or their activated derivatives, pr tected by standard protecting

-11-

groups. The ligonucl otid analogs also can be synthesized by using the corresponding diacids and diamines.

Thus, the novel monomer synthons according to th invention are selected from the group consisting of amino 5 acids, diacids and diamines having general formulae:

(IV)   (V)   (VI)

15 wherein L, A, B, C and D are as defined above, except that any amino groups therein may be protected by amino protecting groups; E is COOH, CSOH, SOOH, SO_2OH or an activated derivative thereof; and F is NHR^3 or $NPgR^3$, where R^3 is as defined above and Pg is an amino protecting group.

20   Preferred monomer synthons according to the invention are amino acids having formula (VII):

(VII)

or amino-protected and/or acid terminal activated derivatives thereof, wherein L is selected from the group consisting f 35 hydrogen, phenyl, heterocyclic moieties, naturally occurring nucleobases, non-naturally occurring nucleobases, and protected derivatives thereof; and $R^{7'}$ is independently selected from the group consisting of hydrogen and the side chains of naturally occurring alpha amino acids. Especially 40 preferred are such synthons having formula (VII) wherein $R^{7'}$ is hydrogen and L is selected from the group consisting f the nucle bases thymine (T), adenine (A), cytosine (C), guanine (G) and uracil (U) and protected derivatives thereof.

Unexpectedly, these comp unds also are able to recognize duplex DNA by displacing on strand, thereby presumably generating a double helix with the other one. Such recognition can take place to dsDNA sequences 5-60 base pairs

5 long. Sequences between 10 and 20 bases are of interest since this is the range within which unique DNA sequences of prokaryotes and eukaryotes are found. Reagents which recognize 17-18 bases are of particular interest since this is the length of unique sequences in the human genome. The

10 compounds of the invention also should be able to form triple helices with dsDNA.

Whereas the improved binding of the compounds of the invention should render them efficient as antisense agents, it is expected that an extended range of related reagents may

15 cause strand displacement, now that this surprising and unexpected new behavior of dsDNA has been discovered.

Thus, in one aspect, the present invention provides methods for inhibiting the expression of particular genes in the cells of an organism, comprising administering to said

20 organism a reagent as defined above which binds specifically to sequences of said genes.

Further, the invention provides methods for inhibiting transcription and/or replication of particular genes or for inducing degradation of particular regions of double stranded

25 DNA in cells of an organism by administering to said organism a reagent as defined above.

Still further, the invention provides methods for killing cells or virus by contacting said cells or virus with a reagent as defined above which binds specifically to

30 sequences of the genome of said cells or virus.

-13-

BRIEF DESCRIPTION F THE DRAWINGS

The numerous objects and advantages of the present inventi n may be better underst od by those skilled in the art by reference to the accompanying figures, in which:

5   Figure 1 shows a ˉnaturally occurring deoxyribooligonucleotide (A) and a peptide nucleic acid (PNA) of the invention (B).

Figure 2 provides examples of naturally occurring and non-naturally occurring nucleobases for DNA recognition and reporter groups.

10 reporter groups.

Figure 3 provides a schematic illustration of (a) photocleavage by Acr^1-$(Taeg)_{10}$-Lys-NH_2 (Acr-T10-LysNH$_2$); (b) photofootprint by the diazo-linked acridine of Acr^1-$(Taeg)_{10}$-Lys-NH_2 and preferred $KMnO_4$-cleavage; and (c) S_1-nuclease 15 enhanced cleavage and (d) micrococcus nuclease cleavage f Acr^1-$(Taeg)_{10}$-Lys-NH_2 binding site.

Figure 4 provides examples of PNA monomer synthons of the invention.

Figure 5 shows the Acr^1 ligand and a PNA, Acr^1-$(Taeg)_{10}$- 20 Lys-NH_2.

Figure 6 provides a general scheme for the preparation of monomer synthons.

Figure 7 provides a general scheme for the preparation of the Acr^1 ligand.

25   Figure 8 provides a general scheme for solid-phase PNA synthesis illustrating the preparation of linear unprotected PNA amides.

Figure 9 shows analytical HPLC chromatograms of: (A) crude H-$[Taeg]_{15}$-NH_2 after HF-cleavage (before lyophilization); 30 (B) crude Acr^1-$[Taeg]_{15}$-NH_2 after HF-cleavage (before lyophilization); and (C) purified Acr^1-$[Taeg]_{15}$-NH_2. Buffer A, 5% CH_3CN/95% H_2O/0.0445% TFA; buffer B, 60% CH_3CN/40% H_2O/0.0390% TFA; linear gradient, 0-100% of B in 30 min; flow rate, 1.2 ml/min; column, Vydac C_{18} (5 μm, 0.46 x 25 cm).

35   Figure 10 shows analytical HPLC chromat grams of: (A) purified H-$[Taeg]_{10}$-Lys-NH_2 and (B) purified H-$[Taeg]_5$-Caeg-$[Taeg]_4$-Lys-NH_2 empl ying the same conditi ns as in Figure 9.

Figures 11a and 11b show binding of AcrT10-Lys to dA_{10}. 5'-^{32}P-labeled oligonucleotide (1) (5'-GATCCA$_{10}$G) was incubated in the absence or presence of Acr-T10-LysNH$_2$ and in the absence or presence of oligonucleotide (2) (5'-GATCCT$_{10}$G) and

5 the samples were analyzed by polyacrylamide gel electrophoresis (PAGE) and autoradiography under "native conditions" (Figure 11a) or under "denaturing conditions" (Figure 11b).

Figures 12a-c show chemical, photochemical and

10 enzymatic probing of dsDNA-Acr-T10-LysNH$_2$ complex. Complexes between Acr-T10-LysNH$_2$ and a ^{32}P-endlabeled DNA fragment containing a dA_{10}/dT_{10} target sequence were probed by affinity photocleavage (Figure 12a, lanes 1-3; Figure 12b, lanes 1-3), photofootprinting (Figure 12a, lanes 5-6), potassium

15 permanganate probing (Figure 12b, lanes 4-6) or probing by staphylococcus nuclease (Figure 12b, lanes 8-10) or by nuclease S$_1$ (Figure 12c). Either the A-strand (Figure 12a) or the T-strand (Figures 12b,c) was probed.

Figure 13 provides a procedure for the synthesis of

20 protected PNA synthons.

Figure 14 provides a procedure for the synthesis of a protected adenine monomer synthon.

Figure 15 provides a procedure for the synthesis of a protected guanine monomer synthon.

25 Figure 16 provides examples of PNA backbone alterations.

Figure 17 provides a procedure for synthesis of thymine monomer synthons with side chains corresponding to the normal amino acids.

30 Figures 18a and 18b provide procedures for synthesis of an aminopropyl analogue and a propionyl analogue, respectively, of a thymine monomer synthon.

Figure 19 provides a procedure for synthesis of an aminoethyl-β-alanine analogue of thymine monomer synthon.

35 Figur 20 shows a PAGE autoradiograph demonstrating that PNAs-T$_{10}$, -T$_9$C and -T$_8$C$_2$ bind to double stranded DNA with high sequenc specificity.

Figure 21 sh ws a graph based on densit metric scanning
f PAGE aut radi graphs demonstrating the kinetics of the
binding f PNA-T_{10} to a double stranded target.

Figure 22 shows a graph based on densitometric scanning
5 of PAGE autoradiographs demonstrating the thermal stabilities
of PNAs of varying lengths bound to an A_{10}/T_{10} double stranded
DNA target.

Figure 23 shows an electrophoretic gel staining
demonstrating that restriction enzyme activity towards DNA is
10 inhibited when PNA is bound proximal to the restriction enzyme
recognition site.

Figure 24 shows a PAGE autoradiograph demonstrating
that ^{125}I-labeled PNA-T_{10} binds to a complementary dA_{10}
oligonucleotide.

15 Figure 25 shows a peptide nucleic acid according to the
invention.

Figure 26 shows the direction of synthesis for a
peptide nucleic acid according to the invention.

Figure 27 provides a test for the tosyl group as a
20 nitrogen protecting group in the synthesis of peptide nucleic
acids.

DETAILED DESCRIPTION OF THE INVENTION

In the oligonucleotide analogs and monomer synthons
25 according to the invention, ligand L is primarily a naturally
occurring nucleobase attached at the position found in nature,
i.e., position 9 for adenine or guanine, and position 1 for
thymine or cytosine. Alternatively, L may be a non-naturally
occurring nucleobase (nucleobase analog), another base-binding
30 moiety, an aromatic moiety, (C_1-C_4)alkanoyl, hydroxy or even
hydrogen. Some typical nucleobase ligands and illustrative
synthetic ligands are shown in Figure 2. Furthermore, L can
be a DNA intercalator, a reporter ligand such as, for example,
a fluorophor, radio label, spin label, hapten, or a protein-
35 recognizing ligand such as biotin.

In m n mer synthons, L may be blocked with protecting
gr ups. This is illustrated in Figure 4, where Pg^1 is an

-16-

acid, a bas or a hydrogenolytically or ph tochemically
cleavable prot cting gr up such as, for example, t-
butoxycarbonyl (Boc), fluorenylmethyloxycarbonyl (Fmoc) or 2-
nitrobenzyl (2Nb).

5   Linker A can be a wide variety of groups such as
$-CR^1R^2CO-$, $-CR^1R^2CS-$, $-CR^1R^2CSe-$, $-CR^1R^2CNHR^3-$, $-CR^1R^2C=CH_2-$ and
$-CR^1R^2C=C(CH_3)_2-$, where R^1, R^2 and R^3 are as defined above.
Preferably, A is methylenecarbonyl $(-CH_2CO-)$. Also, A can be
a longer chain moiety such as propanoyl, butanoyl or
10 pentanoyl, or corresponding derivative, wherein O is replaced
by another value of X or the chain is substituted with R^1R^2 or
is heterogenous, containing Y. Further, A can be a (C_2-C_6)alkylene chain, a (C_2-C_6)alkylene chain substituted with R^1R^2
or can be heterogenous, containing Y. In certain cases, A can
15 just be a single bond.

          In the preferred form of the invention, B is a nitrogen
atom, thereby presenting the possibility of an achiral
backbone. B can also be R^3N^+, where R^3 is as defined above.

          In the preferred form of the invention, C is $-CR^6R^7-$,
20 but can also be a two carbon unit, i.e. $-CHR^6CHR^7-$ or
$-CR^6R^7CH_2-$, where R^6 and R^7 are as defined above. R^6 and R^7
also can be a heteroaryl group such as, for example, pyrrolyl,
furyl, thienyl, imidazolyl, pyridyl, pyrimidinyl, indolyl, or
can be taken together to complete an alicyclic system such as,
25 for example, 1,2-cyclobutanediyl, 1,2-cyclopentanediyl or 1,2-
cyclohexanediyl.

          In the preferred form of the invention, E in the
monomer synthon is COOH or an activated derivative thereof,
and G in the oligomer is $-CONR^3-$. As defined above, E may
30 also be CSOH, SOOH, SO_2OH or an activated derivative thereof,
whereby G in the oligomer becomes $-CSNR^3-$, $-SONR^3-$ and $-SO_2NR^3-$,
respectively. The activation may, for example, be achieved
using an acid anhydride or an active ester derivative, wherein
hydr gen in the groups represented by E is replaced by a
35 leaving group suited f r generating the growing backbone.

          The amin acids which form the backbone may be
identical or different. We have found that those based n 2-

aminoethylglycine are especially well suited to th purpose
f the invention.

In s me cas s it may be of interest to attach ligands
at either terminus (Q, I) to modulate the binding characte-
5 ristics of the PNAs. Representative ligands include DNA
intercalators which will improve dsDNA binding or. basic
groups, such as lysine or polylysine, which will strengthen
the binding of PNA due to electrostatic interaction. To
decrease negatively charged groups such as carboxy and sulfo
10 groups could be used. The design of the synthons further
allows such other moieties to be located on non-terminal
positions.

In a further aspect of the invention, the PNA oligomers
are conjugated to low molecular effector ligands such as
15 ligands having nuclease activity or alkylating activity or
reporter ligands (fluorescent, spin labels, radioactive,
protein recognition ligands, for example, biotin or haptens).
In a further aspect of the invention, the PNAs are conjugated
to peptides or proteins, where the peptides have signaling
20 activity and the proteins are, for example, enzymes,
transcription factors or antibodies. Also, the PNAs can be
attached to water-soluble or water-insoluble polymers. In
another aspect of the invention, the PNAs are conjugated to
oligonucleotides or carbohydrates. When warranted, a PNA
25 oligomer can be synthesized onto some moiety (e.g., a peptide
chain, reporter, intercalator or other type of ligand-
containing group) attached to a solid support.

Such conjugates can be used for gene modulation (e.g.,
gene targeted drugs), for diagnostics, for biotechnology, and
30 for scientific purposes.

As a further aspect of the invention, PNAs can be used
to target RNA and ssDNA to produce both antisense-type gene
regulating moieties and hybridization probes for the
identification   and   purification   of   nucleic   acids.
35 Furthermore, the PNAs can be modified in such a way that they
can form triple helices with dsDNA. Reagents that bind
sequence-specifically t dsDNA have applications as g ne

-18-

targeted drugs. Thes are foreseen as extremely useful drugs
for tr ating diseas s like cancer, AIDS and ther virus
infections, and may also prove effective for treatment of some
genetic diseases. Furthermore, these reagents may be used for
5 research and in diagnostics for detection and isolation of
specific nucleic acids.

The triple helix principle is believed to be the only
known principle in the art for sequence-specific recognition
of dsDNA. However, triple helix formation is largely limited
10 to recognition of homopurine-homopyrimidine sequences. Strand
displacement is superior to triple helix recognition in that
it allows for recognition of any sequence by use of the four
natural bases. Also, in strand displacement recognition
readily occurs at physiological conditions, that is, neutral
15 pH, ambient (20-40 C) temperature and medium (100-150 mM)
ionic strength.

Gene targeted drugs are designed with a nucleobase
sequence (containing 10-20 units) complementary to the
regulatory region (the promoter) of the target gene.
20 Therefore, upon administration of the drug, it binds to the
promoter and block access thereto by RNA polymerase.
Consequently, no mRNA, and thus no gene product (protein), is
produced. If the target is within a vital gene for a virus,
no viable virus particles will be produced. Alternatively,
25 the target could be downstream from the promoter, causing the
RNA polymerase to terminate at this position, thus forming a
truncated mRNA/protein which is nonfunctional.

Sequence-specific recognition of ssDNA by base comple-
mentary hybridization can likewise be exploited to target
30 specific genes and viruses. In this case, the target sequence
is contained in the mRNA such that binding of the drug to the
target hinders the action of ribosomes and, consequently,
translation of the mRNA into protein. The peptide nucleic
acids of the inv ntion are superi r t pri r r agents in that
35 th y have significantly higher affinity for complementary
ssDNA. Also, they possess n charge and water soluble, which
should facilitate cellular uptake, and th y contain amides of

n n-biol gical amino acids, which sh uld make them biostable and resistant to enzymatic d gradation by, f r example, proteases.

Certain biochemical/biological properties of PNA oligomers are illustrated by the following experiments.

1. **Sequence discrimination at the dsDNA level (Example 63, Figure 20).**

Using the S_1-nuclease probing technique, the discrimination of binding of the T_{10}, T_5CT_4 (T_9C) & $T_2CT_2CT_4$ (T_8C_2) PNA to the recognition sequences A_{10}, A_5GA_4 (A_9G) & $A_2GA_2GA_4$ (A_8G_2) cloned into the BamHI, SalI or PstI site of the plasmid pUC19 was analyzed. The results (Figure 20) show that the three PNAs bind to their respective recognition sequences with the following relative efficiencies: PNA - T10: $A_{10} > A_9G >> A_8G_2$, PNA $-T_9C$: $A_9G > A_{10} \sim A_8G_2$, PNA - T_8C_2: $A_8G_2 \geq A_9G >> A_{10}$. Thus at 37°C one mismatch out of ten gives reduced efficiency (5-10 times estimated) whereas two mismatches are not accepted.

2. **Kinetics of PNA-T_{10} - dsDNA strand displacement complex formation (Example 66, Figure 21).**

Complex formation was probed by S_1-nuclease at various times following mixing of PNA and ^{32}P-endlabeled dsDNA fragment (Figure 21).

3. **Stability of PNA-dsDNA complex (Example 67, Figure 22)**

Complexes between PNA-T_n and ^{32}P-dsDNA (A_{10}/T_{10}) target were formed (60 min, 37°C). The complexes were then incubated at the desired temperature in the presence of excess oligo-dA_{10} for 10 min, cooled to RT and probed with $KMnO_4$. Th results (Figure 22) show that the thermal stability of the PNA-dsDNA complexes mirror that of the PNA oligonucleotide complexes in terms of "Tm".

4. **Inhibition of restriction enzyme cleavage by PNA (Example 65, Figure 23)**

The plasmid construct, pT10, contains a dA_{10}/dT_{10} tract cloned into the BamHI site in pUC19. Thus, cleavage of pT10 with BamHI and PvuII results in two small DNA fragments of 211 and 111 bp, respectively. In the presence of PNA-T_{10}, a 336 bp fragment is obtained corresponding t cleavage nly by

-20-

PvuII (Figure 23). Thus cleavage by BamHI is inhibited by PNA bound proximal to the r striction enzyme site. Th results also show that the PNA-dsDNA complex can be formed in 100% yield. Similar results were obtained using the pT8C2 plasmid and PNA-T8C2.

5.   Binding of ^{125}I-labeled PNA to oligonucleotides (Example 63, Figure 24)

A Tyr-PNA-T_{10}-Lys-NH_2 was labeled with ^{125}I using Na^{125}I and chloramine-T and purified by HPLC. The ^{125}I-PNA-T_{10} was shown to bind to oligo-dA_{10} by PAGE and autoradiography (Figure 24). The binding could be competed by excess denatured calf thymus DNA.

The sequence-specific recognition of dsDNA is illustrated by the binding of a PNA, consisting of 10 thymine substituted 2-aminoethylglycyl units, which C-terminates in a lysine amide and N-terminates in a complex 9-aminoacridine ligand (9-Acr^1-(Taeg)$_{10}$-Lys-NH_2, Figure 11a, 11b) to a dA_{10}/dT_{10} target sequence. The target is contained in a 248 bp ^{32}P-end-labelled DNA-fragment.

Strand displacement was ascertained by the following type of experiments:

1) The 9-Acr^1 ligand (Figure 5), which is equipped with a 4-nitrobenzamido group to ensures cleavage of DNA upon irradiation, is expected only to cleave DNA in close proximity to its binding site. Upon irradiation of the PNA with the above 248 bp DNA fragment, selective cleavage at the dA_{10}/dT_{10} sequence is observed (Figure 3a).

2) In a so-called photofootprinting assay, where a synthetic diazo-linked acridine under irradiation cleaves DNA (except where the DNA is protected by said binding substance) upon interaction with DNA in the presence of a DNA-binding substance.

Such an experiment was performed with the above 248 bp dsDNA fragment, which showed clear protecti n against ph - tocleavage of the PNA binding site (Figure 3b).

3) In a similar type f experiment, the DNA-cleaving enzyme micrococcus nuclease, which is als hindered in its

action by m st DNA-binding reagents, showed increased cleavage at the T_{10}-target (Figure 3c).

4) In yet another type of experiment, the well-known high susceptibility of single strand thymine ligands (as opposed to double strand thymine ligands) towards potassium permanganate oxidation was employed. Oxidation of the 248 bp in the presence of the reagent showed only oxidation of the T_{10}-strand of the target (Figure 3b).

5) In a similar type of demonstration, the single strand specificity of S_1 nuclease clearly showed that only the T_{10}-strand of the target was attacked (Figure 3d).

The very efficient binding of $(Taeg)_{10}$, $(Taeg)_{10}$-Lys-NH$_2$ and Acr^1-$(Taeg)_{10}$-Lys-NH$_2$ (Figures 11a. 11b) to the corresponding dA_{10} was furthermore illustrated in two ways:

1. Ligand-oligonucleotide complexes will migrate slower than the naked oligonucleotide upon electrophoresis in polyacrylamide gels. Consequently, such experiments were performed with Acr^1-$(Taeg)_{10}$-Lys-NH$_2$ and ^{32}P-end-labelled dA_{10}. This showed retarded migration under conditions where a normal dA_{10}/dT_{10} duplex is stable, as well as under conditions where such a duplex is unstable (denaturing gel). A control experiment was performed with a mixture of Acr^1-$(Taeg)_{10}$-Lys-NH$_2$ and ^{32}P-end-labelled dT_{10} which showed no retardation under the above conditions.

2. Upon formation of DNA duplexes (dsDNA) from single strand DNA, the extinction coefficient decreases (hypochromicity). Thus, the denaturing of DNA can be followed by measuring changes in the absorbance, for example, as a function of T_m, the temperature where 50% of a duplex has disappeared to give single strands.

Duplexes were formed from the single-stranded oligodeoxyribonucleotides and the PNAs listed below. Typically 0.3 OD_{260} of the T-rich strand was hybridized with 1 equivalent of the other strand by heating to 90 C for 5 min, cooling t room temperature and kept for 30 min and finally stor d in a refrigerator at 5 C for at least 30 min. Th buffers us d wer all 10 mM in phosphate and 1 mM in EDTA.

-22-

The l w salt buffer c ntained no sodium chlorid , whereas the
medium salt buffer c ntained 140 mM NaCl and the high salt
buffer 500 mM NaCl. The pH of all the buffers was 7.2. The
melting temperature of the hybrids were determined on a
5   Gilford Response apparatus.   The following extinction
coefficients were used A: 15.4 ml/μmol·cm; T: 8.8; G: 11.7 and
C: 7.3 for both normal oligonucleotides and PNA. The melting
curves were recorded in steps of 0.5 C/min. The T_m were
determined from the maximum of the 1st derivative of the plot
10 of A_{260} vs témperature.

List of oligodeoxyribonucleotides:
1.   5'-AAA-AAA-AA
2.   5'-AAA-AAA-AAA-A
15 3.   5'-TTT-TTT-TTT-T
4.   5'-AAA-AAG-AAA-A
5.   5'-AAG-AAG-AAA-A
6.   5'-AAA-AGA-AAA-A
7.   5'-AAA-AGA-AGA-A
20 8.   5'-TTT-TCT-TTT-T
9.   5'-TTT-TCT-TCT-T
10.   5'-TTT-TTC-TTT-T
11.   5'-TTT-TTC-TTC-T
12.   5'-TTC-TTC-TTT-T
25 13.   5'-TTT-TTT-TTT-TTT-TTT
14.   5'-AAA-AAA-AAA-AAA-AAA

List of PNAs
a.   TTT-TTT-TTT-T-Lys-NH$_2$
30 b.   TTT-TTT-TT-Lys-NH$_2$
c.   TTT-TTC-TTT-T-Lys-NH$_2$
d.   TTC-TTC-TTT-T-Lys-NH$_2$
e.   Acr-TTT-TTT-TTT-T-Lys-NH$_2$
f.   Ac-TTT-TTT-TTT-T-Lys-NH$_2$
35

Oligo/PNA	Low Salt	Medium Salt	High Salt
1 + b	56.0	51.5	50.0
2 + a	73.0	72.5	73.0
2 + c		41.5 and 52.0*	
2 + e	84.5	86.0	≈90
2 + f		74	
4 + a	60.0	59.0	61.5
4 + c	74.5	72.0	72.5
4 + f		62.0	
5 + a		47.0	
5 + c		57.5	
5 + f		46.5	
7 + a		46.0	
7 + c		58.0	
7 + f		43.5	
7 + 12		23.0	
13 + 14		39.0	

* = Two distinct melting temperatures are seen, indicating local melting before complet denaturation.

The hybrid formed between RNA-A (poly rA) and PNA-T_{10}-Lys-NH_2 melts at such high temperature that it cannot be measured (>90 C). But specific hybridization is demonstrated by the large drop in A_{260} by mixing with RNA-A but not G,C and U. The experiment is done by mixing 1 ml of a solution of the PNA and 1 ml of a solution the RNA, each with A_{260} = 0.6, and then measure the absorbance at 260 nm. Thereafter the sample is heated to 90 C for 5 min, cooled to room temperature and kept at this temperature for 30 minutes and finally stored at 5C for 30 min.

-24-

RNA	PNA	A_{260} Before Mixing	A_{260} After Mixing	A_{260} After Mixing and Heating
RNA-A	PNA-T$_{10}$lys-NH$_2$	0.600	0.389	0.360
RNA-U	PNA-T$_{10}$-lys-NH$_2$	0.600	0.538	0.528
RNA-G	PNA-T$_{10}$-lys-NH$_2$	0.600	0.514	0.517
RNA-C	PNA-T$_{10}$-lys-NH$_2$	0.600	0.540	0.532

From the above measurements the following conclusions can be made. There is base stacking, since a melting curve is observed. The PNA-DNA hybrid is more stable than a normal
10 DNA-DNA hybrid, and the PNA-RNA is even more stable. Mismatches cause significant drops in the T_m-value, whether the mispaired base is in the DNA or in the PNA-strand. The T_m-value is only slightly dependent on ionic strength, as opposed to normal oligonucleotides.

15   The synthesis of the PNAs according to the invention is discussed in detail in the following, where Figure 1 illustrates one of the preferred PNA examples and compares its structure to that of a complementary DNA.

20 **Synthesis of PNA Oligomers and Polymers**

The principle of anchoring molecules onto a solid matrix, which helps in accounting for intermediate products during chemical transformations, is known as Solid-Phase Synthesis or Merrifield Synthesis (see, e.g., Merrifield, J.
25 Am. Chem. Soc., 1963, 85, 2149 and Science, 1986, 232, 341). Established methods for the stepwise or fragmentwise solid-phase assembly of amino acids into peptides normally employ a beaded matrix of slightly cross-linked styrene-divinylben-zene copolymer, the cross-linked copolymer having been formed
30 by the pearl polymerization of styrene monomer to which has been added a mixture of divinylbenzenes. A lev l of 1-2% cross-linking is usually employed. Such a matrix als can be used in solid-phase PNA synthesis in accordance with the present invention (Figure 8).

-25-

        Concerning the initial functionalization f the solid
phase, more than fifty methods have been d scribed in
connection with traditional solid-phase peptide synthesis
(see, e.g., Barany and Merrifield in "The Peptides" Vol. 2,
5 Academic Press, New York, 1979, pp. 1-284, and Stewart and
Young, "Solid Phase Peptide Synthesis", 2nd Ed., ·Pierce
Chemical Company, Illinois, 1984). Reactions for the
introduction of chloromethyl functionality (Merrifield resin;
via a chloromethyl methyl ether/SnCl₄ reaction), aminomethyl
10 functionality (via an N-hydroxymethylphthalimide reaction;
see, Mitchell, et al., Tetrahedron Lett., 1976, 3795), and
benzhydrylamino functionality (Pietta, et al., J. Chem. Soc.,
1970, 650) are the most widely applied. Regardless of its
nature, the purpose of the functionality is normally to form
15 an anchoring linkage between the copolymer solid support and
the C-terminus of the first amino acid to be coupled to th
solid support. As will be recognized, anchoring linkages also
can be formed between the solid support and the amino acid N-
terminus.   It is generally convenient to express the
20 "concentration" of a functional group in terms of millimoles
per gram (mmol/g). Other reactive functionalities which have
been initially introduced include 4-methylbenzhydrylamino and
4-methoxybenzhydrylamino. All of these established methods
are in principle useful within the context of the present in-
25 vention. Preferred methods for PNA synthesis employ aminomet-
hyl as the initial functionality, in that aminomethyl is
particularly advantageous with respect to the incorporation
of "spacer" or "handle" groups, owing to the reactivity of the
amino group of the aminomethyl functionality with respect t
30 the essentially quantitative formation of amide bonds to a
carboxylic acid group at one end of the spacer-forming
reagent. A vast number of relevant spacer- or handle-forming
bifunctional reagents have been described (see, Barany, et
al., Int. J. Peptide Protein Res., 1987, 30, 705), especially
35 r agents which are reactive towards amino groups such as f und
in the aminomethyl function. Representative bifunctional
r agents include 4-(haloalkyl)aryl-1 wer alkanoic acids such

-26-

as 4-(brom methyl)phenylacetic acid, Boc-aminoacyl-4-
(oxym thyl)aryl-lower alkan ic acids such as Boc-aminoacyl-4-
(oxymethyl)phenylacetic acid, N-Boc-p-acylbenzhydrylamines
such as N-Boc-p-glutaroylbenzhydrylamine, N-Boc-4'-lower
5 alkyl-p-acylbenzhydrylamines such as N-Boc-4'-methyl-p-
glutaroylbenzhydrylamine, N-Boc-4'-lower alkoxy-p-acylbenz-
hydrylamines such as N-Boc-4'-methoxy-p-glutaroyl-benzhy-
drylamine, and 4-hydroxymethylphenoxyacetic acid. One typ
of spacer group particularly relevant within the context of
10 the present invention is the phenylacetamidomethyl (Pam)
handle (Mitchell and Merrifield, *J. Org. Chem.*, 1976, *41*,
2015) which, deriving from the electron withdrawing effect of
the 4-phenylacetamidomethyl group, is about 100 times mor
stable than the classical benzyl ester linkage towards the
15 Boc-amino deprotection reagent trifluoroacetic acid (TFA).

Certain functionalities (e.g., benzhydrylamino, 4-
methylbenzhydrylamino and 4-methoxybenzhydrylamino) which may
be incorporated for the purpose of cleavage of a synthesized
PNA chain from the solid support such that the C-terminal of
20 the PNA chain is in amide form, require no introduction of a
spacer group. Any such functionality may advantageously be
employed in the context of the present invention.

An alternative strategy concerning the introduction of
spacer or handle groups is the so-called "preformed handle"
25 strategy (see, Tam, et al., *Synthesis*, 1979, 955-957), which
offers complete control over coupling of the first amino acid,
and excludes the possibility of complications arising from the
presence of undesired functional groups not related to the
peptide or PNA synthesis. In this strategy, spacer or handle
30 groups, of the same type as described above, are reacted with
the first amino acid desired to be bound to the solid support,
the amino acid being N-protected and optionally protected at
the other side-chains which are not relevant with respect to
the growth of the desired PNA chain. Thus, in those cases in
35 which a spacer r handle group is desirable, the first amin
acid to be coupl d to the solid supp rt can either be coupled
to the free reactive end f a spacer group which has been

-27-

b und to the initially introduced functi nality (f r example,
an aminom thyl group) or can be r acted with the spacer-
f rming reagent. The space-forming reagent is then reacted
with the initially introduced functionality. Other useful
5 anchoring schemes include the "multidetachable" resins (Tam,
et al., *Tetrahedron Lett.*, **1979**, 4935 and *J. Am. Chem, Soc.*,
1980, *102*, 611; Tam, *J. Org. Chem.*, **1985**, *50*, 5291), which
provide more than one mode of release and thereby allow more
flexibility in synthetic design.

10   Suitable choices for N-protection are the tert-
butyloxycarbonyl (Boc) group (Carpino, *J. Am. Chem. Soc.*,
1957, *79*, 4427; McKay, et al., *J. Am. Chem. Soc.*, **1957**, *79*,
4686; Anderson, et al., *J. Am. Chem. Soc.*, **1957**, *79*, 6180)
normally in combination with benzyl-based groups for the
15 protection of side chains, and the 9-fluorenylmethyloxy-
carbonyl (Fmoc) group (Carpino, et al., *J. Am. Chem. Soc.*,
1970, *92*, 5748 and *J. Org. Chem.*, **1972**, *37*, 3404), normally
in combination with tert-butyl (tBu) for the protection of any
side chains, although a number of other possibilities exist
20 which are well known in conventional solid-phase peptid
synthesis.   Thus, a wide range of other useful amin
protecting groups exist, some of which are Adoc (Hass, et al.,
J. Am. Chem. Soc., **1966**, *88*, 1988), Bpoc (Sieber, *Helv. Chem.
Acta.*, **1968**, *51*, 614), Mcb (Brady, et al., *J. Org. Chem.*,
25 **1977**, *42*, 143), Bic (Kemp, et al., *Tetrahedron*, **1975**, 4624),
the o-nitrophenylsulfenyl (Nps) (Zervas, et al., *J. Am. Chem.
Soc.*, **1963**, *85*, 3660), and the dithiasuccinoyl (Dts) (Barany,
et al., *J. Am. Chem. Soc.*, **1977**, *99*, 7363).   These amino
protecting groups, particularly those based on the widely-used
30 urethane functionality, successfully prohibit racemization
(mediated by tautomerization of the readily formed oxazolinone
(azlactone) intermediates (Goodman, et al., *J. Am. Chem. Soc.*,
1964, *86*, 2918)) during the coupling of most α-amino acids.
In addition to such amino protecting groups,a whole rang of
35 otherwise "worthless" n nurethane-type f amino pr tecting
gr ups are applicable when assembling PNA molecules,

-28-

esp cially those built from achiral units. Thus, not only the above-mentioned amin protecting groups (or those derived fr m any of these groups) are useful within the context of the present invention, but virtually any amino protecting group
5 which largely fulfills the following requirements: (1) stability to mild acids (not significantly attacked by carboxyl groups); (2) stability to mild bases or nucleophiles (not significantly attacked by the amino group in question); (3) resistance to acylation (not significantly attacked by
10 activated amino acids). Additionally: (4) the protecting group must be close to quantitatively removable, without serious side reactions, and (5) the optical integrity, if any, of the incoming amino acid should preferably be highly preserved upon coupling. Finally, the choice of side-chain
15 protecting groups, in general, depends on the choice of the amino protecting group, since the protection of side-chain functionalities must withstand the conditions of the repeated amino deprotection cycles. This is true whether the overall strategy for chemically assembling PNA molecules relies on,
20 for example, differential acid stability of amino and side-chain protecting groups (such as is the case for the above-mentioned "Boc-benzyl" approach) or employs an orthogonal, that is, chemoselective, protection scheme (such as is the case for the above-mentioned "Fmoc-tBu" approach),

25   Following coupling of the first amino acid, the next stage of solid-phase synthesis is the systematic elaboration of the desired PNA chain. This elaboration involves repeated deprotection/coupling cycles. The temporary protecting group, such as a Boc or Fmoc group, on the last-coupled amino acid
30 is quantitatively removed by a suitable treatment, for example, by acidolysis, such as with trifluoroacetic acid, in the case of Boc, or by base treatment, such as with piperidine, in the case of Fmoc, so as to liberate the N-terminal amine function.

35   The next desired N-protected amin acid is then coupled to the N-terminal of the last-c upled amino acid. This coupling of the C-terminal of an amino acid with the N-

t rminal f the last-coupled amino acid can be achieved in
several ways. For example, th carboxyl gr up of th inc ming
amino acid can be reacted directly with the N-terminal of the
last-coupled amino acid with the assistance of a condensation
5 reagent such as, for example, dicyclohexylcarbodiimide (DCC)
(Sheehan & Hess, et al., *J. Am. Chem. Soc.*, 1955, 77, 1067)
and diisoproplycarbodiimide (DIC) (Sraantakis et al., *Biochem.
biophys. res. Commun.*, 1976, 73, 336) or derivatives thereof.
Alternatively, it can be bound by providing the incoming amino
10 acid in a form with the carboxyl group activated by any of
several methods, including the initial formation of an active
ester derivative such as a 2,4,5-trichlorophenyl ester (Pless,
et al., *Helv. Chim. Acta*, 1963, 46, 1609), a phthalimido ester
(Nefkens, et al., *J. Am. Chem. Soc.*, 1961, 83, 1263), a
15 pentachlorophenyl ester (Kupryszewski, *Rocz. Chem.*, 1961, 35,
595), a pentafluorophenyl ester (Kovacs, et al., *J. Am. Chem.
Soc.*, 1963, 85, 183), an o-nitrophenyl ester (Bodanzsky,
Nature, 1955, 175, 685), an imidazole ester (Li, et al., *J.
Am. Chem. Soc.*, 1970, 92, 7608), and a 3-hydroxy-4-oxo-3,4-
20 dihydroquinazoline (Dhbt-OH) ester (Konig, et al., *Chem. Ber.*,
1973, 103, 2024 and 2034), or the initial formation of an
anhydride such as a symmetrical anhydride (Wieland, et al.,
Angew. Chem., Int. Ed. Engl., 1971, 10, 336). Benzotriazolyl
N-oxytrisdimethylaminophosphonium hexafluorophosphate (BOP),
25 "Castro's reagent" (see, e.g., Rivaille, et al., *Tetrahedron*,
1980, 36, 3413) is recommended when assembling PNA molecules
containing secondary amino groups. Finally, activated PNA
monomers analogous to the recently-reported amino acid
fluorides (Carpino, *J. Am. Chem. Soc.*, 1990, 112, 9651) hold
30 considerable promise to be used in PNA synthesis as well.

Following assembly of the desired PNA chain, including
protecting groups, the next step will normally be deprotection
of the amino acid moieties of the PNA chain and cleavage of
th synthesized PNA from the solid supp rt. These pr cesses
35 can take place substantially simultaneously, thereby providing
the fr e PNA molecule in the desired form. Alternatively, in
cases in which condensation of two separately synthesized PNA

-30-

chains is to be carried out, it is p ssible by ch osing a suitable spacer group at th start of th synth sis to cleave the desired PNA chains from their respective solid supports (both peptide chains still incorporating their side-chain

5 protecting groups) and finally removing the side-chain protecting groups after, for example, coupling the two side-chain protected peptide chains to form a longer PNA chain.

In the above-mentioned "Boc-benzyl" protection scheme, the final deprotection of side-chains and release of the PNA

10 molecule from the solid support is most often carried out by the use of strong acids such as anhydrous HF (Sakakibara, et al., Bull. Chem. Soc. Jpn., 1965, 38, 4921), boron tris (trifluoroacetate) (Pless, et al., Helv. Chim. Acta, 1973, 46, 1609), and sulfonic acids such as trifluoromethanesulfonic

15 acid and methanesulfonic acid (Yajima, et al., J. Chem. Soc., Chem. Comm., 1974, 107). This conventional strong acid (e.g., anhydrous HF) deprotection method, produces very reactive carbocations that may lead to alkylation and acylation of sensitive residues in the PNA chain. Such side-reactions are

20 only partly avoided by the presence of scavengers such as anisole, phenol, dimethyl sulfide, and mercaptoethanol and, therefore, the sulfide-assisted acidolytic $S_N 2$ deprotection method (Tam, et al., J. Am. Chem. Soc., 1983, 105, 6442 and J. Am. Chem. Soc., 1986, 108, 5242), the so-called "low",

25 which removes the precursors of harmful carbocations to form inert sulfonium salts, is frequently employed in peptide and PNA synthesis, either solely or in combination with "high" methods. Less frequently, in special cases, other methods used for deprotection and/or final cleavage of the PNA-solid

30 support bond are, for example, such methods as base-catalyzed alcoholysis (Barton, et al., J. Am. Chem. Soc., 1973, 95, 4501), and ammonolysis as well as hydrazinolysis (Bodanszky, et al., Chem. Ind., 1964 1423), hydrogenolysis (Jones, Tetrahedron Lett. 1977 2853 and Schlatter, et al., Tetrahedron

35 Lett. 1977 2861)), and ph tolysis (Rich and Gurwara, J. Am. Chem. Soc., 1975 97, 1575)).

-31-

Finally, in c ntrast with the chemical synthesis of "normal" peptides, stepwise chain building of achiral PNAs such as those based on aminoethylglycyl backbone units can start either from the N-terminus or the C-terminus, because 5 the coupling reactions are free of racemization. Those skilled in the art will recognize that whereas syntheses commencing at the C-terminus typically employ protected amine groups and free or activated acid groups, syntheses commencing at the N-terminus typically employ protected acid groups and 10 free or activated amine groups.

Based on the recognition that most operations are identical in the synthetic cycles of solid-phase peptide synthesis (as is also the case for solid-phase PNA synthesis), a new matrix, PEPS, was recently introduced (Berg, et al., J. 15 Am. Chem. Soc., 1989, 111, 8024 and International Patent Application WO 90/02749) to facilitate the preparation of large numbers of peptides. This matrix is comprised of a polyethylene (PE) film with pendant long-chain polystyrene (PS) grafts (molecular weight on the order of 10^6). The 20 loading capacity of the film is as high as that of a beaded matrix, but PEPS has the additional flexibility to suit multiple syntheses simultaneously. Thus, in a new configuration for solid-phase peptide synthesis, the PEPS film is fashioned in the form of discrete, labeled sheets, each 25 serving as an individual compartment. During all the identical steps of the synthetic cycles, the sheets are kept together in a single reaction vessel to permit concurrent preparation of a multitude of peptides at a rate close to that of a single peptide by conventional methods. It was reasoned 30 that the PEPS film support, comprising linker or spacer groups adapted to the particular chemistry in question, should be particularly valuable in the synthesis of multiple PNA molecules, these being conceptually simple to synthesize since only four different reaction compartments are normally 35 required, one for each of the four "pseud -nucle tide" units. Thus, the PEPS film support has b n successfully tested in a number of PNA syntheses carried ut in a parallel and

-32-

substantially simultan ous fashi n. Th yi ld and quality of
the products obtained fr m PEPS wer comparable t th se
obtained by using the traditional polystyrene beaded support.
Also, experiments with other geometries of the PEPS polymer
5 such as, for example, non-woven felt, knitted net, sticks or
microwellplates have not indicated any limitations of the
synthetic efficacy.

        Two other methods proposed for the simultaneous
synthesis of large numbers of peptides also apply to the
10 preparation of multiple, different PNA molecules. The first
of these methods (Geysen, et al., *Proc. Natl. Acad. Sci. USA*,
1984, *81*, 3998) utilizes acrylic acid-grafted polyethylene-
rods and 96-microtiter wells to immobilize the growing peptide
chains and to perform the compartmentalized synthesis. While
15 highly effective, the method is only applicable on a microgram
scale. The second method (Houghten, *Proc. Natl. Acad. Sci.
USA*, 1985, *82*, 5131) utilizes a "tea bag" containing
traditionally-used polymer beads. Other relevant proposals
for multiple peptide or PNA synthesis in the context of the
20 present invention include the simultaneous use of two
different supports with different densities (Tregear, in
"Chemistry and Biology of Peptides", J. Meienhofer, ed., Ann
Arbor Sci. Publ., Ann Arbor, 1972 pp. 175-178), combining of
reaction vessels via a manifold (Gorman, *Anal. Biochem.*, 1984,
25 *136*, 397), multicolumn solid-phase synthesis (e.g. Krchnak,
et al., *Int. J. Peptide Protein Res.*, 1989, *33*, 209), and Holm
and Meldal, in *"Proceedings of the 20th European Peptide
Symposium"*, G. Jung and E. Bayer, eds., Walter de Gruyter &
Co., Berlin, 1989 pp. 208-210), and the use of cellulose paper
30 (Eichler, et al., *Collect. Czech. Chem. Commun.*, 1989, *54*,
1746).

        While the conventional cross-linked
styrene/divinylbenzene copolymer matrix and the PEPS support
are presently preferred in the context f solid-phase PNA
35 synthesis, a non-limiting list of examples f solid supp rts
which may be of relevance are: (1) Particles based up n
copolymers of dimethylacrylamide cr ss-linked with N,N'-

bisacryl ylethylenediamin , including a known am unt f N-
t rtbutoxycarb nyl-beta-alanyl-N'-
acryl ylhexamethylenediamine. Several spacer molecules are
typically added via the beta alanyl group, followed thereafter
5 by the amino acid residue subunits. Also, the beta alanyl-
containing monomer can be replaced with an acryloyl sarcosine
monomer during polymerization to form resin beads.   Th
polymerization is followed by reaction of the beads with
ethylenediamine to form resin particles that contain primary
10 amines as ·the covalently linked functionality.   The
polyacrylamide-based supports are relatively more hydrophilic
than are the polystyrene-based supports and are usually used
with polar aprotic solvents including dimethylformamide,
dimethylacetamide, N-methylpyrrolidone and the like (see
15 Atherton, et al., J. Am. Chem. Soc., 1975, 97, 6584, Bioorg.
Chem. 1979, 8, 351), and J.C.S. Perkin I 538 (1981)); (2) a
second group of solid supports is based on silica-containing
particles such as porous glass beads and silica gel.   One
example is the reaction product of trichloro-[3-(4-
20 chloromethyl)phenyl]propylsilane and porous glass beads (se
Parr and Grohmann, Angew. Chem. Internal. Ed. 1972, 11, 314)
sold under the trademark "PORASIL E" by Waters Associates,
Framingham, MA, USA. Similarly, a mono ester of 1,4-dihydro-
xymethylbenzene and silica (sold under the trademark "BIOPAK"
25 by Waters Associates) has been reported to be useful (se
Bayer and Jung, Tetrahedron Lett., 1970, 4503); (3) a third
general type of useful solid supports can be termed composites
in that they contain two major ingredients: a resin and
another material that is also substantially inert to the
30 organic synthesis reaction conditions employed. One exemplary
composite (see Scott, et al., J. Chrom. Sci., 1971, 9, 577)
utilized glass particles coated with a hydrophobic, cross-
linked styrene polymer containing reactive chloromethyl
groups, and was supplied by Northgate Laboratories, Inc., of
35 Hamden, CT, USA. An ther exemplary composite contains a c re
of fluorinated ethylen polymer onto which has be n grafted
p lystyren (see Kent and Merrifield, Israel J. Chem. 1978,

-34-

17, 243) and van Rietsch ten in "Peptides 1974", Y. Wolman,
Ed., Wiley and S ns, New York, 1975, pp. 113-116); and (4)
contiguous solid supports other than PEPS, such as cotton
sheets (Lebl and Eichler, Peptide Res. 1989, 2, 232) and
5 hydroxypropylacrylate-coated polypropylene membranes (Daniels,
et al., Tetrahedron Lett. 1989, 4345), are suited for PNA
synthesis as well.

Whether manually or automatically operated, solid-phase
PNA synthesis in the context of the present invention is
10 normally performed batchwise. However, most of the syntheses
may equally well be carried out in the continuous-flow mode,
where the support is packed into columns (Bayer, et al.,
Tetrahedron Lett., 1970, 4503 and Scott, et al., J.
Chromatogr. Sci., 1971, 9, 577). With respect to continuous-
15 flow solid-phase synthesis, the rigid poly(dimethylacrylami-
de)-Kieselguhr support (Atherton, et al., J. Chem. Soc. Chem.
Commun., 1981, 1151) appears to be particularly successful,
but another valuable configuration concerns the one worked
out for the standard copoly(styrene-1%-divinylbenzene) support
20 (Krchnak, et al., Tetrahedron Lett., 1987, 4469).

While the solid-phase technique is presently preferred
in the context of PNA synthesis, other methodologies or
combinations thereof, for example, in combination with the
solid-phase technique, apply as well: (1) the classical
25 solution-phase methods for peptide synthesis (e.g., Bodanszky,
"Principles of Peptide Synthesis", Springer-Verlag, Berlin-New
York 1984), either by stepwise assembly or by segment/fragment
condensation, are of particular relevance when considering
especially large scale productions (gram, kilogram, and even
30 tons) of PNA compounds; (2) the so-called "liquid-phase"
strategy, which utilizes soluble polymeric supports such as
linear polystyrene (Shemyakin, et al., Tetrahedron Lett.,
1965, 2323) and polyethylene glycol (PEG) (Mutter and Bayer,
Angew. Chem., Int. Ed. Engl., 1974, 13, 88), is useful; (3)
35 random polymerization (see, e.g., Odian, "Principl s of
Polymerization", McGraw-Hill, New York (1970)) yielding

-35-

mixtures of many molecular weights ("p lydisperse") peptide
r PNA m lecules are particularly relevant f r purposes such
as screening for antiviral effects; (4) a technique based on
the use of polymer-supported amino acid active esters
5 (Fridkin, et al., J. Am. Chem. Soc., 1965, 87, 4646),
sometimes referred to as "inverse Merrifield synthesis" or
"polymeric reagent synthesis", offers the advantage of
isolation and purification of intermediate products, and may
thus provide a particularly suitable method for the synthesis
10 of medium-sized, optionally protected, PNA molecules, that can
subsequently be used for fragment condensation into larger PNA
molecules; (5) it is envisaged that PNA molecules may be
assembled enzymatically by enzymes such as proteases or
derivatives thereof with novel specificities (obtained, for
15 example, by artificial means such as protein engineering).
Also, one can envision the development of "PNA ligases" for
the condensation of a number of PNA fragments into very large
PNA molecules; (6) since antibodies can be generated to
virtually any molecule of interest, the recently developed
20 catalytic antibodies (abzymes), discovered simultaneously by
the groups of Lerner (Tramantano, et al., Science, 1986, 234,
1566) and of Schultz (Pollack, et al., Science, 1986, 234,
1570), should also be considered as potential candidates for
assembling PNA molecules. Thus, there has been considerable
25 success in producing abzymes catalyzing acyl-transfer
reactions (see for example Shokat, et al., Nature, 1989, 338,
269) and references therein). Finally, completely artificial
enzymes, very recently pioneered by Stewart's group (Hahn, et
al., Science, 1990, 248, 1544), may be developed to suit PNA
30 synthesis. The design of generally applicable enzymes,
ligases, and catalytic antibodies, capable of mediating
specific coupling reactions, should be more readily achieved
for PNA synthesis than for "normal" peptide synthesis since
PNA molecules will often be comprised of only four different
35 amino acids (one f r each of the four native nucleobases) as
c mpared t the twenty natural by occurring (proteinog nic)
amino acids constituting p ptides. In conclusion, no single

-36-

strategy may be wholly suitable for the synthesis of a specific PNA mol cule, and therefore, sometimes a combinati n of methods may work best.

The present invention also is directed to therapeutic
5 or prophylactic uses for peptide nucleic acids. Likely therapeutic and prophylactic targets include herpes simplex virus (HSV), human papillomavirus (HPV), human immunodeficiency virus (HIV), candidia albicans, influenza virus, cytomegalovirus (CMV), intracellular adhesion molecules
10 (ICAM), 5-lipoxygenase (5-LO), phospholipase A_2 (PLA$_2$), protein kinase C (PKC), and RAS oncogene. Potential applications of such targeting include treatments for ocular, labial, genital, and systemic herpes simplex I and II infections; genital warts; cervical cancer; common warts;
15 Kaposi's sarcoma; AIDS; skin and systemic fungal infections; flu; pneumonia; retinitis and pneumonitis in immunosuppressed patients; mononucleosis; ocular, skin and systemic inflammation; cardiovascular disease; cancer; asthma; psoriasis; cardiovascular collapse; cardiac infarction;
20 gastrointestinal disease; kidney disease; rheumatoid arthritis; osteoarthritis; acute pancreatitis; septic shock; and Crohn's disease.

For therapeutic or prophylactic treatment, the peptide nucleic acids of the invention can be formulated in a
25 pharmaceutical composition, which may include carriers, thickeners, diluents, buffers, preservatives, surface active agents and the like. Pharmaceutical compositions may also include one or more active ingredients such as antimicrobial agents, antiinflammatory agents, anesthetics, and the like in
30 addition to peptide nucleic acid.

The pharmaceutical composition may be administered in a number of ways depending on whether local or systemic treatment is desired, and on the area to be treated. Administrati n may b done topically (including
35 ophthalmically, vaginally, rectally, intranasally), orally, by inhalati n, or parenterally, f r example by intravenous

-37-

drip or subcutan us, intraperit n al or intramuscular injection.

F rmulations f r topical administration may include ointments, lotions, creams, gels, drops, suppositories, 5 sprays, liquids and powders. Conventional pharmaceutical carriers, aqueous, powder or oily bases, thickeners and th like may be necessary or desirable. Coated condoms may also be useful.

Compositions for oral administration include powders 10 or granules, suspensions or solutions in water or non-aqueous media, capsules, sachets, or tablets. Thickeners, flavorings, diluents, emulsifiers, dispersing aids or binders may be desirable.

Formulations for parenteral administration may include 15 sterile aqueous solutions which may also contain buffers, diluents and other suitable additives.

Dosing is dependent on severity and responsiveness of the condition to be treated, but will normally be one or mor doses per day, with course of treatment lasting from several 20 days to several months or until a cure is effected or a diminution of disease state is achieved. Persons of ordinary skill can easily determine optimum dosages, dosing methodologies and repetition rates.

Treatments of this type can be practiced one a variety 25 of organisms ranging from unicellular prokaryotic and eukaryo- tic organisms to multicellular eukaryotic organisms. Any organism that utilizes DNA-RNA transcription or RNA-protein translation as a fundamental part of its hereditary, metabolic or cellular control is susceptible to therapeutic and/or 30 prophylactic treatment in accordance with the invention. Seemingly diverse organisms such as bacteria, yeast, protozoa, algae, all plants and all higher animal forms, including warm- blooded animals, can be treated. Further, since each cell of multicellular eukaryotes can be treated since they include 35 both DNA-RNA transcription and RNA-pr tein translation as integral parts f their c llular activity. Furthermor , many of the organelles (e.g., mitochondria and chloroplasts) f

-38-

eukaryotic cells als include transcription and translation
mechanisms. Thus, singl c lls, cellular populations r
organelles can also be included within the definition of
organisms that can be treated with therapeutic or diagnostic
5 phosphorothioate oligonucleotides. As used herein,
therapeutics is meant to include the eradication of a disease
state, by killing an organism or by control of erratic or
harmful cellular growth or expression.

The present invention also pertains to the advantageous
10 use of PNA molecules in solid-phase biochemistry (see, e.g.,
"Solid-Phase Biochemistry - Analytical and Synthetic Aspects",
W. H. Scouten, ed., John Wiley & Sons, New York, 1983),
notably solid-phase biosystems, especially bioassays or solid-
phase techniques which concerns diagnostic detection/quanti-
15 tation or affinity purification of complementary nucleic acids
(see, e.g., "Affinity Chromatography - A Practical Approach",
P. D. G. Dean, W. S. Johnson and F. A. Middle, eds., IRL Press
Ltd., Oxford 1986; "Nucleic Acid Hybridization - A Practical
Approach", B. D. Harnes and S. J. Higgins, IRL Press Ltd.,
20 Oxford 1987). Present day methods for performing such
bioassays or purification techniques almost exclusively
utilize "normal" or slightly modified oligonucleotides either
physically adsorbed or bound through a substantially permanent
covalent anchoring linkage to beaded solid supports such as
25 cellulose, glass beads, including those with controlled
porosity (Mizutani, et al., J. Chromatogr., 1986, 356, 202),
"Sephadex", "Sepharose", agarose, polyacrylamide, porous
particulate alumina, hydroxyalkyl methacrylate gels, diol-
bonded silica, porous ceramics, or contiguous-materials such
30 as filter discs of nylon and nitrocellulose. One example
employed the chemical synthesis of oligo-dT on cellulose beads
for the affinity isolation of poly A tail containing mRNA
(Gilham in "Methods in Enzymology," L. Grossmann and K.
Moldave, eds., v 1. 21, part D, page 191, Academic Press, New
35 York and L ndon, 1971). All the above-mentioned methods are
applicable within the context of the present inventi n.
H wever, when p ssible, covalent linkage is preferred over the

physical adsorption of the mol cules in question, since the
latter appr ach has the disadvantage that som of the
immobilized molecules can be washed out (desorbed) during the
hybridization or affinity process. There is, thus, littl
5 control of the extent to which a species adsorbed on the
surface of the support material is lost during the various
treatments to which the support is subjected in the course of
the bioassay/purification procedure. The severity of this
problem will, of course, depend to a large extent on the rate
10 at which equilibrium between adsorbed and "free" species is
established. In certain cases it may be virtually impossible
to perform a quantitative assay with acceptable accuracy
and/or reproducibility. Loss of adsorbed species during
treatment of the support with body fluids, aqueous reagents
15 or washing media will, in general, be expected to be most
pronounced for species of relatively low molecular weight.
In contrast with oligonucleotides, PNA molecules are easier
to attach onto solid supports because they contain strong
nucleophilic and/or electrophilic centers. In addition, the
20 direct assembly of oligonucleotides onto solid supports
suffers from an extremely low loading of the immobilized
molecule, mainly due to the low surface capacity of the
materials that allow the successful use of the state-of-the-
art phosphoramidite chemistry for the construction of oligo-
25 nucleotides. (Beaucage and Caruthers, *Tetrahedron Lett.*, 1981,
22, 1859; Caruthers, *Science*, 1985, *232*, 281). It also
suffers from the fact that by using the alternative phosphite
triester method (Letsinger and Mahadevan, *J. Am. Chem. Soc.*
1976, *98*, 3655), which is suited for solid supports with a
30 high surface/loading capacity, only relatively short oligo-
nucleotides can be obtained. As for conventional solid-phase
peptide synthesis, however, the latter supports are excellent
materials for building up immobilized PNA molecules (the side-
chain protecting groups are removed from the synthesized PNA
35 chain without cleaving the anchoring linkag h lding the chain
t the s lid support). Thus,. PNA species benefit from the
above-described solid-phase techniques with respect to the

-40-

much higher (and still sequenc -specific) binding affinity for c mplementary nucleic acids and from the additi nal unique sequence-specific recognition of (and strong binding to) nucleic acids present in double-stranded structures. They
5 also can be loaded onto solid supports in large amounts, thus further increasing the sensitivity/capacity of the solid-phase technique. Further, certain types of studies concerning the use of PNA in solid-phase biochemistry can be approached, facilitated, or greatly accelerated by use of the recently-
10 reported "light-directed, spatially addressable, parallel chemical synthesis" technology (Fodor, et al., Science, 1991, 251, 767), a technique that combines solid-phase chemistry and photolithography to produce thousands of highly diverse, but identifiable, permanently immobilized compounds (such as
15 peptides) in a substantially simultaneous way.

Additional objects, advantages, and novel features of this invention will become apparent to those skilled in the art upon examination of the following examples thereof, which
20 are not intended to be limiting.

Synthesis of monomeric building blocks

The monomers preferably are synthesized by the general scheme outlined in Figure 13. This involves preparation of
25 either the methyl or ethyl ester of (Bocaminoethyl)glycine, by a protection/deprotection procedure as described in Examples 24-26. The synthesis of thymine monomer is described in Examples 27-28, and that of the protected cytosine monomer is described in Example 29.
30 The synthesis of the protected adenine monomer (Figure 14) involved alkylation with ethyl bromoacetate (Example 30) and verification of the position of substitution by X-ray crystallography, as being the wanted 9-position. The N^6-amino group then was protected with the benzyloxycarbonyl gr up by
35 the use of the reagent N-ethyl-benzyloxycarbonylimidaz le tetrafluoroborate (Example 31). Simple hydrolysis of the product ester (Example 32) gav N^6-benzyloxycarbonyl-9-

carboxymethyl adenine, which then was us d in the standard
procedure (Exampl s 33-34, Figure 13). The adenine monomer
has been built into two different PNA-oligomers (Examples 56,
57, 71 and 73).

5   The synthesis of the protected G-monomer is outlined
in Figure 15. The starting material, 2-amino-6-chloropurine,
was alkylated with bromoacetic acid (Example 35) and the
chlorine atom was then substituted with a benzyloxy group
(Example 36). The resulting acid was coupled to th
10   (bocaminoethyl) glycine methyl ester (from Example 26) with
agent PyBrop™, and the resulting ester was hydrolysed (Example
37). The O^6-benzyl group was removed in the final HF-cleavag
step in the synthesis of the PNA-oligomer. Cleavage was
verified by finding the expected mass of the final PNA-
15 oligomer, upon incorporation into an PNA-oligomer using
diisopropyl carbodiimide as the condensation agent (Examples
55 and 71).

     Extended Backbones
     Alterations of the groups A, C and D (figure 16) is
20 demonstrated by the synthesis of monomeric building blocks and
incorporation into PNA-oligomers.

     In one example, the C group was a $CH(CH_3)$ group. The
synthesis of the corresponding monomer is outlined in Figure
17. It involves preparation of Boc-protected 1-amino-2,3-
25 propanediol (Example 38), which is cleaved by periodate to
give bocaminoacetaldehyde, which is used directly in the next
reaction. The bocaminoacetaldehyde can be condensed with a
variety of amines; in Example 39, alanine ethyl ester was
used. In Examples 40-42, the corresponding thymine monomers
30 were prepared. The monomer has been incorporated into an 8-
mer (Example 60) by the DCC-coupling protocol (Examples 56 and
57).

     In another example, the D group is a $(CH_2)_3$ group. The
synthesis of the corresponding monomer is outlined in figure
35 18.A and described in Examples 43-44.

-42-

In another exampl , th A group is a $(CH_2)_2CO$ gr up. The synthesis of the c rresponding thymine mon mer is outlined figure 18.B and Examples 46 through 48.

In yet another example, the C group is a $(CH_2)_2$ group. 5 The synthesis of the thymine and protected cytosine monomer is outlined in Figure 19 and Examples 49 through 54. Hybridization experiments with a PNA-oligomer containing one unit is described in Examples 61 and 81, which shows a significant lowering of affinity but a retention of 10 specificity.

General Remarks

The following abbreviations are used in the experimental examples: DMF, N,N-dimethylformamide; DCC, N,N-dicyclohexyl carbodiimide; DCU, N,N-dicyclohexyl urea; THF, 15 tetrahydrofuran; aeg, N-acetyl (2'-aminoethyl)glycine; pfp, pentafluorophenyl; Boc, tert-butoxycarbonyl; Z, benzyloxy-carbonyl; NMR, nuclear magnetic resonance; s, singlet; d, doublet; dd, doublet of doublets; t; triplet; q, quartet; m, multiplet; b, broad; δ, chemical shift;

20 NMR spectra were recorded on either a JEOL FX 90Q spectrometer, or a Bruker 250 MHz with tetramethylsilane as internal standard. Mass spectrometry was performed on a MassLab VG 12-250 quadropole instrument fitted with a VG FAB source and probe. Melting points were recorded on Buchi 25 melting point apparatus and are uncorrected. N,N-Dimethylformamide was dried over 4 Å molecular sieves, distilled and stored over 4 Å molecular sieves. Pyridine (HPLC quality) was dried and stored over 4 Å molecular sieves. Other solvents used were either the highest quality obtainable 30 or were distilled before use. Dioxane was passed through basic alumina prior to use. Bocanhydride, 4-nitrophenol, methyl bromoacetate, benzyloxycarbonyl chloride, pentafluorophenol were all obtained through Aldrich Chemical Company. Thymine, cytosine, adenin wer all obtained through 35 Sigma.

Thin layer chromat graphy (Tlc) was performed using the foll wing solvent systems: (1) chlor form:triethyl

amin :methanol, 7:1:2; (2) methylen chloride:methanol, 9:1;
(3) chl roform:methan l:acetic acid 85:10:5. Sp ts were
visualized by UV (254 nm) or/and spraying with a ninhydrin
solution (3 g ninhydrin in 1000 ml 1-butanol and 30 ml acetic
5 acid), after heating at 120°C for 5 min and, after spraying,
heating again.

EXAMPLE 1

tert-Butyl 4-nitrophenyl carbonate

10   Sodium carbonate (29.14 g; 0.275 mol) and 4-nitrophenol
(12.75 g; 91.6 mmol) were mixed with dioxane (250 ml). Boc-
anhydride (20.0 g; 91.6 mmol) was transferred to the mixture
with dioxane (50 ml). The mixture was refluxed for 1 h,
cooled to 0°C, filtered and concentrated to 1/3, and then
15 poured into water (350 ml) at 0°C. After stirring for 1/2 h.,
the product was collected by filtration, washed with water,
and then dried over sicapent, in vacuo. Yield 21.3 g (97%).
M.p. 73.0-74.5°C (litt. 78.5-79.5°C). Anal. for $C_{11}H_{13}NO_5$
found(calc.) C: 55.20(55.23) H: 5.61(5.48) N: 5.82(5.85).
20

EXAMPLE 2

(N'-Boc-2'-aminoethyl)glycine (2)

The title compound was prepared by a modification of
the procedure by Heimer, et al. Int. J. Pept., 1984, 23, 203-
25 211 N-(2-Aminoethyl)glycine (1, 3.00 g; 25.4 mmol) was
dissolved in water (50 ml), dioxane (50 ml) was added, and the
pH was adjusted to 11.2 with 2 N sodium hydroxide. tert-
Butyl-4-nitrophenyl carbonate (7.29 g; 30.5 mmol) was
dissolved in dioxane (40 ml) and added dropwise over a period
30 of 2 h, during which time the pH was maintained at 11.2 with
2 N sodium hydroxide. The pH was adjusted periodically to
11.2 for three more hours and then the solution was left
overnight. The solution was cooled to 0°C and the pH was
carefully adjusted to 3.5 with 0.5 M hydrochloric acid. The
35 aque us solution was washed with chlor form (3 x 200 ml), the
pH adjust d to 9.5 with 2N s dium hydr xide and the solution
was evaporated to dryness, in vacuo (14 mmHg). The residue

-44-

was extracted with DMF (25+2x10 ml) and the extracts filtered
to remove excess salt. This results in a solution of the
title compound in about 60% yield and greater than 95% purity
by tlc (system 1 and visualised with ninhydrin, Rf=0.3). Th
5 solution was used in the following preparations of Boc-aeg
derivates without further purification.

EXAMPLE 3
N-1-Carboxymethylthymine (4)
10   This procedure is different from the literature
synthesis, but is easier, gives higher yields, and leaves no
unreacted thymine in the product. To a suspension of thymine
(3, 40.0 g; 0.317 mol) and potassium carbonate (87.7 g; 0.634
mmol) in DMF (900 ml) was added methyl bromoacetate (30.00 ml;
15 0.317 mmol). The mixture was stirred vigorously overnight
under nitrogen. The mixure was filtered and evaporated t
dryness, in vacuo. The solid residue was treated with water
(300 ml) and 4 N hydrochloric acid (12 ml), stirred for 15 min
at 0°C, filtered, and washed with water (2 x 75 ml). The
20 precipitate was treated with water (120 ml) and 2N sodium
hydroxide (60 ml), and was boiled for 10 minutes. The mixture
was cooled to 0°C, filtered, and the pure title compound was
precipitated by the addition of 4 N hydrochloric acid (70 ml).
Yield after drying, in vacuo over sicapent: 37.1 g (64%). ^{1}H-
25 NMR: (90   MHz;   DMSO-d_6):   11.33   ppm   (s,1H,N$\underline{H}$);
7.49(d,J=0.92Hz,1H,Ar$\underline{H}$); 4.38 (s,2H,C$\underline{H}_2$); 1.76 (d,J=0.92Hz,T-
C$\underline{H}_3$)

EXAMPLE 4
30 N-1-Carboxymethylthymine pentafluorophenyl ester (5)
        N-1-Carboxymethylthymine (4, 10.0g; 54.3 mmol) and
pentafluorophenol (10.0 g; 54.3 mmol) were dissolved in DMF
(100 ml) and cooled to 5°C in ice water. DCC (13.45 g; 65.2
mmol) then was added. When the temperatur passed below 5°C,
35 the ice bath was rem ved and the mixture was stirred for 3 h
at ambient temperature. The precipitated DCU was rem ved by
filtration and washed twice with DMF (2 x 10 ml). Th

-45-

combined filtrat was poured into ether (1400 ml) and cooled
to 0°C. Petroleum ther (1400 ml) was added and the mixture
was left overnight. The title compound was isolated by
filtration and was washed thoroughly with petroleum ether.
5 Yield: 14.8 g(78%). The product was pure enough to carry out
the next reaction, but an analytical sample was obtained by
recrystallization from 2-propanol. M.p. 200.5-206°C Anal. f r
$C_{13}H_7F_5N_2O_4$. Found(calc.) C: 44.79(44.59); H: 2.14(2.01) N:
8.13(8.00). FAB-MS: 443 (M+1+glycerol), 351 (M+1). ^{1}H-NMR (90
10 MHz; DMSO-d_6): 11.52 ppm (s,1H,NH); 7.64 (s,1H,ArH); 4.99
(s,2H,CH$_2$); 1.76 (s,3H,CH$_3$).

EXAMPLE 5

1-(Boc-aeg)thymine (6)

15   To the DMF-solution from above was added triethyl amine
(7.08 ml; 50.8 mmol) followed by N-1-carboxymethylthymine
pentafluorophenyl ester (5, 4.45 g; 12.7 mmol). The resultant
solution was stirred for 1 h. The solution was cooled to 0°C
and treated with cation exchange material ("Dowex 50W X-8",
20 40 g) for 20 min. The cation exchange material was removed
by filtration, washed with dichloromethane (2 x 15 ml), and
dichloromethane (150 ml) was added. The resulting solution
was washed with saturated sodium chloride, dried over
magnesium sulfate, and evaporated to dryness, in vacuo, first
25 by a water aspirator and then by an oil pump. The residue was
shaken with water (50 ml) and evaporated to dryness. This
procedure was repeated once. The residue then was dissolved
in methanol (75 ml) and poured into ether (600 ml) and
petroleum ether (1.4 L). After stirring overnight, the white
30 solid was isolated by filtration and was washed with petroleum
ether. Drying over sicapent, in vacuo, gave 3.50 g (71.7%).
M.p. 142-147°C. Anal. for $C_{16}H_{24}N_4O_7$. Found(calc.) C:
49.59(50.00) H: 6.34(6.29) N: 14.58(14.58). ^{1}H-NMR (250 MHz,
DMSO-d_6): Due to the limited rotation around the secondary
35 amide bond several of the signals were doubled in the ratio
2:1,(indicated in the list by mj. f r maj r and mi. for
min r). 12.73 ppm (b,1H, -CO$_2$H); 11.27 ppm (s, mj., imide);

-46-

11.25 ppm (s, mi., imide); 7.30 ppm (s, mj., ArH); 7.26 ppm
(s, mi., ArH); 6.92 ppm (unres. t, mj., BocNH); 6.73 ppm
(unres. t; mi., BocNH); 4.64 ppm (s, mj., T-CH$_2$-CO-); 4.47 ppm
(s, mi., T-CH$_2$-CO-); 4.19 ppm (s, mi., CONRCH$_2$CO$_2$H); 3.97 ppm
5   (s, mj., CONRCH$_2$CO$_2$H); 3.41-2.89 ppm (unres. m, -CH$_2$CH$_2$- and
water); 1.75 ppm (s,3H, T-CH$_3$); 1.38 ppm (s, 9H, t-Bu). ^{13}C-
NMR: 170.68 ppm (CO); 170.34 (CO); 167.47 (CO); 167.08 (CO);
164.29 (CO); 150.9 (C5''); 141.92 (C6''); 108.04 (C2'); 77.95
and 77.68 (Thy-CH$_2$CO); 48.96, 47.45 and 46.70 (-CH$_2$CH$_2$- and
10 NCH$_2$CO$_2$H); 37.98 (Thy-CH$_3$); 28.07 (t-Bu). FAB-MS: 407 (M+Na$^+$);
385 (M+H$^+$).

EXAMPLE 6

1-(Boc-aeg)thymine pentafluorophenyl ester (7, Boc-Taeg.OPfp)
15   1-(Boc-aeg)thymine (6) (2.00 g; 5.20 mmol) was
dissolved in DMF (5 ml) and methylene chloride (15 ml) was
added. Pentafluorophenol (1.05 g; 5.72 mmol) was added and
the solution was cooled to 0°C in an ice bath. DDC then was
added (1.29 g; 6.24 mmol) and the ice bath was removed after
20 2 min. After 3 h with stirring at ambient temperature, the
precipitated DCU was removed by filtration and washed with
methylene chloride. The combined filtrate was washed twice
with aqueous sodium hydrogen carbonate and once with saturated
sodium chloride, dried over magnesium sulfate, and evaporated
25 to dryness, in vacuo. The solid residue was dissolved in
dioxane (150 ml) and poured into water (200 ml) at 0°C. The
title compound was isolated by filtration, washed with water,
and dried over sicapent, in vacuo. Yield: 2.20 g (77%). An
analytical sample was obtained by recrystallisation from 2-
30 propanol. M.p. 174-175.5°C. Analysis for C$_{22}$H$_{23}$N$_4$O$_7$F$_5$, found(-
calc.): C: 48.22(48.01); H: 4.64(4.21); N: 9.67(10.18). ^{1}H-
NMR (250 MHz, CDCl$_3$):Due to the limited rotation around the
secondary amide bond several of the signals were doubled in
the rati 6:1 (indicated in the list by mj. for maj r and mi.
35 for minor). 7.01 ppm (s, mi., ArH); 6.99 ppm (s, mj., ArH);
5.27 ppm (unres. t, B cNH); 4.67 ppm (s, mj., T-CH$_2$-CO-); 4.60
ppm (s, mi., T-CH$_2$-CO-); 4.45 ppm (s, mj., CONRCH$_2$CO$_2$Pfp); 4.42

-47-

ppm (s, mi., CONRCH$_2$CO$_2$Pfp); 3.64 ppm (t,2H,BocNHCH$_2$CH$_2$-); 3.87 ppm ("q",2H,BocNHCH$_2$CH$_2$-); 1.44(s,9H,t-Bu). FAB-MS: 551 (10; M+1); 495 (10; M+1-tBu); 451 (80; -Boc).

5   EXAMPLE 7

N^4-Benzyloxycarbonyl cytosine (9)

        Over a period of about 1 h, benzyloxycarbonyl chloride (52 ml; 0.36 mol) was added dropwise to a suspension of cytosine (8, 20.0 g;0.18 mol) in dry pyridine (1000 ml) at 0°C

10 under nitrogen in oven-dried equipment. The solution then was stirred overnight, after which the pyridine suspension was evaporated to dryness, in vacuo. Water (200 ml) and 4 N hydrochloric acid were added to reach pH ~1. The resulting white precipitate was filtered off, washed with water and

15 partially dried by air suction. The still-wet precipitate was boiled with absolute ethanol (500 ml) for 10 min, cooled to 0°C, filtered, washed thoroughly with ether, and dried, in vacuo. Yield 24.7 g (54%). M.p.>250°C. Anal. for C$_{12}$H$_{11}$N$_3$O$_3$. Found(calc.); C: 58.59(58.77); H: 4.55(4.52); N: 17.17(17.13).

20 No NMR spectra were recorded since it was not possible to get the product dissolved.

    EXAMPLE 8

N^4-Benzyloxycarbonyl-N^1-carboxymethyl cytosine (10)

25   In a three necked round bottomed flask equipped with mechanical stirring and nitrogen coverage was placed methyl bromacetate (7.82 ml;82.6 mmol) and a suspension of N^4-benzyloxycarbonyl-cytosine (9, 21.0 g;82.6 mmol) and potassium carbonate (11.4 g;82.6 mmol) in dry DMF (900 ml). The

30 mixture was stirred vigorously overnight, filtered, and evaporated to dryness, in vacuo. Water (300 ml) and 4 N hydrochloric acid (10 ml) were added, the mixture was stirred for 15 minutes at 0°C, filtered, and washed with water (2 x 75 ml). The isolated precipitate was treated with water (120

35 ml), 2N sodium hydroxide (60 ml), stirred for 30 min, filtered, cooled to 0°C, and 4 N hydrochloric acid (35 ml) was added. The title compound was isolated by filtration, washed

-48-

thoroughly with water, recrystallized from m thanol (1000 ml)
and wash d thoroughly with ether. This afforded 7.70 g (31%)
of pure compound. The mother liquor from the recrystal-
lization was reduced to a volume of 200 ml and cooled to 0°C.
5 This afforded an additional 2.30 g of a material that was pure
by tlc but had a reddish color. M.p. 266-274°C. Anal. for
$C_{14}H_{13}N_3O_5$. Found(calc.); C: 55.41(55.45); H: 4.23(4.32); N:
14.04(13.86). ^{1}H-NMR (90 MHz; DMSO-d_6): 8.02 ppm
(d,J=7.32Hz,1H,H-6); 7.39 (s,5H,Ph); 7.01 (d,J=7.32Hz,1H,H-5);
10 5.19 (s,2H,PhC$\underline{H}_2$-); 4.52 (s,2H).

EXAMPLE 9

N^4-Benzyloxycarbonyl-N^1-carboxymethyl-cytosine penta-
fluorophenyl ester (11)

15   N^4-Benzyloxycarbonyl-N^1-carboxymethyl-cytosine (10,
4.00 g; 13.2 mmol) and pentafluorophenol (2.67 g; 14.5 mmol)
were mixed with DMF (70 ml), cooled to 0°C with ice-water, and
DCC (3.27 g; 15.8 mmol) was added. The ice bath was removed
after 3 min and the mixture was stirred for 3 h at room
20 temperature. The precipitated DCU was removed by filtration,
washed with DMF, and the filtrate was evaporated to dryness,
in vacuo (0.2 mmHg). The solid residue was treated with
methylene chloride (250 ml), stirred vigorously for 15 min,
filtered, washed twice with diluted sodium hydrogen carbonate
25 and once with saturated sodium chloride, dried over magnesium
sulfate, and evaporated to dryness, in vacuo. The solid
residue was recrystallized from 2-propanol (150 ml) and the
crystals were washed thoroughly with ether. Yield 3.40 g
(55%). M.p. 241-245°C. Anal. for $C_{20}H_{12}N_3F_5O_5$. Found(calc.);
30 C: 51.56(51.18); H: 2.77(2.58); N: 9.24(8.95). ^{1}H-NMR (90 MHz;
CDCl$_3$): 7.66 ppm (d,J=7.63Hz,1H,H-6); 7.37 (s,5H,Ph); 7.31
(d,J=7.63Hz,1H,H-5); 5.21 (s,2H,PhC$\underline{H}_2$-); 4.97 (s,2H,NC$\underline{H}_2$-).
FAB-MS: 470 (M+1)

-49-

EXAMPLE 10

N⁴-Benzyl xycarb nyl-1-B c-aeg-cyt sine (12)

To a solution of (N-Boc-2-aminoethyl)glycine (2) in
DMF, prepared as described above, was added triethyl amine
5 (7.00 ml; 50.8 mmol) and ‾N⁴-benzyloxycarbonyl-N¹-
carboxymethyl-cytosine pentafluorophenyl ester (11, 2.70 g;
5.75 mmol). After stirring the solution for 1 h at room
temperature, methylene chloride (150 ml), saturated sodium
chloride (250 ml), and 4 N hydrochloric acid to pH -1 were
10 added. The organic layer was separated and washed twice with
saturated sodium chloride, dried over magnesium sulfate, and
evaporated to dryness, *in vacuo*, first with a water aspirat r
and then with an oil pump. The oily residue was treated with
water (25 ml) and was again evaporated to dryness, *in vacuo*.
15 This procedure then was repeated. The oily residue (2.80 g)
was then dissolved in methylene chloride (100 ml), petroleum
ether (250 ml) was added, and the mixture was stirr d
overnight. The title compound was isolated by filtration and
washed with petroleum ether. Tlc (system 1) indicated
20 substantial quantities of pentafluorophenol, but no attempt
was made to remove it. Yield: 1.72 g (59%). M.p.
156°C(decomp.). ¹H-NMR (250 MHz, CDCl₃): Due to the limit d
rotation around the secondary amide bond several of the
signals were doubled in the ratio 2:1,(indicated in the list
25 by mj. for major and mi. for minor). 7.88 ppm (dd,1H,H-6);
7.39 (m,5H,Ph); 7.00 (dd,1H,H-5); 6.92 (b,1H,BocNH); 6.74
(b,1H,ZNH)-?; 5.19 (s,2H,Ph-CH₃); 4.81 ppm (s, mj., Cyt-CH₂-
CO-); 4.62 ppm (s, mi., Cyt-CH₂-CO-); 4.23 (s, mi.,
CONRCH₂CO₂H); 3.98 ppm (s, mj., CONRCH₂CO₂H); 3.42-3.02 (unres.
30 m, -CH₂CH₂- and water);1.37 (s,9H,tBu). FAB-MS: 504 (M+1); 448
(M+1-tBu).

EXAMPLE 11

N⁴-Benzyloxycarbonyl-1-Boc-aeg-cytosine   pentafluorophenyl
35 **ester (13)**

N⁴-Benzyl xycarbonyl-1-B c-aeg-cytosine (12, 1.50 g;
2.98 mmol) and pentaflu rophenol (548 mg; 2.98 mmol) was

dissolved in DMF (10 ml) M thylene chloride (10 ml) was added,
the reaction mixtur was cooled t 0°C in an ice bath, and DCC
(676 mg; 3.28 mmol) was added. The ice bath was removed after
3 min and the mixture was stirred for 3 h at ambient
5 temperature. The precipitate was isolated by filtration and
washed once with methylene chloride. The precipitate was
dissolved in boiling dioxane (150 ml) and the solution was
cooled to 15°C, whereby DCU precipitated. The DCU was removed
by filtration and the resulting filtrate was poured into water
10 (250 ml) at 0°C. The title compound was isolated by
filtration, was washed with water, and dried over sicapent,
in vacuo. Yield 1.30 g (65%). Analysis for $C_{29}H_{28}N_5O_8F_5$.
Found(calc.); C: 52.63(52.02); H: 4.41(4.22); N: 10.55(10.46).
^{1}H-NMR (250 MHz; DMSO-d_6): showed essentially the spectrum of
15 the above acid, most probably due to hydrolysis of the ester.
FAB-MS: 670 (M+1); 614 (M+1-tBu)

EXAMPLE 12

4-Chlorocarboxy-9-chloroacridine

20   4-Carboxyacridone (6.25 g; 26.1 mmol), thionyl chloride
(25 ml), and 4 drops af DMF were heated gently under a flow
of nitrogen until all solid material had dissolved. The
solution then was refluxed for 40 min. The solution was
cooled and excess thionyl chloride was removed *in vacuo*. The
25 last traces of thionyl chloride were removed by coevaporation
with dry benzene (dried over Na-Pb) twice. The remaining
yellow powder was used directly in the next reaction.

EXAMPLE 13

30 4-(5-Methoxycarbonylpentylamidocarbonyl)-9-chloroacridine

        Methyl 6-aminohexanoate hydrochloride (4.70 g; 25.9
mmol) was dissolved in methylene chloride (90 ml), cooled to
0°C, triethyl amine (15 ml) was added, and the resulting
solution then was immediat ly added to the acid chloride from
35 above. The roundbottomed flask c ntainingthe acid chloride
was c oled to 0°C in an ic bath. Th mixture was stirr d
vigor usly for 30 min at 0°C and 3 h at r om temperature. The

-51-

resulting mixture was filtered to rem ve the remaining solids,
which were wash d with methylene chloride (20 ml). The red-
brown methylene chloride filtrate was subsequently washed
twice with saturated sodium hydrogen carbonate, once with
5   saturated sodium chloride, dried over magnesium sulfate, and
evaporated to dryness, *in vacuo*. To the resulting oily
substance was added dry benzene (35 ml) and ligroin (60-80°C,
dried over Na-Pb). The mixture was heated to reflux.
Activated carbon and celite were added and mixture was
10 refluxed for 3 min. After filtration, the title compound
crystallised upon cooling with magnetic stirring. It was
isolated by filtration and washed with petroleum ether. The
product was stored over solid potassium hydroxide. Yield 5.0
g (50%).

15

EXAMPLE 14

**4-(5-Methoxycarbonylpentyl)amidocarbonyl-9-[6'-(4''-
nitrobenzamido)hexylamino]-aminoacridine**

4-(5-Methoxycarbonylpentylamidocarbonyl)-9-
20 chloroacridine (1.30 g; 3.38 mmol) and phenol (5 g) were
heated to 80°C for 30 min under a flow of nitrogen, after
which 6-(4'-nitrobenzamido)-1-hexylamine (897 mg; 3.38 mmol)
was added. The temperature raised to 120°C for 2 h. The
reaction mixture was cooled and methylene chloride (80 ml) was
25 added. The resulting solution was washed three times with 2N
sodium hydroxide (60 ml portions) and once with water, dried
over magnesium sulfate, and evaporated to dryness, *in vacuo*.
The resulting red oil (1.8 g) was dissolved in methylene
chloride (40 ml), cooled to 0°C. Ether (120 ml) was added and
30 the resultant solution was stirred overnight. This results
in a mixture of solid material and an oil. The solid was
isolated by filtration. The solid and the oil were re-
dissolved in methylene chloride (80 ml) and added dropwise to
cold ether (150 ml). After 20 minutes of stirring, the title
35 compound was isolated by filtration in the f rm of range
crystals. The pr duct was washed with ether and dried *in*

vacuo over potassium hydroxide. Yield 1.60 g (77%). M.p.
145-147°C.

EXAMPLE 15

5 **4-(5-Carboxypentyl)amidocarbonyl-9-[6'-(4''-
nitrobenzamido)hexylamino]-aminoacridine**

         4-(5-Methoxycarbonylpentyl)amidocarbonyl-9-[6'-(4''-
nitrobenzamido)hexylamino]aminoacridine (503 mg; 0.82 mmol)
was dissolved in DMF (30 ml), and 2 N sodium hydroxide (30 ml)

10 was added. After stirring for 15 min, 2 N hydrochloric acid
(35 ml) and water (50 ml) were added at 0°C. After stirring
for 30 min, the solution was decanted, leaving an oily
substance which was dissolved in boiling methanol (150 ml),
filtered and concentrated to 1/3 volume. To the methanol

15 solution were added ether (125 ml) and 5-6 drops of HCl in
ethanol. The solution was decanted after 1 h of stirring at
0°C. The oily substance was redissolved in methanol (25 ml)
and precipitated with ether (150 ml). The title compound was
isolated as yellow crystals after stirring overnight. Yield

20 417 mg (80%). M.p. 173°C (decomp.).

EXAMPLE 16

         (a)   **4-(5-pentafluorophenyloxycarbonylpentyl)-
               amidocarbonyl-9-[6'-(4''-nitrobenzamido)-**

25   **hexylamino]-aminoacridine(Acr'Opfp)**

         The acid from above (300 mg; 0.480 mmol) was dissolved
in DMF (2 ml) and methylene chloride (8 ml) was added.
Pentafluorophenol (97 mg; 0.53 mmol), transferred with 2 x 2
ml of the methylene chloride, was added. The resulting

30 solution was cooled to 0°C after which DCC (124 mg; 0.60 mmol)
was subsequently added. The ice bath was removed after 5
minutes and the mixture was left with stirring overnight. The
precipitated DCU was removed by centrifugation and the
centrifugate was evaporated to dryness, *in vacuo*, first by a

35 water aspirator and then by an oil pump. The residue was
diss lved in methylen chl ride (20 ml), filtered, and evap -
rated to dryness, *in vacuo*. The r sidue was again dissolved

-53-

in methyl ne chloride and petroleum ether (150 ml). A 1 ml
portion of 5M HCl in ether was added. The solvent was removed
by decanting after 30 min of stirring at 0°C. The residual
oily substance was dissolved in methylene chloride (100 ml).
5 Petroleum ether (150 ml) was added and the mixture was left
with stirring overnight. The next day the yellow precipitat d
crystalline material was isolated by filtration and was washed
with copious amounts of petroleum ether. Yield, after drying,
300 mg (78%). M.p. 97.5°C (decomp.) All samples showed
10 satisfactory elemental analysis, ^{1}H- and ^{13}C-NMR and mass
spectra.

      (b)   Experimental for the synthesis of PNA compounds,
      cf. Figure 8

      Materials: Boc-Lys (ClZ), benzhydrylamine-copoly-
15 (styrene-1%-divinylbenzene) resin (BHA resin), and p-
methylbenzhydrylamine-copoly(styrene-1%-divinylbenzene)resin
(MBHA resin) were purchased from Peninsula Laboratories.
Other reagents and solvents were: Biograde trifluoroacetic
acid from Halocarbon Products; diisopropylethylamine (99%; was
20 not further distilled) and N-acetylimidazole (98%) from
Aldrich; H$_2$O was distilled twice; anhydrous HF from Union
Carbide; synthesis grade N,N-dimethylformamide and analytical
grade methylene chloride (was not further distilled) from
Merck; HPLC grade acetonitrile from Lab-Scan; purum grade
25 anisole, N,N'-dicyclohexylcarbodiimide,
diisopropylcarbodiimide, puriss. grade 2,2,2-trifluoroethanol
from Fluka and trifluoromethanesulfonic acid from flourad.

      (b)   General Methods and Remarks

      Except where otherwise. stated, the following applies.
30 The PNA compounds were synthesised by the stepwise solid-phas
approach (Merrifield, J. Am. Chem. Soc., 1963, 85, 2149)
employing conventional peptide chemistry utilizing the TFA-
labile tert-butyloxycarbonyl (Boc) group for "temporary" N-
protection (Merrifield, J. Am. Chem. Soc., 1964, 86, 304) and
35 the more acid-stable b nzyloxycarb nyl (Z) and 2-
chl r benzyloxycarb nyl (ClZ) groups for "permanent" side
chain prot ction. To obtain C-terminal amides, the PNAs w re
assembl d onto the HF-labil BHA or MBHA resins (the MBHA

resin has increased susceptibility to the final HF cleavage
relative to th unsubstitut d BHA resin (Matsueda, et al.,
Peptides, 1981, 2, 45). All reactions (except HF reactions)
were carried out in manually operated standard solid-phase
5 reaction vessels fitted with a coarse glass frit (Merrifield,
et al., Biochemistry, 1982, 21, 5020). The quantitative
ninhydrin reaction (Kaiser test), originally developed by
Merrifield and co-workers (Sarin, et al., Anal. Biochem.,
1981, 117, 147) for peptides containing "normal" amino acids,
10 was successfully appplied (see Table I - III) using the
"normally" employed effective extinction coefficient ϵ = 15000
$M^{-1}cm^{-1}$ for all residues to determine the completeness of the
individual couplings as well as to measure the number of
growing peptide chains. The theoretical substitution
15 S_{n-1} upon coupling of residue number n (assuming both complete
deprotection and coupling as well as neither chain termination
nor loss of PNA chains during the synthetic cycle) is
calculated from the equation:

$$S_n = S_{n-1} \times (1 + (S_{n-1} \times \Delta MW \times 10^{-3} \text{ mmol/mol}))^{-1}$$

20 where ΔMW is the gain in molecular weight ($[\Delta MW]$ = g/mol) and
S_{n-1} is the theoretical substitution upon coupling of the
preceding residue n-1 ([S] = mmol/g). The estimated value (%)
on the extent of an individual coupling is calculated relative
to the measured substitution (unless S was not determined) and
25 include correction for the number of remaining free amino
groups following the previous cycle. HF reactions were
carried out in a Diaflon HF apparatus from Toho Kasei (Osaka,
Japan). Vydac C_{18} (5 μm, 0.46 x 25 cm and 5 μm, 1.0 x 25 cm)
reverse-phase columns, respectively were used for analytical
30 and semi-preparative HPLC on an SP8000 instrument. Buffer A
was 5 vol % acetonitrile in water containing 445 μl
trifluoroacetic acid per liter, and buffer B was 60 vol %
acetonitrile in water containing 390 μl trifluoroacetic acid
per liter. The linear gradient was 0-100% of buffer B in 30
35 min, flow rates 1.2 ml/min (analytical) and 5 ml/min (semi-
preparative). The eluents were m nit red at 215 nm
(analytical) and 230 nm (semi-preparative). M lecular weights

-55-

f the PNAs were determined by ^{252}Cf plasma desorption time-of-flight mass spectrometry from th mean of the m st abundant isotopes.

5 **EXAMPLE 17**

Solid-Phase Synthesis of Acr^1-[Taeg]$_{15}$-NH$_2$ and Short r Derivatives

        (a) **Stepwise Assembly of Boc-[Taeg]$_{15}$-BHA Resin**

        The synthesis was initiated on 100 mg of preswollen and
10 neutralized BHA resin (determined by the quantitative ninhydrin reaction to contain 0.57 mmol NH$_2$/g) employing single couplings ("Synthetic Protocol 1") using 3.2 equivalents of BocTaeg-OPfp in about 33% DMF/CH$_2$Cl$_2$. The individual coupling reactions were carried out by shaking for
15 at least 12 h in a manually operated 6 ml standard solid-phase reaction vessel and unreacted amino groups were blocked by acetylation at selected stages of the synthesis. The progress of chain elongation was monitored at several stages by the quantitative ninhydrin reaction (see Table I). Portions of
20 protected Boc-[Taeg]$_5$-BHA, Boc-[Taeg]$_{10}$-BHA, and Boc-[Taeg]$_{15}$-BHA resins were taken out after assembling 5, 10, and 15 residues, respectively.

Synthetic Step	Residue Coupled	Substitution After Deprotection (mmol/g)		Remaining Free Amino Groups After (µmol/g)		Estimated Extent of Coupling
		Measd	Theoretol	Single Coupling	Acetylation	(%)
"0"		0.57				
1	BocTaeg	ND	0.50	1.30		<99.7
2	BocTaeg	ND	0.44	1.43		<99.9
3	BocTaeg	0.29	0.39	3.33		99.3
4	BocTaeg	0.27	0.35	13.30		96.3
5	BocTaeg	0.26	0.32	8.33		>99.9
6	BocTaeg	ND	0.30	7.78		>99.9
7	BocaTeg	ND	0.28	13.81	7.22	<97.8
8	BocTaeg	ND	0.26	14.00		<99.9
9	BocTaeg	ND	0.24	30.33		93.2
10	BocTaeg	0.16	0.23	11.67	2.67	>99.9
11	BocTaeg	ND	0.21	4.58		>99.9
12	BocTaeg	ND	0.20	5.87		<99.4
13	BocTaeg	ND	0.19	1.67		>99.9
14	BocTaeg	ND	0.18	14.02		<93.1
15	BocTaeg	0.07	0.17	4.20	3.33	>99.9

(b)   Synthesis of Acr[1]-[Taeg]$_{15}$-BHA Resin

Following deprotection of the residual Boc-[Taeg]$_{15}$-BHA
resin (estimated dry weight is about 30 mg; ~0.002 mmol
growing chains), the H-[Taeg]$_{15}$-BHA resin was reacted with
about 50 equivalents (80 mg; 0.11 mmol) of Acr[1]-OPfp in 1 ml
of about 66% DMF/CH$_2$Cl$_2$ (i.e., a 0.11 M solution of the
pentafluorophenylester) in a 3 ml solid-phase reaction vessel.
As judged by a qualitative ninhydrin reaction, coupling of the
acridine moiety was close to quantitative.

(c)   Cleavage, Purification, and Identification of H-
      [Taeg]$_5$-NH$_2$

A portion of protected Boc-[Ta g]$_5$-BHA resin was
treated with 50% trifluor acetic acid in methylene chl ride
to remove the N-terminal Boc gr up (which is a precursor of

the potentially harmful tert-butyl cati n) pri r t th HF
cleavage. Following neutralization and washing (performed in
a way similar to those of steps 2-4 in "Synthetic Protoc 1
1"), and drying for 2 h in vacuum, the resulting 67.1 mg (dry

5 weight) of H-[Taeg]$_5$-BHA resin was cleaved with 5 ml f
HF:anisole (9:1, v/v) stirring at 0°C for 60 min. . After
removal of HF, the residue was stirred with dry diethyl ether
(4 x 15 ml, 15 min each) to remove anisole, filtered under
gravity through a fritted glass funnel, and dried. The PNA

10 was then extracted into a 60 ml (4 x 15 ml, stirring 15 min
each) 10% aqueous acetic acid solution. Aliquots of this
solution were analyzed by analytical reverse-phase HPLC to
establish the purity of the crude PNA. The main peak at 13.0
min accounted for about 93% of the total absorbance. The

15 remaining solution was frozen and lyophilized to afford about
22.9 mg of crude material. Finally, 19.0 mg of the crude
product was purified from five batches, each containing 3.8
mg in 1 ml of H$_2$O. The main peak was collected by use of a
semi-preparative reverse-phase column. Acetonitrile was

20 removed on a speed vac and the residual solution was frozen
(dry ice) and subsequently lyophilized to give 13.1 mg of >99%
pure H-[Taeg]$_5$-NH$_2$. The PNA molecule readily dissolved in
water and had the correct molecular weight based on mass
spectral determination. For (M+H)$^+$ the calculated m/z value

25 was 1349.3 and the measured m/z value was 1347.8.

(d)   Cleavage, Purification, and Identification of H-
[Taeg]$_{10}$-NH$_2$

A portion of protected Boc-[Taeg]$_{10}$-BHA resin was
treated as described in section (c) to yield 11.0 mg of crude

30 material upon HF cleavage of 18.9 mg dry H-[Taeg]$_{10}$-BHA resin.
The main peak at 15.5 min accounted for about 53% of the total
absorbance. About 1 mg of the crude product was purified
repeatedly (for reasons described below) to give approximately
0.1 mg of at least 80% but presumably >99% pure H-[Taeg]$_{10}$-NH$_2$.

35 A rather broad tail eluting after the target peak and
accounting f r about 20% of the t tal abs rbance c uld not be
removed (only slightly reduced) upon th r peated

purification.   Judged by th mass spectrum, which only
c nfirms the presence of the correct molecular weight H-
$[Taeg]_{10}-NH_2$, the tail phenomonen is ascribed to more or less
well-defined aggregational/conformational states of the target

5   molecule. Therefore, the crude product is likely to contain
more than the above-mentioned 53% of the target molecule. H-
$[Taeg]_{10}-NH_2$ is readily dissolved in water. For $(M+H)^+$ the
calculated m/z value was 2679.6 and the measured m/z value was
2681.5.

10   (e) ˙Cleavage, Purification, and Identification of H-
              $[Taeg]_{15}-NH_2$.

A portion of protected Boc-$[Taeg]_{15}$-BHA resin was
treated as described in section (c) to yield 3.2 mg of crude
material upon HF cleavage of 13.9 mg dry H-$[Taeg]_{15}$-BHA resin.

15 The main peak at 22.6 min was located in a broad bulge
accounting for about 60% of the total absorbance (Fig. 12a).
Again (see the preceding section), this bulge is ascribed to
aggregational/conformational states of the target molecule H-
$[Taeg]_{15}$-NH2 since mass spectral analysis of the collected

20 "bulge" did not significantly reveal the presence of other
molecules. All of the crude product was purified collecting
the "bulge" to give approximately 2.8 mg material. For $(M+Na)^+$
the calculated m/z value was 4033.9 and the measured m/z value
was 4032.9.

25   (f) Cleavage, Purification, and Identification of
              $Acr^1-[Taeg]_{15}-NH_2$.

A portion of protected $Acr^1-[Taeg]_{15}$-BHA resin was
treated as described in section (b) to yield 14.3 mg of crude
material upon HF cleavage of 29.7 mg dry $Acr^1-[Taeg]_{15}$-BHA

30 resin.   Taken together, the main peak at 23.7 min and a
"dimer" (see below) at 29.2 min accounted for about 40% of the
total absorbance (Fig. 12b). The crude product was purified
repeatedly to give approximately 1 mg of presumably >99% pure
$Acr^1-[Ta g]_{15}-NH_2$ "c ntaminated" with self-aggregat d m lecules

35 eluting at 27.4 min, 29.2 min, and finally as a huge broad
bulge eluting with 100% buffer B (Fig. 12c).   This
interpretation is in agreem nt with the observation that thos

-59-

p aks grow upon standing (f r hours) in aqueous acetic acid
solution, and finally precipitate out quantitatively. For
$(M+H)^+$ the calculated m/z value was 4593.6 and the measured
m/z value was 4588.7.

5   (g) Synthetic Protocol 1

             (1) Boc-deprotection with TFA/CH_2Cl_2 (1:1, v/v)., 3 ml,
3 x 1 min and 1 x 30 min; (2) washing with CH_2Cl_2, 3 ml, 6 x
1 min; (3) neutralization with $DIEA/CH_2Cl_2$ (1: 19, v/v), 3 ml,
3 x 2 min; (4) washing with CH_2Cl_2, 3 ml, 6 x 1 min, and drain
10 for 1 min; (5) 2-5 mg sample of PNA-resin may be taken out and
dried thoroughly for a quantitative ninhydrin analysis to
determine the substitution; (6) addition of 3.2 equiv. (0.18
mmol; 100 mg) BocTaeg-OPfp dissolved in 1 ml CH_2Cl_2 follow d
by addition of 0.5 ml DMF (final concentration of
15 pentafluorophenylester -0.12 M); the coupling reaction was
allowed to proceed for a total of 12-24 h shaking at ro m
temperature; (7) washing with DMF, 3 ml, 1 x 2 min; (8)
washing with CH_2Cl_2, 3 ml, 4 x 1 min; (9) neutralization with
$DIEA/CH_2Cl_2$ (1: 19, v/v), 3 ml, 2 x 2 min; (10) washing with
20 CH_2Cl_2, 3 ml, 6 x 1 min; (11) 2-5 mg sample of protected PNA-
resin is taken out for a rapid qualitative ninhydrin test and
further 2-5 mg is dried thoroughly for a quantitative
ninhydrin analysis to determine the extent of coupling (after
cycles 7, 10, and 15 unreacted amino groups were blocked by
25 acetylation with N-acetylimidazol in methylene chloride).

EXAMPLE 18
Solid-Phase Synthesis of Acr^1-[Taeg]$_{15}$-Lys-NH_2 and Shorter
Derivatives
30   (a) Stepwise Assembly of Boc-[Taeg]$_{15}$-Lys(ClZ)-BHA
Resin
          The synthesis was initiated by a quantitative loading
(standard DCC in situ coupling in neat CH_2Cl_2) of Boc-Lys(ClZ)
onto 100 mg of preswollen and neutralized BHA resin (0.57 mmol
35 NH_2/g). Further extension of the protected PNA chain
employed single c uplings ("Synthetic Pr tocol 2") f r cycles
1 to 5 and cycles 10 to 15 using 3.2 equivalents f BocTaeg-

-60-

OPfp in ab ut 33% DMF/CH$_2$Cl$_2$. Cycles 5 to 10 employed an
extra straight DCC (*i. ., in situ*) c upling of the free acid
BocTaeg-OH in about 33% DMF/CH$_2$Cl$_2$. All coupling reactions
were carried out by shaking for at least 12 h in a manually

5 operated 6 ml standard solid-phase reaction vessel. Unreacted
amino groups were blocked by acetylation at the same. stages
of the synthesis, as was done in Example 17. Portions of
protected Boc-[Taeg]$_5$-Lys(ClZ)-BHA and Boc-[Taeg]$_{10}$-Lys(ClZ)-
BHA resins were taken out after assembling 5 and 10 PNA

10 residues, respectively. As judged by the analytical HPLC
chromatogram of the crude cleavage product from the Boc-
[Taeg]$_{10}$-Lys(ClZ)-BHA resin (see section (e)), an additional
"free acid" coupling of PNA residues 5 to 10 gave no
significant improvement of the synthetic yield as compared to

15 the throughout single-coupled residues in Example 17.

  (b) Synthesis of Acr[1]-[Taeg]$_{10}$-Lys(ClZ)-BHA Resin
      Following deprotection of a portion of Boc-[Taeg]$_{10}$-
Lys(ClZ)-BHA resin (estimated dry weight is about 90 mg;
  - 0.01 mmol growing chains), the H-[Taeg]$_{15}$-BHA resin was

20 reacted with about 20 equivalents (141 mg; 0.19 mmol) of Acr[1]-
OPfp in 1 ml of about 66% DMF/CH$_2$Cl$_2$ in a 3 ml solid-phase
reaction vessel. As judged by a qualitative ninhydrin
reaction, coupling of the acridine moiety was close to
quantitative.

25   (c) Synthesis of Acr[1]-[Taeg]$_{15}$-Lys(ClZ)-BHA Resin
      Following deprotection of the residual Boc-[Taeg]$_{15}$-
Lys(ClZ)-BHA resin (estimated dry weight about 70 mg; - 0.005
mmol growing chains), the H-[Taeg]$_{15}$-Lys(ClZ)-BHA resin was
reacted with about 25 equivalents (91 mg; 0.12 mmol) of Acr[1]-

30 OPfp in 1 ml of about 66% DMF/CH$_2$Cl$_2$ in a 3 ml solid-phase
reaction vessel. As judged by a qualitative ninhydrin
reaction, coupling of the acridine moiety was close to
quantitative.

      (d) Cleavage, Purificati n, and Id ntificati n of H-
35   [Ta g]$_5$-Lys-NH$_2$
      A portion of protected B c-[Taeg]$_5$-Lys(ClZ)-BHA resin
was treated as described in Example 17c to yield 8.9 mg of

crude material upon HF cleavage f 19.0 mg dry H-[Ta g]$_5$-
Lys(ClZ)-BHA resin. The main p ak at 12.2 min (eluted at 14.2
min if injected from an aqueous solution instead of the 10%
aqueous acetic acid solution) accounted for about 90% of the
5 total absorbance. About 2.2 mg of the crude product was
purified to give approximately 1.5 mg of 99% pure H-[Taeg]$_5$-
Lys-NH$_2$.

      (e) Cleavage, Purification, and Identification of H-
          [Taeg]$_{10}$-Lys-NH$_2$

10   A portion of protected Boc-[Taeg]$_{10}$-Lys(ClZ)-BHA resin
was treated as described in Example 17c to yield 1.7 mg of
crude material upon HF cleavage of 7.0 mg dry H-[Taeg]$_{10}$-
Lys(ClZ)-BHA resin. The main peak at 15.1 min (eluted at 17.0
min if injected from an aqueous solution instead of the 10%
15 aqueous acetic acid solution) accounted for about 50% of the
total absorbance. About 1.2 mg of the crude product was
purified to give approximately 0.2 mg of >95% pure H-[Taeg]$_{10}$-
Lys-NH$_2$. Figure 13a. For (M+H)$^+$ the calculated m/z value was
2807.8 and the measured m/z value was 2808.2.

20   (f) Cleavage, Purification, and Identification f
          Acr^1-[Taeg]$_{10}$-Lys-NH$_2$

     99.1 mg protected Acr^1-[Taeg]$_{10}$-Lys(ClZ)-BHA resin (dry
weight) was cleaved as described in Example 17c to yield 42.2
mg of crude material. The main peak at 25.3 min (eluted at
25 23.5 min if injected from an aqueous solution instead of the
10% aqueous acetic acid solution) accounted for about 45% of
the total absorbance. An 8.87 mg portion of the crude product
was purified to give approximately 5.3 mg of >97% pure H-
[Taeg]$_{10}$-Lys-NH$_2$. For (M+H)$^+$ the calculated m/z value was
30 2850.8 and the measured m/z value was 2849.8.

      (g) Cleavage and Purification of Acr^1-[Taeg]$_{15}$-Lys-NH$_2$

     A 78.7 mg portion of protected Acr^1-[Taeg]$_{15}$-Lys(ClZ)-
BHA resin (dry weight) was cleaved as described in Example I
section (c) to yield 34.8 mg of crude material. The main peak
35 at 23.5 min (about the same eluti n time if injected from an
aqueous solution instead of the 10% aque us ac tic acid
solution) and a "dimer" at 28.2 min acc unted for ab ut 35%

f the total absorbanc . About 4.5 mg of the crude product
was purified to give approximat ly 1.6 mg of presumably >95%
pure H-[Taeg]$_{10}$-Lys-NH$_2$. This compound could not be free of
the "dimer" peak, which grew upon standing in aqueous acetic
5 acid solution.

(h) Synthetic Protocol 2

(1) Boc-deprotection with TFA/CH$_2$Cl$_2$ (1:1, v/v), 3 ml,
3 x 1 min and 1 x 30 min; (2) washing with CH$_2$Cl$_2$, 3 ml, 6 x
1 min; (3) neutralization with DIEA/CH$_2$Cl$_2$ (1: 19, v/v), 3 ml,
10 3 x 2 min; (4) washing with CH$_2$Cl$_2$, 3 ml, 6 x 1 min, and drain
for 1 min; (5) 2-5 mg sample of PNA-resin can be taken out and
dried thoroughly for a qualitative ninhydrin analysis; (6) for
cycles 1 to 5 and cycles 10 to 15 the coupling reaction was
carried out by addition of 3.2 equiv. (0.18 mmol; 100 mg)
15 BocTaeg-OPfp dissolved in 1 ml CH$_2$Cl$_2$ followed by addition of
0.5 ml DMF (final concentration of pentafluorophenylester ~
0.12 M); the coupling reaction was allowed to proceed for a
total of 12-24 h with shaking; cycles 5 to 10 employed an
additional 0.12 M DCC coupling of 0.12 M BocTaeg-OH in 1.5 ml
20 DMF/CH$_2$Cl$_2$ (1:2, v/v); (7) washing with DMF, 3 ml, 1 x 2 min;
(8) washing with CH$_2$Cl$_2$, 3 ml, 4 x 1 min; (9) neutralization
with DIEA/CH$_2$Cl$_2$ (1: 19, v/v), 3 ml, 2 x 2 min; (10) washing
with CH$_2$Cl$_2$, 3 ml, 6 x 1 min; (11) 2-5 mg sample of protected
PNA-resin is taken out for a qualitative ninhydrin test (after
25 cycles 7, 10, and 15 unreacted amino groups were blocked by
acetylation with N-acetylimidazol in methylene chloride).

EXAMPLE 19
Improved Solid-Phase Synthesis of H-[Taeg]$_{10}$-Lys-NH$_2$
30   The protected PNA was assembled onto an MBHA resin,
using approximately half the loading of the BHA resin used in
the previous examples. Furthermore, all cycles except one was
followed by acetylation of uncoupled amino groups. The
following describes the synthesis in full detail:

-63-

(a)   Preparati n of Boc-Lys(ClZ)-NH-CH(p-CH$_3$-C$_6$H$_4$)-C$_6$H$_4$
        R sin (MBHA Resin) with an Initial Substitution
        f 0.3 mmol/g

The desired substitution of Boc-Lys(ClZ)-MBHA resin was
5 0.25 - 0.30 mmol/g. In order to get this value, 1.5 mmol of
Boc-Lys(ClZ) was coupled to 5.0 g of neutralized and
preswollen MBHA resin (determined by the quantitative
ninhydrin reaction to contain 0.64 mmol NH$_2$/g) using a single
"in situ" coupling (1.5 mmol of DCC) in 60 ml of CH$_2$Cl$_2$. The
10 reaction was carried out by shaking for 3 h in a manually
operated, 225 ml, standard, solid-phase reaction vessel.
Unreacted amino groups were then blocked by acetylation with
a mixture of acetic anhydride/pyridine/CH$_2$Cl$_2$ (1:1:2, v/v/v)
for 18 h.   A quantitative ninhydrin reaction on the
15 neutralized resin showed that only 0.00093 mmol/g free amine
remained (see Table I), i.e. 0.15% of the original amin
groups.   The degree of substitution was estimated by
deprotection and ninhydrin analysis, and was found to be 0.32
mmol/g for the neutralized H-Lys(ClZ)-MBHA resin.   This
20 compares well with the maximum value of 0.28 mmol/g for a
quantitative coupling of 0.30 mmol Boc-Lys(ClZ)/g resin (see
Table II).

(b)   Stepwise Assembly of Boc-[Taeg]$_3$-Lys(ClZ)-MBHA
        Resin

25   The entire batch of H-Lys(ClZ)-MBHA resin prepared in
section (a) was used directly (in the same reaction vessel)
to   assemble Boc-[Taeg]$_3$-Lys(ClZ)-MBHA resin by single
couplings ("Synthetic Protocol 3") utilizing 2.5 equivalents
of BocTaeg-OPfp in neat CH$_2$Cl$_2$. The quantitative ninhydrin
30 reaction was appplied throughout the synthesis (see Table II).

(c)   Stepwise Assembly of Boc-[Taeg]$_8$-Lys(ClZ)-MBHA
        Resin

About 4.5 g of wet Boc-[Taeg]$_3$-Lys(ClZ)-MBHA resin
(~0.36 mmol growing chains; taken out of totally ~ 19 g wet
35 resin prepared in section (b)) was plac d in a 55 ml SPPS
reaction   vessel.   B c-[Taeg]$_8$-Lys(ClZ)-MBHA resin was
assembled by single couplings ("Synthetic Protocol 4")

utilizing 2.5 equivalents of B cTaeg-OPfp in about 30%
DMF/CH$_2$Cl$_2$. The progress of the synthesis was monitored at
all stages by the quantitative ninhydrin reaction (see Table
II).

5   (d) Stepwise Assembly of Boc-[Taeg]$_{10}$-Lys(ClZ)-MBHA
             Resin
        About 1 g of wet Boc-[Taeg]$_8$-Lys(ClZ)-MBHA resin (~0.09
mmol growing chains; taken out of totally ~4 g wet resin
prepared in section (c)) was placed in a 20 ml SPPS reaction
10 vessel. Boc-[Taeg]$_{10}$-Lys(ClZ)-MBHA resin was assembled by the
single-coupling protocol employed in the preceding section
utilizing 2.5 equivalents of BocTaeg-OPfp in about 30%
DMF/CH$_2$Cl$_2$. The reaction volume was 3 ml (vigorous shaking).
The synthesis was monitored by the quantitative ninhydrin
15 reaction (see Table II).

Synthetic Step	Residue Coupled	Substitution After Deprotection (mmol/g)		Remaining Free Amino Groups After (μmol/g)		Estimated Extent of Coupling
		Measd	Theoret	Single Coupling	Acetylation	(%)
"0"	BocLys(ClZ)	0.32	0.28		0.93	
1	BocTaeg	0.23	0.26	0.97	0.54	>99.9
2	BocTaeg	0.21	0.24	0.92	0.46	99.8
3	BocTaeg	0.19	0.23	1.00	0.57	99.7
4	BocTaeg	0.18	0.21	1.85		99.3
5	BocTaeg	0.17	0.20	2.01	0.19	99.9
6	BocTaeg	0.15	0.19	1.69	0.10	99.0
7	BocaTeg	0.11	0.18	1.11	0.66	99.1
8	BocTaeg	0.12	0.17	1.82	0.44	99.0
9	BocTaeg	0.10	0.17	5.63	0.56	94.8
10	BocTaeg	0.11	0.16	1.54	0.67	99.1

        (e) Synthesis of Ac-[Ta g]$_{10}$-Lys(ClZ)-MBHA Resin
        Foll wing deprotecti n of a p rti n of Boc-[Taeg]$_{10}$-
Lys(ClZ)-MBHA resin (estimated dry weight is about 45 mg), the
35 resin was next acetylated quantitatively with a 2 ml mixture

f acetic anhydride/pyridin /CH_2Cl_2 (1:1:2, v/v/v) for 2 h in
a 3 ml s lid-phase reaction vessel.

      **(f) Cleavage, Purification, and Identification of H-
[Taeg]$_{10}$-Lys-NH$_2$**

5   A portion of protected Boc-[Taeg]$_{10}$-Lys(ClZ)-BHA resin
was treated as described in Example 17c to yield about 24 mg
of crude material upon HF cleavage of 76 mg dry H-[Taeg]$_5$-
Lys(ClZ)-BHA resin. The main peak at 15.2 min (which includes
impurities such as deletion peptides and various byproducts)
10 accounted for about 78% of the total absorbance. The main
peak also accounted for about 88% of the "main peak plus
deletion peaks" absorbance, which is in good agreement with
the overall estimated coupling yield of 90.1% obtained by
summarizing the individual coupling yields in Table II. A 7.2
15 mg portion of the crude product was purified from two batches
by use of a semi-preparative reserse-phase column, (collecting
the main peak in a beaker cooled with dry ice/2-propanol).
Each contained 3.6 mg in 1 ml of H$_2$O. The frozen solution was
lyophilized directly (without prior removal of acetonitrile
20 on a speed vac) to give 4.2 mg of 82% pure H-[Taeg]$_{10}$-Lys-NH$_2$.

      **(g) Cleavage, Purification, and Identification of Ac-
[Taeg]$_{10}$-Lys-NH$_2$**

      A 400.0 mg portion of protected Ac-[Taeg]$_{10}$-Lys(ClZ)-
BHA resin (dry weight) was cleaved as described in Exampl
25 17c, except for the TFA treatment to yield 11.9 mg of crude
material. The main peak at 15.8 min accounted for about 75%
of the total absorbance. A 4.8 mg portion of the crude
product was purified to give approximately 3.5 mg of >95% pure
Ac-[Taeg]$_{10}$-Lys-NH$_2$. For (M+H)$^+$ the calculated m/z value =
30 2849.8 and the measured m/z value = 2848.8.

      (h) Synthetic Protocol 3.

      (1) Boc-deprotection with TFA/CH_2Cl_2 (1:1, v/v), 100
ml, 3 x 1 min and 1 x 30 min; (2) washing with CH_2Cl_2, 100 ml,
6 x 1 min; (3) neutralization with DIEA/CH_2Cl_2 (1: 19, v/v),
35 100 ml, 3 x 2 min; (4) washing with CH_2Cl_2, 100ml, 6 x 1 min,
and drain for 1 min; (5) 2-5 mg sample f PNA-resin is taken
out and dried thor ughly f r a quantitative ninhydrin analysis

to determine the substituti n; (6) addition f 2.5 equiv.
(3.75 mmol; 2.064 g) BocTaeg-OPfp dissolved in 35 ml CH_2Cl_2
(final concentration of pentafluorophenylester ~0.1 M); the
coupling reaction was allowed to proceed for a total of 20-24
5   h with shaking; (7) washing with DMF, 100 ml, 1 x 2 min (to
remove precipitate of BocTaeg-OH); (8) washing with CH_2Cl_2,
100 ml, 4 x 1 min; (9) neutralization with DIEA/CH_2Cl_2 (1: 19,
v/v), 100 ml, 2 x 2 min; (10) washing with CH_2Cl_2, 100 ml, 6
x 1 min; (11) 2-5 mg sample of protected PNA-resin is taken
10 out for a rapid qualitative ninhydrin test and a further 2-5
mg is dried thoroughly for a quantitative ninhydrin analysis
to determine the extent of coupling; (12) blocking of
unreacted amino groups by acetylation with a 100 ml mixture
of acetic anhydride / pyridine / CH_2Cl_2 (1:1:2, v/v/v) for 2
15 h; (13) washing with CH_2Cl_2, 100 ml, 6 x 1 min; (14) 2 x 2-5
mg samples of protected PNA-resin are taken out, neutralized
with DIEA/CH_2Cl_2 (1: 19, v/v) and washed with CH_2Cl_2 for
qualitative and quantitative ninhydrin analyses.
        (i)   Synthetic Protocol 4.
20   (1) Boc-deprotection with TFA/CH_2Cl_2 (1:1, v/v), 25 ml,
3 x 1 min and 1 x 30 min; (2) washing with CH_2Cl_2, 25 ml, 6 x
1 min; (3) neutralization with DIEA/CH_2Cl_2 (1: 19, v/v), 25
ml, 3 x 2 min; (4) washing with CH_2Cl_2, 25 ml, 6 x 1 min, and
drain for 1 min; (5) 2-5 mg sample of PNA-resin is taken out
25 and dried thoroughly for a quantitative ninhydrin analysis to
determine the substitution; (6) addition of 2.5 equiv. (0.92
mmol; 0.506 g) BocTaeg-OPfp dissolved in 6 ml CH_2Cl_2 followed
by   addition   of   3   ml   DMF   (final   concentration   of
pentafluorophenylester ~0.1 M); the coupling reaction was
30 allowed to proceed for a total of 20-24 hrs with shaking; (7)
washing with DMF, 25 ml, 1 x 2 min; (8) washing with CH_2Cl_2,
25 ml, 4 x 1 min; (9) neutralization with DIEA/CH_2Cl_2 (1: 19,
v/v), 25 ml, 2 x 2 min; (10) washing with CH_2Cl_2, 25 ml, 6 x
1 min; (11) 2-5 mg sample f pr tected PNA-resin is taken out
35 for a rapid qualitative ninhydrin test and a further 2-5 mg
is dried th r ughly for a quantitative ninhydrin analysis t
determine the extent of coupling; (12) blocking of unreacted

-67-

amino groups by ac tylation with a 25 ml mixture of acetic
anhydride/pyridine/CH_2Cl_2 (1:1:2, v/v/v) f r 2 h (except after
the first cycle); (13) washing with CH_2Cl_2, 25 ml, 6 x 1 min;
(14) 2 x 2-5 mg samples of protected PNA-resin are taken out,
neutralized with DIEA/CH_2Cl_2 (1: 19, v/v) and washed with
CH_2Cl_2 for qualitative and quantitative ninhydrin analyses.

EXAMPLE 20
Solid-Phase Synthesis of H-[Taeg]$_5$-Caeg-[Taeg]$_4$-Lys-NH$_2$
      (a) **Stepwise Assembly of Boc-[Taeg]$_5$-C(z)aeg-[Taeg]$_4$-**
           Lys(ClZ)-MBHA Resin
           About 2.5 g of wet Boc-[Taeg]$_3$-Lys(ClZ)-MBHA resin (~
1/6 of the total remaining about 16 g wet resin; ~0.75 g dry
resin ~0.15 mmol growing chains) was placed in a 6 ml SPPS
reaction vessel. Boc-[Taeg]$_5$-Caeg-[Taeg]$_4$-Lys(ClZ)-MBHA resin
was assembled by double coupling of all Taeg-residues
utilizing the usual 2.5 equivalents of BocTaeg-OPfp in 2.5 ml
about 30% DMF/CH_2Cl_2, except that the first residue was
single-coupled. Incorporation of the C(Z)aeg-residue was
accomplished by coupling with 2.0 equivalents of BocC(Z)aeg-
OPfp in TFE/CH_2Cl_2 (1:2, v/v). The progress of the synthesis
was monitored at all stages by the quantitative ninhydrin
reaction (see Table III).

Synthetic Step	Residue Coupled	Substitution After Deprotection (mmol/g)		Remaining Free Amino Groups After (μmol/g)			Estimated Extent of Coupling
		Measd.	Theoret.	1st Coupl	2nd Coupl	Acetyl-ation	
3		0.19	0.23	1.00		0.57	
4	BocTaeg	0.17	0.21	4.88		97.3	97.3
5	BocC(Z)aeg	0.11	0.20	70.20	27.98	1.33	78.4 (46)
6	BocTaeg	0.10	0.19	24.79	4.58	2.40	95.4 (75)
7	BocTaeg	0.09	0.18	8.55	1.61	0.20	>99.9 (93)
8	BocTaeg	0.08	0.17	6.53	0.80	0.45	99.0 (91)
9	BocTaeg	0.07	0.16	9.26	3.66	0.61	94.8 (86)
10	BocTaeg	0.07	0.15	5.32	1.48	0.60	98.8 (93)

-68-

(b) Cleavag , Purification, and Identification f H-
        [Ta g]₅-Ca g-[Taeg]₄-Lys-NH₂

        A   portion   of   protected   Boc-[Taeg]₅-Caeg-[Taeg]₄-
Lys(ClZ)-BHA resin was treated as described in Example I
section (c) to yield about 14.4 mg of crude material upon HF
cleavage of 66.9 mg dry H-[Taeg]₅-Caeg-[Taeg]₄-Lys(ClZ)-BHA
resin.   The main peak at 14.5 min accounted for >50% of the
total absorbance. A 100.0 mg portion of the crude product was
purified (8 batches; each dissolved in 1 ml H₂O) to give
approximately 9.1 mg of 96% pure H-[Taeg]₅-Caeg-[Taeg]₄-Lys-NH₂
(Figure 13b). For (M+H)⁺ the calculated m/z value = 2793,8 and
the measured m/z value = 2790,6.

EXAMPLE 21

Binding of Acr¹-(Taeg)₁₀-Lys-NH₂ to dA₁₀ (Figure 11a)

        Acr¹-(Taeg)₁₀-Lys (100 ng) was incubated for 15 min at
room   temperature   with   50   cps   5'-[³²P]-end-labelled
oligonucleotide [d(GATCCA₁₀G)] in 20 μl TE buffer (10 mM Tris-
HCl, 1 mM EDTA, pH 7.4).   The sample was cooled in ice (15
min) and analyzed by gel electrophoresis in polyacrylamide
(PAGE).   To 10 μl of the sample was added 2 μl 50% glycerol,
5 TBE (TBE = 90 mM Tris-borate, 1 mM EDTA, pH 8.3), and the
sample   was   analysed   by   PAGE   (15%   acrylamide,   0.5%
bisacrylamide) in TBE buffer at 4°C. A 10 μl portion of the
sample was lyophilized and redissolved in 10 μl 80% formamide,
1 TBE, heated to 90°C (5 min), and analyzed by urea/PAGE (15%
acrylamide, 0.5% bisacrylamide, 7 M urea) in TBE.   [³²P]-
containing DNA bands were visualized by autoradiography using
intensifying screens and Agfa Curix RPI X-ray films exposed
at -80°C for 2 h.

        Oligonucleotides were synthesized on a Biosearch 7500
DNA synthesizer, labelled with γ[³²P]-ATP (Amersham, 5000
Ci/mmol) and polynucleotide kinase, and purified by PAGE using
standard techniques (Maniatis et al. (1986): A laboratory
manual, C ld Spring Harb r Laboratories).

-69-

EXAMPLE 22

Formation f strand displacement c mplex

A dA_{10}-dT_{10} target sequence contained within a plasmid
DNA sequence was constructed by cloning of two oligonu-
5 cleotides (d(GATCCA$_{10}$G) + d(GATCCT$_{10}$G)) into the BamHI
restriction enzyme site of pUC19 using the Eschericia coli
JM101 strain by standard techniques (Maniatis et al., 1986).
The desired plasmid (designated pT10) was isolated from on
of the resulting clones and purified by the alkalin
10 extraction procedure and CsCl centrifugation (Maniatis et al.,
1986).   A 3'-[^{32}P]-end-labelled DNA fragment of 248 bp
containing the dA_{10}/dT_{10} target sequence was obtained by
cleaving the pT10 DNA with restriction enzymes EcoRI and
PvuII, labelling of the cleaved DNA with α[^{32}P]-dATP (4000
15 Ci/mmol, Amersham) using the Klenow fragment of E. coli DNA
polymerase (Boehringer Mannheim), and purifying the 248 bp DNA
fragment by PAGE (5% acrylamide, 0.06% bisacrylamide, TBE
buffer).   This DNA fragment was obtained with [^{32}P]-end-
labelling at the 5'-end by treating the EcoRI-cleaved pT10
20 plasmid with bacterial alkaline phosphatase (Boehringer
Mannheim), purifying the plasmid DNA by gel electrophoresis
in low melting agarose, and labelling with γ[^{32}P] ATP and
polynucleotide kinase.   Following treatment with PvuII, the
248 bp DNA fragment was purified as above.

25   The complex between Acr^1-(Taeg)$_{10}$-Lys-NH$_2$ and the 248 bp
DNA fragment was formed by incubating 50 ng of Acr^1-(Taeg)$_{10}$-
Lys-NH$_2$ with 500 cps ^{32}P-labelled 248 bp fragment and 0.5 μg
calf thymus DNA in 100 μl buffer for 60 min at 37°C.

30 EXAMPLE 23

Probing of strand displacement complex with:

(a) Staphylococcus nuclease (Figure 12b)

The strand displacement complex was formed in 25 mM
Tris-HCl, 1 mM MgCl$_2$, 0.1 mM CaCl$_2$, pH 7.4 as described above.
35 The comples was treated with Staphyl coccus nuclease
(B ehringer Mannheim) at 750 U/ml f r 5 min at 20°C and the
reacti n was stopped by addition of EDTA t 25 mM.   The DNA

was precipitated with 2 vols. of ethanol, 2% potassium acetate redissolved in 80% formamide, TBE, heated t 90°C (5 min), and analyzed by high resolution PAGE (10% acrylamide, 0.3% bisacrylamide, 7 M urea) and autoradiography.

5   (b)   **Affinity photocleavage (Figure 12a + 12b)**

The complex was formed in TE buffer. A sample contained in an Eppendorf tube was irradiated from above at 300 nm (Philips TL 20 W/12 fluorescent light tube, 24 $Jm^{-2}s^{-1}$) for 30 min. The DNA was precipitated as above, taken up in 1 M 10 piperidine, and heated to 90°C for 20 min. Following lyophilization, the DNA was analysed by PAGE as above.

(c)   **Potassium permanganate (Figure 12b)**

The complex was formed in 100 μl TE and 5 μl 20 mM $KMnO_4$ was added. After 15 s at 20°C, the reaction was stopped 15 by addition of 50 μl 1.5 M sodium acetate, pH 7.0, 1 M 2-mercaptoethanol. The DNA was precipitated, treated with piperidine and analyzed, as above.

(d)   **Photofootprinting (Figure 12b)**

The complex was formed in 100 μl TE and diazo-linked 20 acridine (0.1 μg/μl) (DHA, Nielsen et al. (1988) Nucl. Acids Res. 16, 3877-88) was added. The sample was irradiated at 365 nm (Philips TL 20 W/09N, 22 $Jm^{-2}s^{-1}$) for 30 min and treated as described for "affinity photocleavage".

(e)   **S_1-nuclease (Figure 12c)**

25   The complex was formed in 50 mM sodium acetate, 200 mM NaCl, 0.5% glycerol, 1 mM $ZnCl_2$, pH 4.5 and treated with nuclease S_1 (Boehringer Mannheim) at 0.5 U/ml for 5 min at 20°C. The reaction was stopped and treated further as described under "Staphylococcus nuclease".

30

EXAMPLE 24

N-Benzyloxycarbonyl-N-' (bocaminoethyl)glycine.

Aminoethyl glycine (52.86 g; 0.447 mol) was dissolved in water (900 ml) and dioxane (900 ml) was added. Th pH was 35 adjusted to 11.2 with 2N NaOH. While the pH was kept at 11.2, tert-butyl-p-nitrophenyl carbonate (128.4 g; 0.537 mol) was dissolved in dioxane (720 ml) and added dropwise over th

c urse f 2 h urs. Th pH was kept at 11.2 for at 1 ast three
m re h urs and then left with stirring overnight. Th yellow
solution was cooled to 0°C and the pH was adjusted to 3.5 with
2 N HCl. The mixture was washed with chloroform (4x100 ml),
5 and the pH of the aqueous phase was readjusted to 9.5 with 2
N NaOH at 0°C. Benzyloxycarbonyl chloride (73.5 ml; 0.515
mol) was added over half an hour, while the pH was kept at 9.5
with 2 N NaOH. The pH was adjusted frequently over the next
4 hours, and the solution was left with stirring overnight.
10 On the following day the solution was washed with ether (3x600
ml) and the pH of the solution was afterwards adjusted to 1.5
with 2 N HCl at 0°C. The title compound was isolated by
extraction with ethyl acetate (5x1000 ml). The ethyl acetate
solution was dried over magnesium sulfate and evaporated t
15 dryness, *in vacuo*. This afforded 138 g, which was dissolved
in ether (300 ml) and precipitated by the addition of
petroleum ether (1800 ml). Yield 124.7 g (79%). M.p. 64.5-85
°C. Anal. for $C_{17}H_{24}N_2O_6$ found(calc.) C: 58.40(57.94); H:
7.02(6.86); N: 7.94(7.95). ^{1}H-NMR (250 MHz, CDCl$_3$) 7.33 & 7.32
20 (5H, Ph); 5.15 & 5.12 (2H, PhCH$_2$); 4.03 & 4.01 (2H, NCH$_2$CO$_2$H);
3.46 (b, 2H, BocNHCH$_2$CH$_2$); 3.28 (b, 2H, BocNHCH$_2$CH$_2$); 1.43 &
1.40 (9H, ^{t}Bu). HPLC (260 nm) 20.71 min. (80.2%) and 21.57
min. (19.8%). The UV-spectra (200 nm - 300 nm) are identical,
indicating that the minor peak consists of Bis-Z-AEG.
25

EXAMPLE 25
N'-Boc-aminoethyl glycine ethyl ester.
        N-Benzyloxycarbonyl-N'-(bocaminoethyl)glycine (60.0 g;
0.170 mol) and N,N-dimethyl-4-aminopyridine (6.00 g) were
30 dissolved in absolute ethanol (500 ml), and cooled to 0°C
before the addition of DCC (42.2 g; 0.204 mol). The ice bath
was removed after 5 minutes and stirring was continued for 2
more hours. The precipitated DCU (32.5 g dried) was removed
by filtration and washed with ether (3x100 ml). The combin d
35 filtrate was washed successively with diluted p tassium
hydr gen sulfate (2x400 ml), diluted s dium hydrogencarb nate
(2x400 ml) and saturated s dium chl ride (1x400 ml). The

-72-

organic phase was filter d, th n dried over magnesium sulfate,
and evaporated to dryness, *in vacuo*, which yielded 66.1 g f
an oily substance which contained some DCU.

The oil was dissolved in absolute ethanol (600 ml) and
5 was added 10% palladium on carbon (6.6 g) was added. The
solution was hydrogenated at atmospheric pressure, where the
reservoir was filled with 2 N sodium hydroxide. After 4
hours, 3.3 L was consumed out of the theoretical 4.2 L. The
reaction mixture was filtered through celite and evaporated
10 to dryness, *in vacuo*, affording 39.5 g (94%) of an oily
substance. A 13 g portion of the oily substance was purified
by silica gel (600 g SiO$_2$) chromatography. After elution with
300 ml 20% petroleum ether in methylene chloride, the title
compound was eluted with 1700 ml of 5% methanol in methylene
15 chloride. The solvent was removed from the fractions with
satisfactory purity, *in vacuo* and the yield was 8.49 g.
Alternatively 10 g of the crude material was purified by Kugel
Rohr distillation. ^{1}H-NMR (250 MHz, CD$_3$OD); 4.77 (b. s, NH);
4.18 (q, 2H, MeC$\underline{H}_2$-); 3.38 (s, 2H, NC$\underline{H}_2$CO$_2$Et); 3.16 (t, 2H,
20 BocNHC$\underline{H}_2$CH$_2$); 2.68 (t, 2H, BocNHCH$_2$C$\underline{H}_2$); 1.43 (s, 9H, ^{t}Bu) and
1.26 (t, 3H, CH$_3$) ^{13}C-NMR 171.4 ($\underline{C}$OEt); 156.6 (CO); 78.3
((CH$_3$)$_3$$\underline{C}$); 59.9 (CH$_2$); 49.0 (CH$_2$); 48.1 (CH$_2$); 39.0 (CH$_2$); 26.9
(CH$_2$) and 12.6 (CH$_3$).

25 EXAMPLE 26
N'-Boc-aminoethyl glycine methyl ester.

The above procedure was used, with methanol being
substituted for ethanol. The final product was purified by
column purification.
30

EXAMPLE 27
1-(Boc-aeg)thymine ethyl ester.

N'-B c-aminoethyl glycine ethyl ester (13.5 g; 54.8
mmol), DhbtOH (9.84 g; 60.3 mmol) and 1-carboxymethyl thymine
35 (11.1 g; 60.3 mm l) were diss lved in DMF (210 ml).
Methylene chloride (210 ml) then was added. The solution was
cooled to 0°C in an ethanol/ice bath and DCC (13.6 g; 65.8

mm 1) was added. The ice bath was removed after 1 h ur and
stirring was continued for another 2 hours at ambient
temperature. The precipitated DCU was removed by filtration
and washed twice with methylene chloride (2 x 75 ml). To th
5 combined filtrate was added more methylene chloride (650 ml).
The solution was washed successively with diluted.sodium
hydrogen carbonate (3 x 500 ml), diluted potassium hydrogen
sulfate (2 x 500 ml), and saturated sodium chloride (1 x 500
ml). Some precipitate was removed from the organic phase by
10 filtration, The organic phase was dried over magnesium
sulfate and evaporated to dryness, in vacuo. The oily residu
was dissolved in methylene chloride (150 ml), filtered, and
the title compound was precipitated by the addition of
petroleum ether (350 ml) at 0°C. The methylene
15 chloride/petroleum ether procedure was repeated once. This
afforded 16.0 g (71%) of a material which was more than 99%
pure by HPLC.

EXAMPLE 28

20 **1-(Boc-aeg)thymine.**

The material from above was suspended in THF (194 ml,
gives a 0.2 M solution), and 1 M aqueous lithium hydroxide
(116 ml) was added. The mixture was stirred for 45 minutes
at ambient temperature and then filtered to remove residual
25 DCU. Water (40 ml) was added to the solution which was then
washed with methylene chloride (300 ml). Additional water (30
ml) was added, and the alkaline solution was washed once more
with methylene chloride (150 ml). The aqueous solution was
cooled to 0°C and the pH was adjusted to 2 by the dropwise
30 addition of 1 N HCl (approx. 110 ml). The title compound was
extracted with ethyl acetate (9 x 200 ml), the combined
extracts were dried over magnesium sulfate and were evaporated
to dryness, in vacuo. The residue was evaporated once from
methanol, which after drying overnight afforded a colorless
35 glassy s lid. Yield 9.57 g (64 %). HPLC > 98% R_T=14.8 min.
Anal. f r $C_{16}H_{24}N_4O_7$·0.25 H_2O F und (calc.) C: 49.29(49.42); H:
6.52(6.35); N: 14.11(14.41). Due to th limited rotation

around th secondary amide, several of the signals wer doubled in the ratio 2:1 (indicated in the list by mj. for major and mi. for minor). ^{1}H-NMR (250 MHz, DMSO-d_6): 12.75 (b.s., 1H, CO_2H); 11.28 (s, "1H", mj., imide NH); 11.26 (s, 5 "1H", mi., imide NH); 7.30 (s, "1H", mj., T H-6); 7.26 (s, "1H", mi., T H-6); 6.92 (b.t., "1H", mj., BocNH); 6.73. (b.t., "1H", mi., BocNH); 4.64 (s, "2H", mj., CH_2CON); 4.46 (s, "2H", mj., CH_2CON); 4.19 (s, "2H", mi., CH_2CO_2H); 3.97 (s, "2H", mj., CH_2CO_2H); 3.63-3.01 (unresolved m, includes water, 10 CH_2CH_2); 1.75 (s, 3H, CH_3) and 1.38 (s, 9H, ^{t}Bu).

EXAMPLE 29
N^4-Benzyloxycarbonyl-1-(Boc-aeg)cytosine.

N'-Boc-aminoethyl glycine ethyl ester (5.00 g; 20.3 15 mmol), DhbtOH (3.64 g; 22.3 mmol) and N^4-benzyloxycarbonyl-1-carboxymethyl cytosine (6.77 g; 22.3 mmol) were suspended in DMF (100 ml). Methylene chloride (100 ml) then was added. The solution was cooled to 0°C and DCC (5.03 g; 24.4 mmol) was added. The ice bath was removed after 2 h and stirring was 20 continued for another hour at ambient temperature. The reaction mixture then was evaporated to dryness, *in vacuo*. The residue was suspended in ether (100 ml) and stirred vigorously for 30 min. The solid material was isolated by filtration and the ether wash procedure was repeated twice. 25 The material was then stirred vigorously for 15 min with dilute sodium hydrogencarbonate (aprox. 4% solution, 100 ml), filtered and washed with water. This procedure was then repeated once, which after drying left 17.0 g of yellowish solid material. The solid was then boiled with dioxane (200 30 ml) and filtered while hot. After cooling, water (200 ml) was added. The precipitated material was isolated by filtration, washed with water, and dried. According to HPLC (observing at 260 nm) this material has a purity higher than 99%, besides the DCU. The ester was then suspended in THF (100 ml), c oled 35 t 0°C, and 1 N LiOH (61 ml) was added. After stirring for 15 minutes, the mixture was filtered and the filtrate was washed with methylene chl ride (2 x 150 ml). The alkaline

solution then was c oled to 0°C and th pH was adjusted to 2.0
with 1 N HCl. The title compound was is lated by filtrati n
and was washed once with water, leaving 11.3 g of a whit
powder after drying. The material was suspended in methylene
5 chloride (300 ml) and petroleum ether (300 ml) was added.
Filtration and wash afforded 7.1 g (69%) after drying, HPLC
showed a purity of 99% R$_r$= 19.5 min, and a minor impurity at
12.6 min (approx. 1%) most likely the Z-de protected monomer.
Anal. for C$_{23}$H$_{29}$N$_5$O$_4$ found(calc.) C: 54.16(54.87); H: 5.76(5.81)
10 and N: 13.65(13.91). ^{1}H-NMR (250 MHz, DMSO-d$_6$). 10.78 (b.s,
1H, CO$_2$H); 7.88 (2 overlapping dublets, 1H, Cyt H-5); 7.41-
7.32 (m, 5H, Ph); 7.01 (2 overlapping doublets, 1H, Cyt H-6);
6.94 & 6.78 (unres. triplets, 1H, BocNH); 5.19 (s, 2H, PhCH$_2$);
4.81 & 4.62 (s, 2H, CH$_2$CON); 4.17 & 3.98 (s, 2H, CH$_2$CO$_2$H);
15 3.42-3.03 (m, includes water, CH$_2$CH$_2$) and 1.38 & 1.37 (s, 9H,
^{t}Bu). ^{13}C-NMR. 150.88; 128.52; 128.18; 127.96; 93.90; 66.53;
49.58 and 28.22. IR: Frequency in cm^{-1} (intensity). 3423
(26.4), 3035 (53.2), 2978(41.4), 1736(17.3), 1658(3.8),
1563(23.0), 1501(6.8) and 1456 (26.4).
20

EXAMPLE 30

9-Carboxymethyl adenine ethyl ester.

Adenine (10.0 g, 74 mmol) and potassium carbonate
(10.29 g, 74.0 mmol) were suspended in DMF and ethyl
25 bromoacetate (8.24 ml, 74 mmol) was added. The suspension was
stirred for 2.5 h under nitrogen at room temperature and then
filtered. The solid residue was washed three times with DMF
(10 ml). The combined filtrate was evaporated to dryness, in
vacuo. The yellow-orange solid material was poured into water
30 (200 ml) and 4 N HCl was added to pH≈6. After stirring at 0°C
for 10 min, the solid was filtered off, washed with water, and
recrystallized from 96% ethanol (150 ml). The title compound
was isolated by filtration and washed thoroughly with ether.
Yield 3.4 g (20%). M.p. 215.5-220°C. Anal. for C$_9$H$_{11}$N$_5$O$_2$
35 found(calc.): C: 48.86(48.65); H: 5.01(4.91); N: 31.66(31.42).
^{1}H-NMR (250 MHz; DMSO-d$_6$): (s, 2H, H-2 & H-8), 7.25 (b. s.,
2H, NH$_2$), 5.06 (s, 2H, NCH$_2$), 4.17 (q, 2H, J=7.11 Hz, OCH$_2$) and

-76-

1.21 (t, 3H, J=7.13 Hz, NCH$_2$). ^{13}C-NMR. 152.70, 141.30, 61.41,
43.97 and 14.07. FAB-MS. 222 (MH+). IR: Frequency in cm^{-1}
(intensity). 3855 (54.3), 3274(10.4), 3246(14.0), 3117(5.3),
2989(22.3), 2940(33.9), 2876(43.4), 2753(49.0), 2346(56.1),
5 2106(57.1), 1899(55.7), 1762(14.2), 1742(14.2), 1742(1.0),
1671(1.8), 1644(10.9), 1606(0.6), 1582(7.1), 1522.(43.8),
1477(7.2), 1445(35.8) and 1422(8.6). The position of
alkylation was verified by X-ray crystallography on crystals,
which were obtained by recrystallization from 96% ethanol.

10   Alternatively, 9-carboxymethyl adenine ethyl ester can
be prepared by the following procedure. To a suspension of
adenine (50.0 g, 0.37 mol) in DMF (1100 ml) in 2 L three-
necked flask equipped with a nitrogen inlet, a mechanical
stirrer and a dropping funnel was added 16.4 g (0.407 mol)
15 haxane washed sodium hydride- mineral oil dispersion. The
mixture was stirred vigorously for 2 hours, whereafter ethy
bromacetate 75 ml, 0.67 mol) was added dropwise over the
course of 3 hours. The mixture was stirred for one additional
hour, whereafter tlc indicated complete conversion of adenine.
20 The mixture was evaporated to dryness at 1 mmHg and water (500
ml) was added to the oily residue which caused crystallisation
of the title compound. the solid was recrystallised from 06%
ethanol (600 ml). Yield after drying 53.7 (65.6%). HPLC (215
nm) purity > 99.5%.

25

EXAMPLE 31
N^{6}Benzyloxycarbonyl-9-carboxymethyl adenine ethyl ester.

        9-Carboxymethyladenine ethyl ester (3.40 g, 15.4 mmol)
was dissolved in dry DMF (50 ml) by gentle heating, cooled to
30 20°C, and added to a solution of N-ethyl- ben-
zyloxycarbonylimidazole tetrafluoroborate (62 mmol) in
methylene chloride (50 ml) over a period of 15 min with ice-
cooling. Some precipitation was observed. The ice bath was
remov d and the soluti n was stirred vernight. The r action
35 mixture was treated with saturated s dium hydrogen carbonate
(100 ml). After stirring for 10 min, the phases wer
separated and the organic phase was washed successively with

on v lume of water, dilute potassium hydr gen sulfate
(twice), and with saturated sodium chl ride. The s lution was
dried over magnesium sulfate and evaporated to dryness, *in
vacuo*, which afforded 11 g of an oily material. The material
5 was dissolved in methylene chloride (25 ml), cooled to 0°C,
and precipitated with petroleumeum ether (50 ml).. This
procedure was repeated once to give 3.45 g (63%) of the title
compound. M.p. 132-35°C. Analysis for $C_{17}H_{17}N_5O_4$ found
(calc.): C: 56.95(57.46); H: 4.71(4.82); N: 19.35(19.71). ^{1}H-
10 NMR (250 MHz; $CDCl_3$): 8.77 (s, 1H, H-2 or H-8); 7.99 (s, 1H,
H-2 or H-8); 7.45-7.26 (m, 5H, Ph); 5.31 (s, 2H, N-CH_2); 4.96
(s, 2H, Ph-CH_2); 4.27 (q, 2H, J=7.15 Hz, CH_2CH_3) and 1.30 (t,
3H, J=7.15 Hz, CH_2CH_3). ^{13}C-NMR: 153.09; 143.11; 128.66;
67.84; 62.51; 44.24 and 14.09. FAB-MS: 356 (MH+) and 312
15 (MH+-CO_2). IR: frequency in cm^{-1} (intensity). 3423 (52.1);
3182 (52.8); 3115(52.1); 3031(47.9); 2981(38.6); 1747(1.1);
1617(4.8); 15.87(8.4); 1552(25.2); 1511(45.2); 1492(37.9);
1465(14.0) and 1413(37.3).

20 **EXAMPLE 32**

N^{6}Benzyloxycarbonyl-9-carboxymethyl adenine.

N^6-Benzyloxycarbonyl-9-carboxymethyladenine ethyl ester
(3.20 g; 9.01 mmol) was mixed with methanol (50 ml) cooled t
0°C. Sodium Hydroxide Solution (50 ml; 2N) was added, whereby
25 the material quickly dissolved. After 30 min at 0°C, the
alkaline solution was washed with methylene chloride (2x50ml).
The aqueous solution was brought to pH 1.0 with 4 N HCl at
0°C, whereby the title compound precipitated. The yield after
filtration, washing with water, and drying was 3.08 g (104%).
30 The product contained salt and elemental analysis reflected
that. Anal. for $C_{15}H_{13}N_5O_4$ found(calc.): C: 46.32(55.05); H:
4.24(4.00); N: 18.10(21.40) and C/N: 2.57(2.56). ^{1}H-NMR(250
MHz; DMSO-d$_6$): 8.70 (s, 2H, H-2 and H-8); 7.50-7.35 (m, 5H,
Ph); 5.27 (s, 2H, N-CH_2); and 5.15 (s, 2H, Ph-CH_2). ^{13}C-NMR.
35 168.77, 152.54, 151.36, 148.75, 145.13, 128.51, 128.17,127.98,
66.76 and 44.67.IR (KBr) 3484(18.3); 3109(15.9); 3087(15.0);
2966(17.1); 2927(19.9); 2383(53.8); 1960(62.7); 1739(2.5);

-78-

1688(5.2);   1655(0.9);   1594(11.7);   1560(12.3);   1530(26.3);
1499(30.5); 1475(10.4); 1455(14.0); 1429(24.5) and 1411(23.6).
FAB-MS: 328 (MH+) and 284 (MH+-CO$_2$). HPLC (215 nm, 260 nm) in
system 1: 15.18 min, minor impurities all less than 2%.

5

EXAMPLE 33

N^6-Benzyloxycarbonyl-1-(Boc-aeg)adenine ethyl ester.

N'-Boc-aminoethyl glycine ethyl ester (2.00 g; 8.12
mmol), DhbtOH (1.46 g; 8.93 mmol) and N^6-benzyloxycarbonyl-9-
10 carboxymethyl adenine (2.92 g; 8.93 mmol) were dissolved in
DMF (15 ml). Methylene chloride (15 ml) then was added. The
solution was cooled to 0°C in an ethanol/ice bath. DCC (2.01
g; 9.74 mmol) was added. The ice bath was removed after 2.5
h and stirring was continued for another 1.5 hour at ambient
15 temperature. The precipitated DCU was removed by filtration
and washed once with DMF (15 ml), and twice with methylene
chloride (2 x 15 ml). To the combined filtrate was added more
methylene chloride (100 ml).   The solution was washed
successively with dilute sodium hydrogen carbonate (2 x 100
20 ml), dilute potassium hydrogen sulfate (2 x 100 ml), and
saturated sodium chloride (1 x 100 ml). The organic phase was
evaporated to dryness, *in vacuo*, which afforded 3.28 g (73%)
of a yellowish oily substance. HPLC of the raw product showed
a purity of only 66% with several impurities, both more and
25 less polar than the main peak. The oil was dissolved in
absolute ethanol (50 ml) and activated carbon was added.
After stirring for 5 minutes, the solution was filtered. The
filtrate was mixed with water (30 ml) and was left with
stirring overnight. The next day, the white precipitate was
30 removed by filtration, washed with water, and dried, affording
1.16 g (26%) of a material with a purity higher than 98% by
HPLC. Addition of water to the mother liquor afforded another
0.53 g with a purity of approx. 95%. Anal. for C$_{26}$H$_{33}$N$_7$O$_7$°H$_2$O
f und(calc.)   C: 55.01(54.44;   H: 6.85(6.15)   and   N:
35 16.47(17.09). ^{1}H-NMR (250 MHz, CDCl$_3$) 8.74 (s, 1H, Ade H-2);
8.18 (b. s, 1H, ZNH); 8.10 & 8.04 (s, 1H, H-8); 7.46-7.34 (m,
5H, Ph); 5.63 (unres. t, 1H, BocNH); 5.30 (s, 2H, PhCH$_2$); 5.16

& 5.00 (s, 2H, CH$_2$CON); 4.29 & 4.06 (s, 2H, CH$_2$CO$_2$H); 4.20 (q,
2H, OCH$_2$CH$_3$); 3.67-3.29 (m, 4H, CH$_2$CH$_2$); 1.42 (s, 9H, ^{t}Bu) and
1.27 (t, 3H, OCH$_2$CH$_3$). The spectrum shows traces of ethanol
and DCU.

5

EXAMPLE 34

N^6-Benzyloxycarbonyl-1-(Boc-aeg)adenine.

N^6-Benzyloxycarbonyl-1-(Boc-aeg)adenine ethyl ester
(1.48 g; 2.66 mmol) was suspended in THF (13 ml) and th
10 mixture was cooled to 0°C. Lithium hydroxide (8 ml; 1 N) was
added. After 15 min of stirring, the reaction mixture was
filtered, extra water (25 ml) was added, and the solution was
washed with methylene chloride (2 x 25 ml). The pH of the
aqueous solution was adjusted to pH 2.0 with 1 N HCl. The
15 precipitate was isolated by filtration, washed with water, and
dried, and drief affording 0.82 g (58%). The product
reprecipitated twice with methylene chloride/petroleum ether,
0.77 g (55%) after drying. M.p. 119°C (decomp.) Anal. for
C$_{24}$H$_{29}$N$_7$O$_7$·°H$_2$O found(calc.) C: 53.32(52.84); H: 5.71(5.73); N:
20 17.68(17.97). FAB-MS. 528.5 (MH+). ^{1}H-NMR (250 MHz, DMSO-d$_6$).
12.75 (very b, 1H, CO$_2$H); 10.65 (b. s, 1H, ZNH); 8.59 (d, 1H,
J= 2.14 Hz, Ade H-2); 8.31 (s, 1H, Ade H-8); 7.49-7.31 (m, 5H,
Ph); 7.03 & 6.75 (unresol. t, 1H, BocNH); 5.33 & 5.16 (s, 2H,
CH$_2$CON); 5.22 (s, 2H, PhCH$_2$); 4.34-3.99 (s, 2H, CH$_2$CO$_2$H); 3.54-
25 3.03 (m's, includes water, CH$_2$CH$_2$) and 1.39 & 1.37 (s, 9H,
^{t}Bu). ^{13}C-NMR. 170.4; 166.6; 152.3; 151.5; 149.5; 145.2;
128.5; 128.0; 127.9; 66.32; 47.63; 47.03; 43.87 and 28.24.

EXAMPLE 35

30 ### 2-Amino-6-chloro-9-carboxymethylpurine.

To a suspension of 2-amino-6-chloropurine (5.02 g; 29.6
mmol) and potassium carbonate (12.91 g; 93.5 mmol) in DMF (50
ml) was added bromoacetic acid (4.70 g; 22.8 mmol). The
mixture was stirr d vigorously for 20 h. und r nitr gen.
35 Water (150 ml) was added and the s luti n was filtered through
Celite to give a clear yellow s lution. The solution was
acidified t a pH f 3 with 4 N hydrochl ric acid. Th

-80-

pr cipitate was filtered and dried, *in vacuo*, ov r sicapent.
Yield (3.02 g; 44.8%). ¹H-NMR(DMSO-d6): d = 4.88 ppm (s,2H);
6.95 (s,2H); 8.10 (s,1H).

5 **EXAMPLE 36**

2-Amino-6-benzyloxy-9-carboxymethylpurine.

        Sodium (2.0 g; 87.0 mmol) was dissolved in benzyl
alcohol (20 ml) and heated to 130°C for 2 h. After cooling
to 0°C, a solution of 2-amino-6-chloro-9-carboxymethylpurine
10 (4.05 g; 18.0 mmol) in DMF (85 ml) was slowly added, and the
resulting suspension stirred overnight at 20°C. Sodium
hydroxide solution (1N, 100 ml) was added and the clear
solution was washed with ethyl acetate (3 x 100 ml). The
water phase then was acidified to a pH of 3 with 4 N
15 hydrochloric acid. The precipitate was taken up in ethyl
acetate (200 ml), and the water phase was extracted with ethyl
acetate (2 x 100 ml). The combined organic phases were washed
with saturated sodium chloride solution (2 x 75 ml), dried
with anhydrous sodium sulfate, and taken to dryness by
20 evaporation, *in vacuo*. The residue was recrystallized from
ethanol (300 ml). Yield after drying, *in vacou*, over
sicapent: 2.76 g (52%). M.p. 159-65°C. Anal. (calc., found)
C(56.18; 55.97), H(4.38; 4.32), N(23.4; 23.10). ¹H-NMR (DMSO-
d₆): 4.82 ppm.(s,2H); 5.51 (s,2H); 6.45 (s,2H); 7.45 (m,5H);
25 7.82 (s,1H).

EXAMPLE 37

**N-([2-Amino-6-benzyloxy-purine-9-yl]-acetyl)-N-(2-Boc-
aminoethyl)-glycine [BocGaeg-OH monomer].**

30   2-Amino-6-benzyloxy-9-carboxymethyl-purine (0.50 g;
1.67 mmol), methyl-N(2-[*tert*-butoxycarbonylamino]ethyl)-
glycinate (0.65 g; 2.80 mmol), diisopropylethyl amine (0.54
g; 4.19 mmol), and bromo-tris-pyrrolidino-phosphonium-
hexafluoro-phosphate (PyBroP) (0.798 g; 1.71 mmol) wer
35 stirred in DMF (2 ml) for 4 h. The clear soluti n was p ured
into an ice-cool d solution of s dium hydrogen carb nat (1
N; 40 ml) and extracted with ethyl acetate (3 X 40 ml). The

organic layer was washed with potassium hydrogen sulfate
s lution (1 N; 2 X 40 ml), sodium hydrogen carbonat (1 N; 1
X 40 ml) and saturated sodium chloride solution (60 ml).
After drying with anhydrous sodium sulfate and evaporation,
5 *in vacuo*, the solid residue was recrystallized from ethyl
acetate/hexane (20 ml (2:1)) to give the methyl ester.in 63%
yield (MS-FAB 514 (M+1). Hydrolysis was accomplished by
dissolving the ester in ethanol/water (30 ml (1:2)) containing
conc. sodium hydroxide (1 ml). After stirring for 2 h, th
10 solution was filtered and acidified to a pH of 3, by the
addition of 4 N hydrochloric acid. The title compound was
obtained by filtration.   Yield: 370 mg (72% for th
hydrolysis). Purity by HPLC was more than 99%. Due to th
limited rotation around the secondary amide several of th
15 signals were doubled in the ratio 2:1 (indicated in the list
by mj. for major and mi. for minor). ^{1}H-NMR(250, MHz, DMSO-
d_6): d = 1.4 ppm. (s,9H); 3.2 (m,2H); 3.6 (m,2H); 4.1 (s, mj.,
CONRCH$_2$COOH); 4.4 (s, mi., CONRCH$_2$COOH); 5.0 (s, mi., Gua-
CH$_2$CO-); 5.2 (s, mj., Gua-CH$_2$CO); 5.6 (s,2H); 6.5 (s,2H); 6.9
20 (m, mi., BocNH); 7.1 (m, mj., BocNH); 7.5 (m.,3H); 7.8 (s,1H);
12,8 (s;1H). ^{13}C-NMR. 170.95; 170.52; 167.29; 166.85; 160.03;
159.78; 155.84; 154.87; 140.63; 136.76; 128.49; 128.10;
113.04; 78.19; 77.86; 66.95; 49.22; 47.70; 46.94; 45.96;
43.62; 43.31 and 28.25.

25

EXAMPLE 38

3-Boc-amino-1,2-propanediol.

3-Amino-1,2-propanediol (40.00 g, 0.440 mol, 1.0 eq.)
was dissolved in water (1000 ml) and cooled to 0°C. Di-tert-
30 butyl dicarbonate (115.0 g, 0.526 mol, 1.2 eq.) was added in
one portion.   The reaction mixture. was heated to ro m
temperature on a water bath during stirring. The pH was
maintained at 10.5 with a solution of sodium hydroxide (17.56
g, 0.440 mol, 1.0 eq.) in water (120 ml). When the addition
35 of aqueous sodium hydroxid was c mpleted, the reacti n
mixture was stirred overnight at r om temperature.
Subsequently, thyl acetate (750 ml) was added to the r acti n

-82-

mixture, followed by cooling to 0°C. Th pH was adjusted to
2.5 with 4 N sulphuric acid with vig rous stirring.   The
phases were separated and the water phase was washed with
additional ethyl acetate (6x350 ml).   The volume of the
5 organic phase was reduced to 900 ml by evaporation under
reduced pressure.   The organic phase then was washed.with a
saturated aqueous solution of potassium hydrogen sulfate
diluted to twice its volume (1x1000 ml) and with saturated
aqueous sodium chloride (1x500 ml).   The organic phase was
10 dried (MgSO₄) and evaporated under reduced pressure to yield
50.12 g (60%) of the title compound. The product could be
solidified by evaporation from methylene chloride and
subsequent freezing. ^{1}H-NMR (CDCl₃/TMS): d = 1.43 (s, 9H,
Me₃C), 3.25 (m, 2H, CH₂), 3.57 (m, 2H, CH₂), 3.73 (m, 1H, CH).
15 ^{13}C-NMR (CDCl₃/TMS): d = 28.2 (Me₃C), 42.6 (CH₂), 63.5, 71.1
(CH₂OH, CHOH), 79.5 (Me₃C), 157.0 (C=O).

EXAMPLE 39

2-(Boc-amino)ethyl-L-alanine methyl ester.

20   3-Boc-amino-1,2-propanediol (20.76 g, 0.109 mol, 1 eq.)
was suspended in water (150 ml). Potassium m-periodate (24.97
g, 0.109 mol, 1 eq.) was added and the reaction mixture was
stirred for 2 h at room temperature under nitrogen.   The
reaction mixture was filtered and the water phase extracted
25 with chloroform (6x250 ml) The organic phase was dried (MgSO₄)
and evaporated to afford an almost quantitative yield of Boc-
aminoacetaldehyde as a colourless oil, which was used without
further purification in the following procedure.

        Palladium-on-carbon (10%, 0.8 g) was added to MeOH (250
30 ml) under nitrogen with cooling (0°C) and vigorous stirring.
Anhydrous sodium acetate (4.49 g, 54.7 mmol, 2 eqv) and L-
alanine methyl ester, hydrochloride (3.82 g, 27.4 mmol, 1 eqv)
were added. Boc-aminoacetaldehyde (4.79 g, 30.1 mmol, 1.1
eqv) was dissolved in MeOH (150 ml) and add d t the reaction
35 mixture. The reaction mixture was hydrogenated at atmospheric
pressure and r om temperature until hydrogen uptake had
c ased. The reaction mixture was filtered through celite,

which was washed with additi nal MeOH. The MeOH was removed
und r reduced pressure. The r sidue was suspended in water
(150 ml) and pH adjusted to 8.0 by dropwise addition of 0.5
N NaOH with vigorous stirring. The water phase was extracted
5 with methylene chloride (4x250 ml). The organic phase was
dried (MgSO₄), filtered through celite, and evaporated under
reduced pressure to yield 6.36 g (94%) of the title compound
as a clear, slightly yellow oil. MS (FAB-MS): m/z (%) = 247
(100, M+1, 191 (90), 147 (18). ^{1}H-NMR (250 MHz, CDCl₃). 1.18
10 (d, J=7.0 Hz, 3H, Me), 1.36 (s, 9H, Me₃C), 1.89 (b, 1H, NH),
2.51 (m, 1H, CH₂), 2.66 (m, 1H, CH₂), 3.10 (m, 2H, CH₂), 3.27
(q, J=7.0 Hz, 1H, CH), 3.64 (s, 3H, OMe), 5.06 (b, 1H,
carbamate NH). ^{13}C-NMR. d = 18.8 (Me), 28.2 (Me₃C), 40.1, 47.0
(CH₂), 51.6 (OMe), 56.0 (CH), 155.8 (carbamate C=O), 175.8
15 (ester C=O).

EXAMPLE 40
N-(Boc-aminoethyl)-N-(1-thyminylacetyl)-L-alanine   methyl
ester.

20   To a solution of Boc-aminoethyl-(L)-alanine methyl
ester (1.23 g, 5.0 mmol) in DMF (10 ml) was added Dhbt-OH
(0,90 g, 5.52 mmol) and 1-thyminylacetic acid (1.01 g, 5.48
mmol).   When the 1-thyminylacetic acid was dissolved,
dichloromethane (10 ml) was added and the solution was cooled
25 on an ice bath. After the reaction mixture had reached 0°C,
DCC (1.24 g, 6.01 mmol) was added. Within 5 min after the
addition, a precipitate of DCU was seen. After a further 5
min, the ice bath was removed. Two hours later, TLC analysis
showed the reaction to be finished. The mixture was filtered
30 and the precipitate washed with dichloromethane (100ml). The
resulting solution was extracted twice with 5% sodium hydrogen
carbonate (150 ml) and twice with saturated potassium hydrogen
sulfate (25 ml) in water (100 ml). After a final extraction
with saturated sodium chloride (150 ml), the solution was
35 dri d with magn sium sulfate and evap rated to give a white
foam.   The foam was purified by c lumn chromatography on
silica gel using dichloromethane with a methan l gradient as

-84-

eluent. This yielded a pure comp und (>99% by HPLC) (1.08 g,
52.4%). FAB-MS: 413 (M+1) and 431 (M+1 + water). ^{1}H-NMR
(CDCl$_3$): 4.52 (s, 2 H, CH$^{.}_2$); 3,73 (s, 3 H, OMe); 3.2-3.6 (m,
4 H, ethyl CH$_2$$^{.}$s); 1.90 (s, 3 H, Me in T); 1.49 (d, 3 H, Me
5 in Ala, J=7.3 Hz); 1.44 (s, 9 H, Boc).

EXAMPLE 41

N-(Boc-aminoethyl)-N-(1-thyminylacetyl)-L-alanine.

The methyl ester of the title compound (2.07 g, 5.02
10 mmol) was dissolved in methanol (100 ml), and cooled on an ice
bath. 2 M sodium hydroxide (100 ml) was added. After
stirring for 10 min, the pH of the mixture was adjusted to 3
with 4 M hydrogen chloride. The solution was subsequently
extracted with ethyl acetate (3 x 100 ml). The combined
15 organic extracts were dried over magnesium sulfate. After
evaporation, the resulting foam was dissolved in ethyl acetate
(400 ml) and a few ml of methanol to dissolve the solid
material. Petroleum ether then was added until precipitation
started. After standing overnight at -20°C, the precipitate
20 was removed by filtration. This gave 1.01 g (50.5%) of pure
compound (>99% by HPLC). The compound can be recrystallized
from 2-propanol. FAB-MS: 399 (M+1). ^{1}H-NMR (DMSO-d$_6$): 11.35
(s, 1 H, COO); 7.42 (s, 1 H, H$^{.}_6$); 4.69 (s, 2 H, CH$^{.}_2$); 1.83
(s, 3 H, Me in T); 1.50-1.40 (m, 12 H, Me in Ala + Boc).
25

EXAMPLE 42

      (a) **N-(Boc-aminoethyl)--N-(1-thyminylacetyl)-D-**
          alanine methyl ester.

The solution of Boc-aminoethyl alanine methyl ester
30 (2.48 g, 10.1 mmol) in DMF (20 ml) was added Dhbt-OH (1.80 g,
11.0 mmol) and thyminylacetic acid (2.14 g, 11.6 mmol). After
dissolution of the 1-thyminylacetic acid, methylene chloride
(20 ml) was added and the solution cooled on an ice bath.
When the reaction mixture had reached 0°C, DCC (2.88 g, 14.0
35 mmol) was added. Within 5 min after the addition a
precipitate f DCU was seen. After 35 min the ice bath was
rem ved. The reaction mixture was filtered 3.5 h later and

the precipitate washed with methyl n chl ride (200 ml). The
resulting soluti n was extracted twice with 5% sodium hydrogen
carbonate (200 ml) and twice with saturated potassium hydrogen
sulfate in water (100 ml). After a final extraction with
5 saturated sodium chloride (250 ml), the solution was dried
with magnesium sulfate and evaporated to give an oil. The oil
was purified by short column silica gel chromatography using
methylene chloride with a methanol gradient as eluent. This
yielded a compound which was 96% pure according to HPLC (1.05
10 g, 25.3%) after precipitation with petroleum ether. FAB-MS:
413 (M+1). ^{1}H-NMR (CDCl$_3$): 5.64 (t, 1 H, BocNH, J=5.89 Hz);
4.56 (d, 2 H, CH$^{-}_2$); 4.35 (q, 1 H, CH in Ala, J=7.25 Hz);
3.74 (s, 3 H, OMe); 3.64-3.27 (m, 4 H, ethyl H's); 1.90 (s,
3 H, Me in T); 1.52-1.44 (t, 12 H, Boc+Me in Ala).

15   (b)   N-(Boc-aminoethyl)-N-(1-thyminylacetyl)-D-alanine
         The methyl ester of the title compound (1.57 g, 3.81
mmol) was dissolved in methanol (100 ml) and cooled on an ice
bath.   Sodium hydroxide (100 ml; 2 M) was added.   After
stirring for 10 min the pH of the mixture was adjusted to 3
20 with 4 M hydrogen chloride. The solution then was extracted
with ethyl acetate (3 x 100 ml). The combined organic
extracts were dried over magnesium sulfate. After evapora-
tion, the oil was dissolved in ethyl acetate (200 ml).
Petroleum ether was added (to a total volume of 600 ml) until
25 precipitation started. After standing overnight at -20°C, the
precipitate was removed by filtration. This afforded 1.02 g
(67.3%) of the title compound, which was 94% pure according
to HPLC. FAB-MS: 399 (M+1). ^{1}H-NMR: 11.34 (s, 1 H, COOH);
7.42 (s, 1 H, H$^{-}_6$); 4.69 (s, 2 H, CH$^{-}_2$); 4.40 (q, 1 H, CH in
30 Ala, J=7.20 Hz); 1.83 (s, 3 H, Me in T); 1.52-1.40 (m, 12 H,
Boc + Me in Ala).

EXAMPLE 43
N-(N'-Boc-3'-aminopropyl)-N-[(1-thyminyl)acetyl]glycine methyl
35 ster.
         N-(N'-Boc-3'-aminopropyl)glycine methyl ster (2.84 g,
0.0115 mol) was dissolved in DMF (35 ml), f llowed by additi n

of DhbtOH (2.07 g, 0.0127 mol) and 1-thyminylacetic acid (2.34 g, 0.0127 mol). Methylene chloride (35 ml) was add d and the mixture cooled to 0°C on an ice bath. After addition of DCC (2.85 g, 0.0138 mol), the mixture was stirred at 0°C for 2 h,
5 followed by 1 h at room temperature. The precipitated DCU was removed by filtration, washed with methylene chloride (25 ml), and a further amount of methylene chloride (150 ml) was added to the filtrate. The organic phase was extracted with sodium hydrogen carbonate (1 volume saturated diluted with 1 volume
10 water, 6 x 250 ml), potassium sulfate (1 volume saturated diluted with 4 volumes water, 3 x 250 ml), and saturated aqueous sodium chloride (1 x 250 ml), dried over magnesium sulfate, and evaporated to dryness, *in vacuo*. The solid residue was suspended in methylene chloride (35 ml) and
15 stirred for 1h. The precipitated DCU was removed by filtration and washed with methylene chloride (25 ml). The filtrate was evaporated to dryness, *in vacuo*, and the residue purified by column chromatography on silica gel, eluting with a mixture of methanol and methylene chloride (gradient from
20 3-7% methanol in methylene chloride). This afforded the title compound as a white solid (3.05 g, 64%). M.p.. 76-79°C (decomp.). Anal. for $C_{18}H_{28}N_4O_7$, found (calc.) C: 52.03 (52.42) H: 6.90 (6.84) N: 13.21 (13.58). The compound showed satisfactory [1]H and [13]C-NMR spectra.
25

EXAMPLE 44

N-(N'-Boc-3'-aminopropyl)-N-[(1-thyminyl)acetyl]glycine.

N-(N'-Boc-3'-aminopropyl)-N-[(1-thyminyl)acetyl]glycine methyl ester (3.02 g, 0.00732 mol) was dissolved in methanol
30 (25 ml) and stirred for 1.5 h with 2 M sodium hydroxide (25 ml). The methanol was removed by evaporation, *in vacuo*, and pH adjusted to 2 with 4 M hydrochloric acid at 0°C. The product was isolated as white crystals by filtration, washed with water (3 x 10 ml), and dried ver sicapent, *in vacuo*.
35 Yield 2.19 g (75%). Anal. f r $C_{17}H_{26}N_4O_7$, H_2O, f und (calc.) C: 49.95 (49.03) H: 6.47 (6.29) N: 13.43 (13.45). The compound showed satisfactory [1]H and [13]C-NMR spectra.

EXAMPLE 45

3-(1-Thyminyl)-propan ic acid methyl ester.

Thymine (14.0 g, 0.11 mol) was suspended in methanol.
Methyl acrylate (39.6 ml, 0.44 mol) was added, along with
5 catalytic amounts of sodium hydroxide. The solution was
refluxed in the dark for 45 h, evaporated to dryness, *in
vacuo*, and the residue dissolved in methanol (8 ml) with
heating. After cooling on an ice bath, the product was
precipitated by addition of ether (20 ml), isolated by
10 filtration, washed with ether (3 x 15 ml), and dried over
sicapent, *in vacuo*. Yield 11.23 g (48%). M.p. 112-119°C.
Anal. for $C_9H_{12}N_2O_4$, found (calc.) C: 51.14 (50.94) H: 5.78
(5.70) N: 11.52 (13.20). The compound showed satisfactory [1]H
and [13]C-NMR spectra.
15

EXAMPLE 46

3-(1-Thyminyl)-propanoic acid.

3-(1-Thyminyl)-propanoic acid methyl ester (1.0 g,
0.0047 mol) was suspended in 2 M sodium hydroxide (15 ml),
20 boiled for 10 min. The pH was adjusted to 0.3 with conc.
hydrochloric acid. The solution was extracted with ethyl
acetate (10 x 25 ml). The organic phase was extracted with
saturated aqueous sodium chloride, dried over magnesium
sulfate, and evaporated to dryness, *in vacuo*, to give the
25 title compound as a white solid (0.66 g, 71%). M.p. 118-
121°C. Anal. for $C_8H_{10}N_2O_4$, found (calc.) C: 48.38 (48.49) H:
5.09 (5.09) N: 13.93 (14.14). The compound showed satisfac-
tory [1]H and [13]C-NMR spectra.

30 **EXAMPLE 47**

**N-(N'-Boc-aminoethyl)-N-[(1-thyminyl)propanoyl]glycine ethyl
ester.**

N-(N'-Boc-aminoethyl)glycine ethyl ester (1.0 g, 0.0041
mol) was dissolved in DMF (12 ml). DhbtOH (0.73 g, 0.0045
35 mol) and 3-(1-thyminyl)-propanoic acid (0.89 g, 0.0045 m l)
were added. Methylene chloride (12 ml) then was added and the
mixture was cooled to 0°C on an ice bath. After addition f

-88-

DCC (1.01 g, 0.0049 mol), the mixture was stirr d at 0°C for
2 h, followed by 1 h at ro m temperature. The pr cipitated
DCU was removed by filtration, washed with methylene chloride
(25 ml), and a further amount of methylene chloride (50 ml)
5 was added to the filtrate. The organic phase was extracted
with sodium hydrogen carbonate (1 volume saturated diluted
with 1 volume water, 6 x 100 ml), potassium sulfate (1 volume
saturated diluted with 4 volumes water, 3 x 100 ml), and
saturated aqueous sodium chloride (1 x 100 ml), dried over
10 magnesium sulfate, and evaporated to dryness, in vacuo. Th
solid residue was suspended in methylene chloride (15 ml), and
stirred for 1h. The precipitated DCU was removed by
filtration and washed with methylene chloride. The filtrat
was evaporated to dryness, in vacuo, and the residue purified
15 by column chromatography on silica gel, eluting with a mixtur
of methanol and methylene chloride (gradient from 1 to 6%
methanol in methylene chloride). This afforded the titl
compound as a white solid (1.02 g, 59%). Anal. for $C_{19}H_{30}N_4O_7$,
found (calc.) C: 53.15 (53.51) H: 6.90 (7.09) N: 12.76
20 (13.13). The compound showed satisfactory ^{1}H and ^{13}C-NMR
spectra.

EXAMPLE 48
N-(N'-Boc-aminoethyl)-N-[(1-thyminyl)propanoyl]glycine .
25   N-(N'-Boc-aminoethyl)-N-[(1-thyminyl)propanoyl]glycin
ethyl ester (0.83 g, 0.00195 mol) was dissolved in methanol
(25 ml). Sodium hydroxide (25 ml; 2 M) was added. The
solution was stirred for 1 h. The methanol was removed by
evaporation, in vacuo, and the pH adjusted to 2 with 4 M
30 hydrochloric acid at 0°C. The product was isolated by
filtration, washed with ether (3 x 15 ml), and dried over
sicapent, in vacuo. Yield 0.769 g, 99%). M.p. 213°C (de-
comp.).

-89-

EXAMPLE 49

M n -B c-ethylenediamine (2).

tert-Butyl-4-nitrophenyl carbonate (1) (10.0 g; 0.0418
mol) dissolved in DMF (50 ml) was added dropwise over a period
5 of 30 min to a solution of ethylenediamine (27.9 ml; 0.418
mol) and DMF (50 ml) and stirred overnight. The mixture was
evaporated to dryness, in vacuo, and the resulting oil
dissolved in water (250 ml). After cooling to 0°C, pH was
adjusted to 3.5 with 4 M hydrochloric acid. The solution then
10 was filtered and extracted with chloroform (3x250 ml). The
pH was adjusted to 12 at 0°C with 2 M sodium hydroxide, and
the aqueous solution extracted with methylene chloride (3x300
ml). After treatment with sat. aqueous sodium chloride (250
ml), the methylene chloride solution was dried over magnesium
15 sulfate. After filtration, the solution was evaporated t
dryness, in vacuo, resulting in 4.22 g (63%) of the product
(oil). ^{1}H-NMR (90 MHz; CDCl$_3$): δ1.44 (s, 9H); 2.87 (t, 2H);
3.1 (q, 2H); 5.62 (s, broad).

20 **EXAMPLE 50**

(N-Boc-aminoethyl)-β-alanine methyl ester, HCl.

Mono-Boc-ethylenediamine (2) (16.28 g; 0.102mol) was
dissolved in acetonitrile (400 ml) and methyl acrylate (91.50
ml; 1.02 mol) was transferred to the mixture with acetonitrile
25 (200 ml). The solution was refluxed overnight under nitrogen
in the dark to avoid polymerization of methyl acrylate. After
evaporation to dryness, in vacuo, a mixture of water and ether
(200 + 200 ml) was added, and the solution was filtered and
vigorously stirred. The aqueous phase was extracted one more
30 time with ether and then freeze dried to yield a yellow solid.
Recrystallization from ethyl acetate yielded 13.09 g (46%) of
the title compound. M.p. 138-140°C. Anal. for C$_{11}$H$_{23}$N$_2$O$_4$Cl,
found (calc.) C: 46.49 (46.72) H: 8.38 (8.20) N: 9.83 (9.91)
Cl: 12.45 (12.54). ^{1}H-NMR (90 MHz; DMSO-d$_6$): δ 1.39 (s, 9H);
35 2.9 (m, 8H); 3.64 (s, 3H).

-90-

EXAMPLE 51

N-[(1-Thyminyl)acetyl]-N'-Boc-aminoethyl-β-alanine   methyl ester.

    (N-Boc-amino-ethyl)-β-alanine methyl ester, HCl (3)
5 (2.0 g; 0.0071 mol) and 1-thyminylacetic acid
pentafluorophenyl ester (5) (2.828 g; 0.00812 mol) were
dissolved in DMF (50 ml). Triethyl amine (1.12 ml; 0.00812
mol) was added and the mixture stirred overnight. After
addition of methylene chloride (200 ml) the organic phase was
10 extracted with aqueous sodium hydrogen carbonate (3x250 ml),
half-sat. aqueous potassium hydrogen sulfate (3x250 ml), and
sat. aqueous sodium chloride (250 ml) and dried over magnesium
sulfate. Filtration and evaporation to dryness, in vacuo,
resulted in 2.9 g (99%) yield (oil). ^{1}H-NMR (250 MHz; CDCl$_3$):
15 due to limited rotation around the secondary amide several of
the signals were doubled; δ 1.43 (s, 9H); 1.88 (s, 3H); 2.63
(t, 1H); 2.74 (t, 1H); 3.25-3.55 (4xt, 8H); 3.65 (2xt, 2H);
3.66 (s, 1.5); 3.72 (s, 1.5); 4.61 (s, 1H); 4.72 (s, 2H); 5.59
(s, 0.5H); 5.96 (s, 0.5H); 7.11 (s, 1H); 10.33 (s, 1H).
20

EXAMPLE 52

N-[(1-Thyminyl)acetyl]-N'-Boc-aminoethyl-β-alanine.

    N-[(1-Thyminyl)acetyl]-N'-Boc-aminoethyl-β-alanine
methyl ester (3.0 g; 0.0073 mol) was dissolved in 2 M sodium
25 hydroxide (30 ml), the pH adjusted to 2 at 0°C with 4 M
hydrochloric acid, and the solution stirred for 2 h. The
precipitate was isolated by filtration, washed three times
with cold water, and dried over sicapent, in vacuo. Yield
2.23 g (77%). M.p. 170-176°C. Anal. for C$_{17}$H$_{26}$N$_4$O$_7$, H$_2$O, found
30 (calc.) C: 49.49 (49.03) H: 6.31 (6.78) N: 13.84 (13.45). ^{1}H-
NMR (90 MHz; DMSO-d$_6$): δ 1.38 (s, 9H); 1.76 (s, 3H); 2.44 and
3.29 (m, 8H); 4.55 (s, 2H); 7.3 (s, 1H); 11.23 (s, 1H). FAB-
MS: 399 (M+1).

EXAMPLE 53

N-[(1-(N'-Z)-cyt syl)acetyl]-N'-B c-aminoethyl-β-alani   n
methyl ester.

5   (N-Boc-amino-ethyl)-β-alanine methyl ester, HCl (3)
(2.0 g; 0.0071 mol) and 1-(N-4-Z)-cytosylacetic acid
pentafluorophenyl ester (5) (3.319 g; 0.0071 mol) were
dissolved in DMF (50 ml). Triethyl amine (0.99 ml; 0.0071
mol) was added and the mixture stirred overnight. After
addition of methylene chloride (200 ml), the organic phase was
10 extracted with aqueous sodium hydrogen carbonate (3x250 ml),
half-sat. aqueous potassium hydrogen sulfate (3x250 ml), and
sat. aqueous sodium chloride (250 ml), and dried over
magnesium sulfate. Filtration and evaporation to dryness, in
vacuo, resulted in 3.36 g of solid compound which was
15 recrystallized from methanol. Yield 2.42 g (64%). M.p. 158-
161°C. Anal. for $C_{25}H_{33}N_5O_8$, found (calc.) C: 55.19 (56.49) H:
6.19 (6.26) N: 12.86 (13.18). ^{1}H-NMR (250 MHz; $CDCl_3$): due to
limited rotation around the secondary amide several of the
signals were doubled; δ 1.43 (s, 9H); 2.57 (t, 1H); 3.60-3.23
20 (m's, 6H); 3.60 (s, 1,5H); 3.66 (s, 1.5H); 4.80 (s, 1H); 4.88
(s, 1H); 5.20 (s, 2H); 7.80-7.25 (m's, 7H). FAB-MS: 532
(M+1).

EXAMPLE 54

25 N-[(1-(N'-Z)-cytosyl)acetyl]-N'-Boc-aminoethyl-β-alanine.

N-[(1--(N-4-Z)-cytosyl)acetyl]-N'-Boc-aminoethyl-β-
alanine methyl ester (0.621 g; 0.0012 mol) was dissolved in
2 M sodium hydroxide (8.5 ml) and stirred for 2h.
Subsequently, pH was adjusted to 2 at 0°C with 4 M
30 hydrochloric acid and the solution stirred for 2 h. The
precipitate was isolated by filtration, washed three times
with cold water, and dried over sicapent, in vacuo. Yield
0.326 g (54%). The white solid was recrystallized from 2-
propanol and washed with petroleum ether. Mp.163°C (decomp.).
35 Anal. f r $C_{24}H_{31}N_5O_8$, f und (calc.) C: 49.49 (49.03) H: 6.31
(6.78) N: 13.84 (13.45). ^{1}H-NMR (250 MHz; $CDCl_3$): due to
limited rotati n around the secondary amide several of the

-92-

signals were doubled; δ 1.40 (s, 9H); 2.57 (t, 1H); 2.65 (t, 1H); 3.60-3.32 (m's, 6H); 4.85 (s, 1H); 4.98 (s, 1H); 5.21 (s, 2H); 5.71 (s, 1H, broad); 7.99-7.25 (m's, 7H). FAB-MS: 518 (M+1).

5

EXAMPLE 55

Example of a PNA-oligomer with a guanine residue

     (a)   **Solid-Phase Synthesis of H-[Taeg]$_4$-[Gaeg]-[Taeg]$_4$-Lys-NH$_2$**

10   The protected PNA was assembled onto a Boc-Lys(ClZ) modified MBHA resin with a substitution of approximately 0.15 mmol/g (determined by quantitative Ninhydrin reaction). Capping of uncoupled amino groups was only carried out before the incorporation of the BocGaeg-OH monomer.

15   (b)   **Stepwise Assembly of H-[Taeg]$_4$-[Gaeg]-[Taeg]$_4$-Lys-NH$_2$ (synthetic protocol)**

     Synthesis was initiated on 102 mg (dry weight) of preswollen (overnight in DCM) and neutralized Boc-Lys(ClZ)-MBHA resin. The steps performed were as follows: (1) Boc-
20 deprotection with TFA/DCM (1:1, v/v), 1 x 2 min and 1 x 1/2 h, 3 ml; (2) washing with DCM, 4 x 20 sec, 3 ml; washing with DMF, 2 x 20 sec, 3 ml; washing with DCM, 2 x 20 sec, 3 ml, and drain for 30 sec; (3) neutralization with DIEA/DCM (1:19 v/v), 2 x 3 min, 3 ml; (4) washing with
25 DCM, 4 x 20 sec, 3 ml, and drain for 1 min.; (5) addition of 4 equiv. diisopropyl carbodiimide (0.06 mmol; 9.7 μl) and 4 equiv. (0.06 mmol; 24 mg) BocTaeg-OH or (0.06 mmol; 30 mg) BocGaeg-OH dissolved in 0.6 ml DCM/DMF (1:1, v/v) (final concentration of monomer 0.1 M), the coupling reaction was
30 allowed to proceed for 1/2 h shaking at room temperature; (6) drain for 20 sec; (7) washing with DMF, 2 x 20 sec and 1 x 2 min, 3 ml; washing with DCM 4 x 20 sec, 3 ml; (8) neutralization with DIEA/DCM (1:19 v/v), 2 x 3 min, 3 ml; (9) washing with DCM 4 x 20 sec, 3 ml, and drain for 1 min.; (10)
35 qualitative Kaiser test; (11) blocking f unreacted amin groups by ac tylation with Ac$_2$O/pyridine/DCM (1:1:2, v/v), 1 x 1/2 h, 3 ml; and (12) washing with DCM, 4 x 20 sec, 2 x 2

min and 2 x 20 sec, 3 ml. Steps 1-12 were repeated until the desired sequence was obtained. All qualitative Kaiser tests were negative (straw-yellow colour with no coloration of the beads) indicating near 100% coupling yield. The PNA-oligomer
5 was cleaved and purified by the normal procedure. FAB-MS: 2832.11 $[M^+1]$ (calc. 2832.15)

EXAMPLE 56

Solid-Phase Synthesis of H-Taeg-Aaeg-[Taeg]₄-Lys-NH₂.
10   (a) Stepwise Assembly of Boc-Taeg-A(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA Resin.

About 0.3 g of wet Boc-[Taeg]₄-Lys(ClZ)-MBHA resin was placed in a 3 ml SPPS reaction vessel. Boc-Taeg-A(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC
15 coupling (single) of the A(Z)aeg residue utilizing 0.19 M f BocA(Z)aeg-OH together with 0.15 M DCC in 2.5 ml 50% DMF/CH₂Cl₂ and a single coupling with 0.15 M BocTaeg-OPfp in neat CH₂Cl₂ ("Synthetic Protocol 5"). The synthesis was monitored by the quantitative ninhydrin reaction, which showed about 50%
20 incorporation of A(Z)aeg and about 96% incorporation of Taeg.
          (b)   Cleavage, Purification, and Identification of H-Taeg-Aaeg-[Taeg]₄-Lys-NH₂.

The protected Boc-Taeg-A(Z)aeg-[Taeg]₄-Lys(ClZ)-BAH resin was treated as described in Example 40c to yield about
25 15.6 mg of crude material upon HF cleavage of 53.1 mg dry H-Taeg-A(Z)aeg-[Taeg]₄-Lys(ClZ)-BHA resin. The main peak at 14.4 min accounted for less than 50% of the total absorbance. A 0.5 mg portion of the crude product was purified to give approximately 0.1 mg of H-Taeg-Aaeg-[Taeg]₄-Lys-NH₂. For
30 (MH+)⁺ the calculated m/z value was 2816.16 and the measured m/z value was 2816.28.
          (c)   Synthetic Protocol 5
          (1) Boc-deprotection with TFA/CH₂Cl₂ (1:1, v/v), 2.5 ml,
3 x 1 min and 1 x 30 min; (2) washing with CH₂Cl₂, 2.5 ml, 6
35 x 1 min; (3) neutralization with DIEA/CH₂Cl₂ (1: 19, v/v), 2.5
ml, 3 x 2 min; (4) washing with CH₂Cl₂, 2.5 ml, 6 x 1 min, and
drain for 1 min; (5) 2-5 mg sample f PNA-resin is taken out

-94-

and dried th roughly for a quantitative ninhydrin analysis to
determine the substituti n; (6) addition of 0.47 mmol (0.25
g) BocA(Z)aeg-OH dissolved in 1.25 ml DMF followed by addition
of 0.47 mmol (0.1 g) DCC in 1.25 ml CH₂Cl₂ or 0.36 mmol (0.20
5 g) BocTaeg-OPfp in 2.5 ml CH₂Cl₂; the coupling reaction was
allowed to proceed for a total of 20-24 hrs shaking; (7)
washing with DMF, 2.5 ml, 1 x 2 min; (8) washing with CH₂Cl₂,
2.5 ml, 4 x 1 min; (9) neutralization with DIEA/CH₂Cl₂ (1: 19,
v/v), 2.5 ml, 2 x 2 min; (10) washing with CH₂Cl₂, 2.5 ml, 6
10 x 1 min; (11) 2-5 mg sample of protected PNA-resin is taken
out and dried thoroughly for a quantitative ninhydrin analysis
to determine the extent of coupling; (12) blocking of
unreacted amino groups by acetylation with a 25 ml mixture of
acetic anhydride/pyridine/CH₂Cl₂ (1:1:2, v/v/v) for 2 h (except
15 after the last cycle); and (13) washing with CH₂Cl₂, 2.5 ml,
6 x 1 min; (14) 2 x 2-5 mg samples of protected PNA-resin are
taken out, neutralized with DIEA/CH₂Cl₂ (1: 19, v/v) and washed
with CH₂Cl₂ for ninhydrin analyses.

20 **EXAMPLE 57**

Solid-Phase Synthesis of H-[Taeg]₂-Aaeg-[Taeg]₅-Lys-NH₂.

          (a)   Stepwise Assembly of Boc-[Taeg]₂-A(Z)aeg-[Taeg]₅-
                Lys(ClZ)-MBHA Resin.

          About 0.5 g of wet Boc-[Taeg]₅-Lys(ClZ)-MBHA resin was
25 placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]₂-A(Z)aeg-
[Taeg]₅-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC
coupling of both the A(Z)aeg and the Taeg residues utilising
0.15 M to 0.2 M of protected PNA monomer (free acid) together
with an equivalent amount of DCC in 2 ml neat CH₂Cl₂
30 ("Synthetic Protocol 6"). The synthesis was monitored by the
quantitative ninhydrin reaction which showed a total of about
82% incorporation of A(Z)aeg after coupling three times (the
first coupling gave about 50% incorp ration; a fourth HOBt-
mediated coupling in 50% DMF/CH2Cl2 did not increas th total
35 coupling yield significantly) and quantitative inc rporation
(single couplings) f the Taeg residues.

-95-

(b)   Cleavage, Purificati n, and Identificati n f H-
[Taeg]₂-Aaeg-[Ta g]₅-Lys-NH₂.

The protected Boc-[Taeg]₂-A(Z)aeg-[Taeg]₅-Lys(ClZ)-BHA
resin was treated as described in Example 40c to yield about
5   16.2 mg of crude material upon HF cleavage of 102.5 mg dry H-
[Taeg]₂-A(Z)aeg-[Taeg]₅-Lys(ClZ)-BHA resin.   A small portion
of the crude product was purified. For (MH+)⁺, the calculated
m/z value was 2050.85 and the measured m/z value was 2050.90

(c)   Synthetic Protocol 6

10   (1) Boc-deprotection with TFA/CH₂Cl₂ (1:1, v/v), 2 ml,
3 x 1 min and 1 x 30 min; (2) washing with CH₂Cl₂, 2 ml, 6 x
1 min; (3) neutralization with DIEA/CH₂Cl₂ (1: 19, v/v), 2 ml,
3 x 2 min; (4) washing with CH₂Cl₂, 2 ml, 6 x 1 min, and drain
for 1 min; (5) 2-5 mg sample of PNA-resin was taken out and
15 dried thoroughly for a quantitative ninhydrin analysis to
determine the substitution; (6) addition of 0.44 mmol (0.23
g) BocA(Z)aeg-OH dissolved in 1.5 ml CH₂Cl₂ followed by
addition of 0.44 mmol (0.09 g) DCC in 0.5 ml CH₂Cl₂ or 0.33
mmol (0.13 g) BocTaeg-OH in 1.5 ml CH₂Cl₂ followed by addition
20 of 0.33 mmol (0.07 g) DCC in 0.5 ml CH₂Cl₂; the coupling
reaction was allowed to proceed for a total of 20-24 hrs with
shaking; (7) washing with DMF, 2 ml, 1 x 2 min; (8) washing
with CH₂Cl₂, 2 ml, 4 x 1 min; (9) neutralization with
DIEA/CH₂Cl₂ (1: 19, v/v), 2 ml, 2 x 2 min; (10) washing with
25 CH₂Cl₂, 2 ml, 6 x 1 min; (11) 2-5 mg sample of protected PNA-
resin is taken out and dried thoroughly for a quantitative
ninhydrin analysis to determine the extent of coupling; (12)
blocking of unreacted amino groups by acetylation with a 25
ml mixture of acetic anhydride/pyridine/CH₂Cl₂ (1:1:2, v/v/v)
30 for 2 h (except after the last cycle); (13) washing with
CH₂Cl₂, 2 ml, 6 x 1 min; and (14) 2 x 2-5 mg samples of
protected PNA-resin were taken out, neutralized with
DIEA/CH₂Cl₂ (1: 19, v/v) and washed with CH₂Cl₂ for ninhydrin
analyses.

35

-96-

EXAMPLE 58

The PNA-olig mer H-T4C2TCT-LysNH$_2$ was prepared as described in Example 93. Hybridization experiments with this sequence should resolve the issue of orientation, since it is 5 truly asymmetrical. Such experiments should also resolve the issues of pH-dependency of the Tm, and the stoichiometry of complexes formed.

Hybridization experiments with the PNA-oligomer H-T$_4$C$_2$TCTC-LysNH$_2$ were performed as follows:

10

Row	Hybridized With	pH	Tm	§
1	5'-(dA)$_4$(dG)$_2$(dA)(dG)(dA)(dG)	7.2	55.5	2:1
2	5'-(dA)$_4$(dG)$_2$(dA)(dG)(dA)(dG)	9.0	26.0	2:1
3	5'-(dA)$_4$(dG)$_2$(dA)(dG)(dA)(dG)	5.0	88.5	2:1
4	5'-(dG)(dA)(dG)(dA)(dG)$_2$(dA)$_4$	7.2	38.0	2:1
5	5'-(dG)(dA)(dG)(dA)(dG)$_2$(dA)$_4$	9.0	31.5	-
6	5'-(dG)(dA)(dG)(dA)(dG)$_2$(dA)$_4$	5.0	52.5	-
7	5'-(dA)$_4$(dG)(dT)(dA)(dG)(dA)(dG)	7.2	39.0	-
8	5'-(dA)$_4$(dG)(dT)(dA)(dG)(dA)(dG)	9.0	<20	-
9	5'-(dA)$_4$(dG)(dT)(dA)(dG)(dA)(dG)	5.0	51.5	-
10	5'-(dA)$_4$(dG)$_2$(dT)(dG)(dA)(dG)	7.2	31.5	-
11	5'-(dA)$_4$(dG)$_2$(dT)(dG)(dA)(dG)	5.0	50.5	-
12	5'-(dG)(dA)(dG)(dA)dT)(dG)(dA)$_4$	7.2	24.5	-
13	5'-(dG)(dA)(dG)(dA)dT)(dG)(dA)$_4$	9.0	<20	-
14	5'-(dG)(dA)(dG)(dA)dT)(dG)(dA)$_4$	5.0	57.0	-
15	5'-(dG)(dA)(dG)(dT)(dG)$_2$(dA)$_4$	7.2	25.0	-
16	5'-(dG)(dA)(dG)(dT)(dG)$_2$(dA)$_4$	5.0	39.5	-
			52.0	

§ = stoichiometry determined by UV-mixing curves
30   - = not determined

These results show that a truly mixed sequence gave rise t well defined m lting curves. The PNA-oligomers can actually bind in both orientations (compare r w 1 and 4), 35 although there is pref rence for the N-terminal/5'-

orientation. Introducing a single mismatch opp sit either
T or C caus d a lowering of T_m by m re than 16°C at pH 7.2; at
pH 5.0 the T_m-value was lowered more than 27°C. This shows
that there is a very high degree a sequence-selectivity which
5 should be a general feature for all PNA C/T sequences.

As indicated above, . there is a very strong pH-
dependency for the T_m-value, indicating that Hoogsteen
basepairing is important for the formation of hybrids.
Therefore, it is not surprising that the stoichiometry was
10 found to be 2:1.

The lack of symmetry in the sequence and the very large
lowering of T_m when mismatches are present show that th
Watson-Crick strand and the Hoogsteen strand are parallel when
bound to complementary DNA. This is true for both of the
15 orientations, i.e., 5'/N-terminal and 3'/N-terminal.

EXAMPLE 59

The results of hybridization experiments with $H-T_5GT_4-$
LysNH$_2$ to were performed as follows:

Row	Deoxyoligonucleotide	Tm
1	5'-(dA)5(dA)(dA)4-3'	55.0
2	5'-(dA)5(dG)(dA)4-3'	47.0
3	5'-(dA)5(dG)(dA)4-3'	56.5
4	5'-(dA)5(dT)(dA)4-3'	46.5
5	5'-(dA)4(dG)(dA)5-3'	48.5
6	5'-(dA)4(dC)(dA)5-3'	55.5
7	5'-(dA)4(dT)(dA)5-3'	47.0

As shown by comparing rows 1, 3, and 6 with rows 2, 4,
30 5, and 7, G can in this mode discriminate between C/A and G/T
in the DNA-strand, i.e., sequence discrimination is observed.
The complex in row 3 was furthermore determined to be 2 PNA:
1 DNA complex by UV-mixing curves.

-98-

EXAMPLE 60

The mass s f s me synthesiz d PNA-oligomers, as determined by FAB mass spectrometry, are as follows:

SEQUENCE	CALC.	FOUND
H-T_4C_2TCTC-LysNH$_2$	2747.15	2746.78
H-T_5GT$_4$-LysNH$_2$	2832.15	2832.11
H-T_7-LysNH$_2$	2008.84	2540.84
H-T_9-LysNH$_2$	2541.04	2540.84
H-T_{10}-LysNH$_2$	2807.14	2806.69
H-T_2CT$_5$-LysNH$_2$	2259.94	2259.18
H-T_x(L-alaT)T_4-LysNH$_2$	2287.95	2288.60
H-T_4(Ac)T_5-LysNH$_2$	2683.12	2683.09

EXAMPLE 61

Hybridization data for a PNA-oligomer with a single unit with an extended backbone (the β-alanine modification) is as follows:

PNA	DNA	T_m
H-T_{10}-LysnH$_2$	(dA)$_{10}$	73°C
H-T_4(βT)T_5-LysNH$_2$	(dA)$_{10}$	57°C
H-T_4(βT)T_5-LysNH$_2$	(dA)$_4$(dG)(dA)$_5$	47°C
H-T_4(βT)T_5-LysNH$_2$	(dA)$_4$(dT)(dA)$_5$	49°C
H-T_4(βT)T_5-LysNH$_2$	(dA)$_4$(dT)(dA)$_5$	47°C

Although the melting temperature decreases, the data demonstrates that base specific recognition is retained.

EXAMPLE 62

An example with a "no base" substitution.

i.e. L=H

PNA	DNA	T_m
H-T$_{10}$-LysNH$_2$	(dA)$_{10}$	73°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_{10}$	49°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_4$(dG)(dA)^5	37°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_4$(dC)(dA)^5	41°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_4$(dT)(dA)^5	41°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_5$(dG)(dA)^4	36°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_5$(dC)(dA)^4	40°C
H-T$_4$(Ac)T$_5$-LysNH$_2$	(dA)$_5$(dT)(dA)^4	40°C

EXAMPLE 63

Iodination Procedure

A 5 μg portion of Tyr-PNA-T$_{10}$-Lys-NH$_2$ is dissolved in
40 μl 100 mM Na-phosphate, pH 7.0, and 1 mCi Na^{125}I and 2 μl
chloramine-T (50 mM in CH$_3$CN) are added. The solution is left
at 20°C for 10 min and then passed through a 0.5 + 5 cm
Sephadex G10 column. The first 2 fractions (100 μl each)
containing radioactivity are collected and purified by HPLC:
reversed phase C-18 using a 0-60% CH$_3$CN gradient in 0.1%
CF$_3$COOH in H$_2$O. The ^{125}I-PNA elutes right after the PNA peak.
The solvent is removed under reduced pressure.

EXAMPLE 64

Binding of PNAs-T_{10}/T_9C/T_8C_2 to double stranded DNA targets A_{10}/A_9G/A_8G_2 (Figure 20).

A mixture of 200 cps ^{32}P-labeled EcoRI-PvuII fragment
5 (the large fragment labeled at the 3'-end of the EcoRI site) of the indicated plasmid, 0.5 µg carrier calf thymus DNA, and 300 ng PNA in 100 µl buffer (200 mM NaCl, 50 mM Na-acetate, pH 4.5, 1 mM $ZnSO_4$) was incubated at 37°C for 120 min. A 50 unit portion of nuclease S_1 was added and incubated at 20°C
10 for 5 min. The reaction was stopped by addition of 3 µl 0.5 M EDTA and the DNA was precipitated by addition of 250 µl 2% potassium acetate in ethanol. The DNA was analyzed by electrophoresis in 10% polyacrylamide sequencing gels and the radiolabeled DNA bands visualized by autoradiography.

15   The target plasmids were prepared by cloning of the appropriate oligonucleotides into pUC19. Target A_{10}: oligonucleotides GATCCA_{10}G & GATCCT$_{10}$G cloned into the BamHI site (plasmid designated pT10). Target A_5GA_4: oligonucleotides TCGACT$_4$CT$_5$G & TCGACA_5GA_4G cloned into the SalI site (plasmid
20 pT9C). Target $A_2GA_2GA_4$: oligonucleotides GA_2GA_2GA_4TGCA & GT$_4$CT$_2$CT$_2$CTGCA into the PstI site (plasmid pT8C2). The positions of the targets in the gel are indicated by bars to the left. A/G is an A+G sequence ladder of target P10.

25 EXAMPLE 65

Inhibition of restriction enzyme cleavage by PNA (Figure 23).

A 2 µg portion of plasmid pT10 was mixed with the indicated amount of PNA-T_{10} in 20 µl TE buffer (10 mM Tris-HCl, 1 mM EDTA, pH 7.4) and incubated at 37°C for 120 min. 2
30 µl 10 × buffer (10 mM Tris-HCl, pH 7.5, 10 mM, $MgCl_2$, 50 mM NaCl, 1 mM DTT). PvuII (2 units) and BamHI (2 units) were added and the incubation was continued for 60 min. The DNA was analyzed by gel electrophoresis in 5% polyacrylamide and the DNA was visualized by ethidium bromide staining.

35

EXAMPLE 66

Kinetics f PNA-T$_{10}$ - dsDNA strand displacement c mplex formation (Figure 21).

A mixture of 200 cps ^{32}P-labeled EcoRI-PvuII fragment
5 of pT10 (the large fragment labeled at the 3'-end of the EcoRI
site), 0.5 µg carrier calf thymus DNA, and 300 ng of PNA-T$_{10}$-
LysNH$_2$ in 100 µl buffer (200 mM NaCl, 50 mM Na-acetate, pH
4.5, 1 mM ZnSO$_4$) were incubated at 37°C. At the times in-
dicated, 50 U of S$_1$ nuclease was added to each of 7 samples
10 and incubation was continued for 5 min at 20°C. The DNA was
then precipitated by addition of 250 µl 2% K-acetate in
ethanol and analyzed by electrophoresis in a 10% polyacryla-
mide sequencing gel. The amount of strand displacement
complex was calculated from the intensity of the S$_1$-cleavage
15 at the target sequence, as measured by densitometric scanning
of autoradiographs.

EXAMPLE 67

Stability of PNA-dsDNA complexes (Figure 22).

20   A mixture of 200 cps ^{32}P-pT10 fragment, 0.5 µg calf
thymus DNA and 300 ng of the desired PNA (either T$_{10}$-LysNH$_2$,
T$_8$-LysNH$_2$ or T$_6$-LysNH$_2$) was incubated in 100 µl 200 mM NaCl, 50
mM Na-acetate, pH 4.5, 1 mM ZnSO$_4$ for 60 min at 37°C. A 2 µg
portion of oligonucleotide GATCCA$_{10}$G was added and each sample
25 was heated for 10 min at the temperature indicated, cooled in
ice for 10 min and warmed to 20°C. A 50 U portion of S$_1$
nuclease was added and the samples treated and analyzed and
the results quantified.

30 **EXAMPLE 68**

Inhibition of Transcription by PNA

A mixture of 100 ng plasmid DNA (cleaved with
restriction enzyme PvuII (see below) and 100 ng of PNA in 15
µl 10 mM Tris-HCl, 1 mM EDTA, pH 7.4 was incubated at 37°C for
35 60 min. Subs quently, 4 µl 5 × c ncentrated buffer (0.2 M
Tris-HCl (pH 8.0), 40 mM MgCl$_2$, 10 mM spermidine, 125 mM NaCl)
were mixed with 1 µl NTP-mix (10 mM ATP, 10 mM CTP, 10 mM GTP,

1 mM UTP, 0.1 μCi/μl ^{32}P-UTP, 5 mM DTT, 2 μg/ml tRNA, 1 μg/ml heparin) and 3 units RNA polymeras . Incubation was continued for 10 min at 37°C. The RNA was then precipitated by addition of 60 μl 2% postassium acetate in 96% ethanol at -20°C and analyzed by electrophoresis in 8% polyacrylamide sequencing gels. RNA transcripts were visualized by autoradiography. The following plasmids were used: pT8C2-KS/pA8G2-KS: oligonucleotides GA$_2$GA$_2$GA$_4$GTGAC & GT$_4$CT$_2$CT$_2$CTGCA cloned into the *PstI* site of pBluescript-KS$^+$; pT10-KS/pA10-KS (both orientations of the insert were obtained). pT10UV5: oligonucleotides GATCCA$_{10}$G & GATCCT$_{10}$G cloned into the *Bam*HI site of a pUC18 derivative in which the lac UV5 *E.coli* promoter had been cloned into the *Eco*RI site (Jeppesen, et al., *Nucleic Acids Res.*, 1988, *16*, 9545).

Using T$_3$-RNA polymerase, transcription elongation arrest was obtained with PNA-T$_8$C$_2$-LysNH$_2$ and the pA8G2-KS plasmid having the PNA recognition sequence on the template strand, but not with pT8C2-KS having the PNA recognition sequence on the non-template strand. Similar results were obtained with PNA-T10-LysNH$_2$ and the plasmids pA10-KS and pT10-KS. (see, Figure 25) Using *E.coli* RNA polymerase and the pT10UV5 plasmid (A$_{10}$-sequence on the template strand) transcription elongation arrest was obtained with PNA-T$_{10}$-LysNH$_2$.

EXAMPLE 69

Biological stability of PNA

A mixture of PNA-T$_5$ (10 μg) and a control, "normal" peptide (10 μg) in 40 μl 50 mM Tris-HCl, pH 7.4 was treated with varying amounts of peptidase from porcine intestinal mucosa or protease from Streptomyces caespitosus for 10 min at 37°C. The amount of PNA and peptide was determined by HPLC analysis (reversed phase C-18 column: 0-60% acetonitrile, 0.1% trifluoroac tic acid).

At peptidase/protease concentrations where complet degradation f the peptide was observed (no HPLC peak) the PNA was still intact.

EXAMPLE 70

Inhibiti n f ene Expressi n

        A preferred assay to test the ability of peptide
nucleic acids to inhibit expression of the E2 mRNA of
5 papillomavirus is based on the well-documented transactivation
properties of E2. Spalholtz, et al., J. Virol., 1987, 61,
2128-2137. A reporter plasmid (E2RECAT) was constructed t
contain the E2 responsive element, which functions as an E2
dependent enhancer. E2RECAT also contains the SV40 early
10 promoter, an early polyadenylation signal, and the
chloramphenicol acetyl transferase gene (CAT). Within the
context of this plasmid, CAT expression is dependent upon
expression of E2. The dependence of CAT expression on the
presence of E2 has been tested by transfection of this plasmid
15 into C127 cells transformed by BPV-1, uninfected C127 cells
and C127 cells cotransfected with E2RECAT and an E2 expression
vector.

    A.   Inhibition of BPV-1 E2 Expression

        BPV-1 transformed C127 cells are plated in 12 well
20 plates. Twenty four hours prior to transfection with E2RE1,
cells are pretreated by addition of antisense PNAs to the
growth medium at final concentrations of 5, 15 and 30 mM. The
next day cells are transfected with 10 μg of E2RE1CAT by
calcium phosphate precipitation. Ten micrograms of E2RE1CAT
25 and 10 μg of carrier DNA (PUC 19) are mixed with 62 μl of 2
M CaCl$_2$ in a final volume of 250 μl of H$_2$0, followed by
addition of 250 μl of 2X HBSP (1.5 mM Na$_2$PO$_2$. 10 mM KCl, 280
mM NaCl, 12 mM glucose and 50 mM HEPES, pH 7.0) and incubated
at room temperature for 30 minutes. One hundred microliters
30 of this solution is added to each test well and allowed to
incubate for 4 hours at 37°C. After incubation, cells are
glycerol shocked for 1 minute at room temperature with 15%
glycerol in 0.75 mM Na$_2$PO$_2$, 5 mM KCl, 140 mM NaCl, 6 mM
glucose and 25 mM HEPES, pH 7.0. After shocking, cells are
35 washed 2 times with serum free DMEM and refed with DMEM
containing 10% fetal b vin serum and antisense
oligonucle tide at the original concentration. Forty eight

-104-

hours after transfection c lls are harvested and assayed for CAT activity.

For determination of CAT activity, cells are washed 2 times with phosphate buffered saline and collected by
5 scraping. Cells are resuspended in 100 μl of 250 mM Tris-HCl, pH 8.0 and disrupted by freeze-thawing 3 times. Twenty four microliters of cell extract is used for each assay. For each assay the following are mixed together in an 1.5 ml Eppendorf tube and incubated at 37°C for one hour: 25 μl of cell
10 extract, 5 μl of 4 mM acetyl coenzyme A, 18 μl H$_2$O and 1 μl ^{14}C-chloramphenicol, 40-60 mCi/mM. After incubation, chloramphenicol (acetylated and nonacetylated forms) is extracted with ethyl acetate and evaporated to dryness. Samples are resuspended in 25 μl of ethyl acetate, spotted
15 onto a TLC plate and chromatographed in chloroform:methanol (19:1). Chromatographs are analyzed by autoradiography. Spots corresponding to acetylated and nonacetylated ^{14}C-chloramphenicol are excised from the TLC plate and counted by liquid scintillation for quantitation of CAT activity.
20 Peptide nucleic acids that depress CAT activity in a dose dependent fashion are considered positives.

B.   Inhibition of HPV E2 Expression
The assay for inhibition of human papillomavirus (HPV) E2 by peptide nucleic acids is essentially the same as that
25 for BPV-1 E2. For HPV assays appropriate HPVs are co-transfected into either CV-1 or A431 cells with PSV2NEO using the calcium phosphate method described above. Cells which take up DNA are selected for by culturing in media containing the antibiotic G418. G418-resistant cells are then analyzed
30 for HPV DNA and RNA. Cells expressing E2 are used as target cells for antisense studies. For each PNA, cells are pretreated as above, transfected with E2RE1CAT, and analyzed for CAT activity as above. Peptide nucleic acids are considered to have a positive effect if they can depr ss CAT
35 activity in a dose dependent fashi n.

-105-

EXAMPLE 71

Synthesis f PNA 15-mer C ntaining Four Naturally ccurring
Nucleobases;   H-[Taeg]-[Aaeg]-[Gaeg]-[Taeg]-[Taeg]-[Aaeg]-
[Taeg]-[Caeg]-[Taeg]-[Caeg]-[Taeg]-[Aaeg]-[Taeg]-[Caeg]-
5 [Taeg]-LYS-NH2.

The protected PNA was assembled onto a Boc-Lys(ClZ)
modified MBHA resin with a substitution of approximately 0.145
mmol/g. Capping of uncoupled amino groups was only carried
out before the incorporation of the BocGaeg-OH monomer.

10   Synthesis was initiated on 100 mg (dry weight) of
neutralised Boc-Lys(ClA)-MBHA resin that had been preswollen
overnight in DCM. The incorporation of the monomers followed
the protocol of Example 32, except at step 5 for the
incorporation of the BocAaeg-OH monomer. Step 5 for the
15 present synthesis involved addition of 4 equiv. diisopropyl
carbodiimide (0.06 ml; 9.7 μl) and 4 equiv. BocAaeg-OH (0.06
mmol; 32 mg) dissolved in 0.6 ml DCM/DMF (1:1, v/v) (final
concentration of monomer 0.1M). The coupling reaction was
allowed to proceed for 1 x 15 min and 1 x 60 min.
20 (recoupling).

All qualitative Kaiser tests were negative (straw-
yellow color with no coloration of the beads). The PNA-
oligomer was cleaved and purified by the standard procedure.
FAB-MS average mass found(calc.) (M+H) 4145.1 (4146.1).
25

EXAMPLE 72

Hybridization of H-TAGTTATCTCTATCT-LysNH$_2$

DNA -target	pH	Tm
5'-----3'	5	60.5
5'-----3'	7.2	43.0
5'-----3'	9	38.5
3'-----5'	5	64.5/49.0
3'-----5'	7.2	53.5
3'-----5'	9	51.5

35

Th fact that there is alm st n loss in Tm in going
from pH 7.2 to 9.0 indicates that Ho gst n bas pairing is not
involved. The increase in Tm in going from 7.2 to 5 is large
for the parallel orientation and is probably due to the
5 formation of a 2:1 complex. It is believed that the most
favorable orientation in the Watson-Crick binding motif is the
3'/N-orientation and that in the Hoogsteen motif the 5'/N-
orientation is the most stable. Thus, it may be the case that
the most stable complex is with the two PNA's strands anti
10 parallel.

    There is apparently a very strong preference for a
parallel orientation of the Hoogsteen strand. This seems to
explain why even at pH 9 a 2:1 complex is seen with the 5'/N-
orientation. Furthermore, it explains the small loss in going
15 from pH 7.2 to 9 in the 3'/N, as this is probably a 1:1
complex.

EXAMPLE 73

Solid-Phase Synthesis of H-[Taeg]₂-Aaeg-Taeg-Caeg-Aaeg-Taeg-
20 Caeg-Taeg-Caeg-Lys-NH2.

    (a) Stepwise Assembly of Boc-[Taeg]2-A(Z)aeg-Taeg-
C(Z)aeg-A(Z)aeg-Taeg-C(Z)a   eg-Taeg-C(Z)aeg-Lys(ClZ)-MBHA
Resin.

    About 1 g of wet Boc-Lys(ClZ)-MBHA (0.28 mmol Lys/g)
25 resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]2-
A(Z)aeg-Taeg-C(Z)aeg-A(Z)aeg-Taeg-C(Z)aeg-Taeg-C(Z)aeg-
Lys(ClZ)-MBHA resin was assembled by *in situ* DCC coupling of
the five first residues utilizing 0.16 M of BocC[Z]-OH,
BocTaeg-OH or BocA(Z)aeg-OH, together with 0.16 M DCC in 2.0
30 ml 50% DMF/CH2Cl2 ("Synthetic Protocol 9") and by analogous
in situ DIC coupling of the five last residues ("Synthetic
Protocol 10") . Each coupling reaction was allowed to proceed
for a total of 20-24 hrs with shaking. The synthesis was
monitored by the ninhydrin reaction, which showed nearly
35 quantitative incorp rati n of all residues except of the first
A(Z)aeg residu , which had to be coupled twice. The total

coupling yield was about 96% (first c upling, about 89% efficiency).

(b)   Cleavage, Purification, and Identification of H-[Taeg]2-Aaeg-Taeg-Caeg-Aaeg-Taeg-Caeg-Taeg-Caeg-Lys-NH2.

The protected Boc-[Taeg]2-A(Z)aeg-Taeg-C(Z)aeg-A(Z)aeg-Taeg-C(Z)aeg-Taeg-C(Z)aeg-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 53.4 mg of crude material upon HF cleavage of 166.1 mg dry Boc-[Taeg]2-A(Z)aeg-Taeg-C(Z)aeg-A(Z)aeg-Taeg-C(Z)aeg-Taeg-C(Z)aeg-Lys(ClZ)-MBHA resin. The crude product (53.4 mg) was purified to give 18.3 mg of H-[Taeg]2-Aaeg-Taeg-Caeg-Aaeg-Taeg-Caeg-Taeg-Caeg-L ys-NH2. For (M+H)+, the calculated m/z value = 2780.17 and th measured m/z value = 2780.07.

EXAMPLE 74

Hybridization properties of H-TTA TCA TCT C-Lys-NH$_2$.

The title compound hybridized with the following oligonucleotides:

Oligodeoxynucleotide	pH	Tm(°C)
5'-AAT AGT AGT G-3	5	31.5†
5'-ATT AGT AGT G-3'	7.2	28.5†
5'-AAT AGT AGT G-3"	9	28.0†
5'-GTG ATG ATA A-3'	7.2	30.5
5'-GTG ATG ATA A-3'	9	28.0

†Low hypochromicity

-108-

EXAMPLE 75

Synthesis of a PNA With Two Parallel Strings Tied Together

5

10

A 375 mg portion of MBHA resin (loading 0.6 mmol/g) was
15 allowed to swell over night in dichloromethane (DCM). After
an hour in DMF/DCM, the resin was neutralized by washing 2
times with 5% diisopropylethylamine in DCM (2 min.), followed
by washing with DCM (2ml; 6 x 1 min.) N,N'-di-Boc-aminoethyl
glycine (41,9 mg; 0,132 mmol) disolved in 2 ml DMF was added
20 to the resin, followed by DCC (64,9 mg; 0,315 mmol) dissolved
in 1 ml of DCM. After 2.5 hours, the resin was washed with
DMF 3 times (1 min.) and once with DCM (1 min.). The
unreacted amino groups were then capped by treatment with
acetic anhydride/DCM/pyridine (1 ml\2 ml\2 ml) for 72 hours.
25 After washing with DCM (2 ml; 4 x 1 min), a Kaiser test showed
no amino groups were present. The resin was deprotected and
washed as described above. This was followed by reaction with
6-(Bocamino)-hexanoic acid DHBT ester (255.8 mg; 67 mmol)
dissolved in DMF/DCM 1:1 (4 ml) overnight. After washing and
30 neutraliation, a Kaiser test and an isatin test were
performed. Both were negative. After capping, the
elongenation of the PNA-chains was performed according to
standard procedures for DCC couplings. All Kaiser tests
performed after the coupling reactions were negative (Yellow).
35 Qualitative Kaiser tests were done after deprotection of PNA
units number 1, 2, 4, and 6. Each test was blue. The PNA
oligomers were cleaved and purified by standard procedures.

The am unt f mon mer and DCC used f r each c upling was as
f llows (total v lume 4.5 ml):

Coupling	Monomer(T)	DCC
1.	173 mg	95 mg
2.	176 mg	101 mg
3.	174 mg	97 mg
4.	174 mg	103 mg
5.	178 mg	97 mg
6.	173 mg	99 mg
7.	174 mg	95 mg
8.	175 mg	96 mg

For the PNA having the Structure (70) where R_{70} = T_6,
there was 24.5 mg of crude product, which resulted in 6.9 mg.
after purification. For the PNA where R_1 = T_8, there was 28.8
mg of crude product, which resulted in 2.8 mg. after
purification.   The products had a high tendency of
aggregation, as indicated by a complex HPLC chromatogram after
a few hours at room temperature in concentration above 1
mg/ml. The PNA-$(T_6)_2$ and PNA-$(T_8)_2$ were hybridised to $(dA)_6$ and
$(dA)_8$, respectively, with recorded Tm of 42°C and 59°C,
respectively.

EXAMPLE 76

Solid-Phase Synthesis of H-[Taeg]₈-Lys(ClZ)-MBHA Resin

Solid-Phase Synthesis of H-[Taeg]_8-Lys(ClZ)-MBHA Resin

The PNA oligomer was assembled onto 500 mg (dry weight)
of MBHA resin that had been preswollen overnight in DCM. The
resin was initially substituted with approximately 0.15 mmol/g
Boc-Lys(ClZ) as determined by quantitative ninhydrin reaction.
The stepwise synthesis of the oligomer followed the synthetic
protocol described in Example 32 employing 0.077 g (0.2 mmol)
B cTaeg-OH and 31.3 µl (0.2 mmol) diisopropyl carbodiimide in
2.0 ml 50% DMF/CH₂Cl₂ in each c upling. Capping of uncoupled amino
groups was carri d out before deprotection in ach step. All qualitative
Kaiser tests were negative indicating near 100% coupling yield.

-110-

EXAMPLE 77

Solid-Phase Synthesis of H-[Taeg]₄-[apgT]-[Taeg]₅Lys-NH₂

Synthesis was initiated on approximately 1/4 of the wet
H-[Taeg]5-Lys(ClZ)-MBHA resin from Example 76. *In situ*
5 diisopropyl carbodiimide (DIC) couplings of both Boc-(apgT)-OH
and BocTaeg-OH were carried out in 1.2 ml 50% DMF/CH₂Cl₂ using
0.048 g (0.12 mmol) and 0.046 g (0.12 mmol) monomer,
respectively, and 18.7 μl (0.12 mmol) diisopropyl carbodiimide
in each coupling. All qualitative Kaiser tests were negative,
10 indicating near 100% coupling yield. The PNA oligomer was
cleaved and purified by standard procedures. For (M+H)+, the
calculated m/z value was 2820.15 and the measured m/z value
was 2820.92.

15 **EXAMPLE 78**

Solid-Phase Synthesis of H-[Taeg]₄-[proT]-[Taeg]₅-Lys-NH₂

Synthesis was initiated on approximately 1/4 of the wet
H-[Taeg]₅-Lys(ClZ)-MBHA resin from Example 76. *In situ*
diisopropyl carbodiimide couplings of BocTaeg-OH were carried
20 out in 1.2 ml 50% DMF/CH₂Cl₂ using 0.046 g (0.12 mmol) monomer
and 18.7 μl (0.12 mmol) diisopropyl carbodiimide in each
coupling. Due to solubility problems, Boc-(proT)-OH 0.048 g
(0.12 mmol) was suspended in 2.5 ml 50% DMF/DMSO prior to
coupling, the suspension filtered, and approximately 2 ml of
25 the filtrate used in the overnight coupling. All qualitative
Kaiser tests were negative, indicating near 100% coupling
yield. The PNA oligomer was cleaved and purified by standard
procedures.

-111-

EXAMPLE 79

Hybridization pr perties f H-[Taeg].-[proT]-[Taeg]5Lys-NH₂

Oligodeoxynucleotide	Tm(°C)
5'-AAA AAA AAA A	53.5
5-'AAA AGA AAA A	44.0
5'-AAA AAG AAA A	43.5
5'-AAA ACA AAA A	46.5
5'-AAA AAC AAA A	46.5
5'-AAA ATA AAA A	46.5
5'-AAA AAT AAA A	46.0

EXAMPLE 80

Solid-Phase Synthesis of H-[Taeg].-[bC]-[Taeg].-Lys-NH₂

The PNA oligomer was assembled onto 100 mg (dry weight) MBHA resin that had been preswollen overnight in DCM. The resin was initially substituted with approximately 0.25 mmol/g Boc-Lys(ClZ) as determined by quantitative ninhydrin reaction. The stepwise synthesis of the oligomer followed synthetic Protocol 9 employing 0.023 g (0.06 mmol) BocTaeg-OH, 0.062 g (0.12 mmol) BocbC(Z)-OH and 0.012 g (0.06 mmol) DCC in 1.2 ml 50% DMF/CH₂Cl₂ in each coupling. Capping of uncoupled amino groups was carried out before deprotection in each step. All qualitative Kaiser tests were negative, indicating near 100% coupling yield. The PNA-oligomer was cleaved and purified by standard procedures.

-112-

EXAMPLE 81

Hybridizati n properti s of H-T,bCT,-Lys-NH,

Oligodeoxynucleotide	Tm(°C)
5'-AAA AAA AAA A	43.5
5-'AAA AGA AAA A	58.0
5'-AAA AAG AAA A	60.0
5'-AAA ACA AAA A	34.5
5'-AAA AAC AAA A	34.5
5'-AAA ATA AAA A	34.0
5'-AAA AAT AAA A	36.0

EXAMPLE 82

Stepwise Assembly of H-[Taeg]-[Taeg]-[Taeg]-[Taeg]-[Aaeg]-
[Taeg]-[Taeg]-[Taeg]-[Taeg]-[Taeg]-LYS-NH$_2$.

Synthesis was initiated on a Boc-[Taeg]$_5$-Lys(ClZ)-MBHA
resin (from example 76) that had been preswollen overnight in
DCM. The resin resembled approximately 100 mg (dry weight)
of Boc-Lys(ClZ)-MBHA resin (loading 0.15 mmol/g). The
incorporation of the monomers followed the protocol of example
55, except for step 5 (incorporation of the BocA(Z)aeg-OH
monomer). New step 5 (incorporation of A(Z)aeg) involved
addition of 4 equiv. diisopropyl carbodiimide (0.06 mmol; 9.7
μl) and 4 equiv. BocA(Z)aeg-OH (0.06 mmol; 32 mg) dissolved
in 0.6 ml DCM/DMF (1:1, v/v) (final concentration of monomer
0.1 M). The coupling reaction was allowed to proceed for 1
x 15 min. and 1 x 60 min. (recoupling).

Capping of uncoupled amino groups was only carried out
before the incorporation of the BocA(Z)aeg-OH monomer. The
coupling reaction was monitored by qualitative ninhydrin
reaction (Kaiser test). All qualitative Kaiser tests were
negative (straw-yellow color with no coloration of the beads).
The PNA oligomer was cleaved and purified by standard
procedures.

EXAMPLE 84

Hybridizati n properties f H-T,AT,-LysNH₂

Oligodeoxynucleotide	Tm(°C)
5'-AAA AAA AAA A	59.5
5-'AAA AGA AAA A	45.0
5'-AAA AAG AAA A	45.5
5'-AAA ACA AAA A	48.0
5'-AAA AAC AAA A	48.0
5'-AAA ATA AAA A	52.0
5'-AAA AAT AAA A	52.5

EXAMPLE 85

Stepwise Assembly of H-[Taeg]-[Taeg]-[Taeg]-[Taeg]-[Gaeg]-
[Gaeg]-[Taeg]-[Gaeg]-[Taeg]-[Gaeg]-LYS-NH₂.

The protected PNA was assembled onto a Boc-Lys(ClZ)
modified MBHA resin with a substitution of 0.15 mmol/g. The
incorporation of the monomers followed the protocol of example
32, except that the capping step 11 and the washing step 12
were omitted. After the incorporation and deprotection of the
first, second, and fourth G(Bzl)aeg-monomer there were some
difficulties getting the resin to swell properly. Three hours
of shaking in neat DCM gave acceptable swelling. For the
incorporation of residues Taeg-4, G(Bzl)aeg-6, and Taeg-7 to
Taeg-10, recoupling was necessary to obtain near quantitativ
coupling yields. Taeg₄ (2 x in 50% DMF/DCM),Gaeg₆ (2 x in 50%
DMF/DCM), Taeg₇ (2 x in 50% DMF/DCM, 1 x in 50% NMP/DCM and 1
x in neat DCM), Taeg₈ (1 x in 50% DMF/DCM and 2 x in neat
DCM), Taeg₉ (2 x in 50% DMF/DCM), Taeg₁₀ (2 x in 50% DMF/DCM).
All qualitative Kaiser tests were negative (straw-yellow color
with no coloration of the beads). The PNA oligomer was
cleaved and purified by standard procedures

-114-

EXAMPLE 86

Hybridizati n pr perti s f crude (appr x. 50%) H-T₄G₂TGTG-LysNH₂

Oligodeoxynucleotide -	Tm
5'-A4C2ACAC	38
5'-CACAC2A4	55

EXAMPLE 87 ·

Large Scale Solid-Phase Synthesis of H-[Taeg]₆-Lys-NH₂, H-[Taeg]₇-Lys-NH₂, H-[Taeg]₈-Lys-NH₂, H-[Taeg]₉-Lys-NH₂, and H-[Taeg]₁₀-Lys-NH₂.

(a) Stepwise Assembly of Boc-[Taeg]₁₀-Lys(ClZ)-MBHA Resin and Shorter Fragments.

About 9 g of wet Boc-[Taeg]₅-Lys(ClZ)-MBHA (see, Example 19b) resin was placed in a 60 ml SPPS reaction vessel. Boc-[Taeg]₅-Lys(ClZ)-MBHA resin was assembled by single coupling of both residues with 0.15 M of BocTaeg-OPfp in 10 ml neat CH₂Cl₂ ("Synthetic Protocol 8"). Both coupling reactions were allowed to proceed overnight. The synthesis was monitored by the ninhydrin reaction, which showed close to quantitative incorporation of both residues. After deprotection of the N-terminal Boc group, about 4.5 g of H-[Taeg]₅-Lys(ClZ)-MBHA was placed in a 20 ml SPPS reaction vessel and elongated to Boc-[Taeg]₈-Lys(ClZ)-MBHA by single *in situ* DCC coupling of all residues (close to quantitative, except for residue number eight) overnight with 0.2 M of BocTaeg-OH together with 0.2 M DCC in 7.5 ml neat CH₂Cl₂ ("Synthetic Protocol 9"). Before coupling of Taeg residues number seven and eight, respectively, small portions of H-[Taeg]₆-Lys(ClZ)-MBHA and H-[Taeg]₇-Lys(ClZ)-MBHA, respectively, were taken out for HF cleavage.

Taeg residue number eight was coupled twice (v rnight) to give close to quantitative incorp ration. After deprotection of the N-terminal Boc gr up, a large portion of H-[Taeg]₈-Lys(ClZ)-MBHA was taken out for HF cleavag . B c-

[Taeg]$_{16}$-Lys(ClZ)-MBHA resin was assembled by d uble *in situ* DCC coupling of 0.16 M BocTaeg-OH, together with 0.16 M DCC in 2.0 ml 50% DMF/CH$_2$Cl$_2$ ("Synthetic Protocol" 9). Before coupling of the final residue, a small portion of H-[Taeg]$_5$-

5 Lys(ClZ)-MBHA was taken out for HF cleavage.

     (b) **Cleavage, Purification, and Identification of H-[Taeg]$_6$-Lys-NH$_2$.**

The protected Boc-[Taeg]$_6$-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 14.0 mg of

10 crude material upon HF cleavage of 52.4 mg dry H-Taeg]$_6$-Lys(ClZ)-MBHA resin. The crude product was not purified (about 99% purity).

     (c) **Cleavage, Purification, and Identification of H-[Taeg]$_7$-Lys-NH$_2$.**

15 The protected Boc-[Taeg]$_7$-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 5.2 mg of crude material upon HF cleavage of 58.4 mg dry H-Taeg]$_7$-Lys(ClZ)-MBHA resin.

     (d) **Cleavage, Purification, and Identification of H-**

20 **[Taeg]$_8$-Lys-NH$_2$.**

The protected Boc-[Taeg]$_8$-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 114 mg of crude material upon HF cleavage of about 604 mg dry H-Taeg]$_8$-Lys(ClZ)-MBHA resin.

25   (e) **Cleavage, Purification, and Identification of H-[Taeg]$_9$-Lys-NH$_2$.**

The protected Boc-[Taeg]$_9$-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 19.3 mg of crude material upon HF cleavage of 81.0 mg dry H-Taeg]$_9$-

30 Lys(ClZ)-MBHA resin.

     (f) **Cleavage, Purification, and Identification of H-[Taeg]$_{10}$-Lys-NH$_2$.**

The protected Boc-[Taeg]$_{10}$-Lys(ClZ)-MBHA resin was treated as d scribed in Example 17c to yield about 141 mg of

35 crude material upon HF cleavage f ab ut 417 mg dry H-Taeg]$_{10}$-Lys(ClZ)-MBHA r sin.

-116-

(g) Synthetic Protocol 8 (General Protocol)

(1) Boc-deprotection with TFA/CH₂Cl₂ (1:1, v/v), 3 x 1 min and 1 x 30 min; (2) washing with CH₂Cl₂, 6 x 1 min; (3) neutralization with DIEA/CH₂Cl₂ (1: 19, v/v), 3 x 2 min; (4) 5 washing with CH₂Cl₂, 6 x 1 min, and drain for 1 min; (5) at some stages of the synthesis, 2-5 mg sample of PNA-resin is taken out and dried thoroughly for a ninhydrin analysis to determine the substitution; (6) addition of Boc-protected PNA monomer (Pfp ester); the coupling reaction was allowed to 10 proceed for a total of X hrs shaking; (7) washing with DMF, 1 x 2 min; (8) washing with CH₂Cl₂, 4 x 1 min; (9) neutralization with DIEA/CH₂Cl₂ (1: 19, v/v), 2 x 2 min; (10) washing with CH₂Cl₂, 6 x 1 min; (11) occasionally, 2-5 mg sample of protected PNA-resin is taken out and dried 15 thoroughly for a ninhydrin analysis to determine the extent of coupling; (12) at some stages of the synthesis, unreacted amino groups are blocked by acetylation with a mixture of acetic anhydride/pyridine/CH₂Cl₂ (1:1:2, v/v/v) for 2 h followed by washing with CH₂Cl₂, 6 x 1 min, and, occasionally, 20 ninhydrin analysis.

EXAMPLE 88

Solid-Phase Synthesis of H-[Taeg]4-Caeg-[Taeg]5-Lys-NH₂.

(a) Stepwise Assembly of Boc-[Taeg]4-C[Z]aeg-[Taeg]5- 25 Lys(ClZ)-MBHA Resin.

About 1 g of wet Boc-[Taeg]5-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]4-C[Z]aeg-[Taeg]5-Lys(ClZ)-MBHA resin was assembled by in situ DCC coupling of all residues utilizing 0.16 M of BocC[Z]aeg-OH 30 together with 0.16 M DCC in 2.0 ml 50% DMF/CH₂Cl₂ or 0.16 M BocTaeg-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH₂Cl₂ ("Synthetic Protocol 9"). Each coupling reaction was allowed to proceed for a total of 20-24 hrs with shaking. The synthesis was monitored by the ninhydrin reaction, which 35 showed about 98% incorporation of C[Z]aeg and close to quantitative incorporation of all the Taeg residues.

-117-

(b)   Cl avag , Purification, and Id ntificati n f H-[Taeg]4-C[Z]aeg-[Taeg]5-Lys-NH$_2$.

The protected Boc-[Taeg]4-C[Z]aeg-[Taeg]5-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 22.5 mg of crude material upon HF cleavage of 128.2 mg dry H-[Taeg]4-C[Z]aeg-[Taeg]5-Lys(ClZ)-MBHA resin. Crude product (5.8 mg) was purified to give 3.1 mg of H-[Taeg]4-Caeg-[Taeg]5-Lys-NH$_2$.

(c)   Synthetic Protocol 9 (General Protocol)

(1) Boc-deprotection with TFA/CH$_2$Cl$_2$ (1:1, v/v), 3 x 1 min and 1 x 30 min; (2) washing with CH$_2$Cl$_2$, 6 x 1 min; (3) neutralization with DIEA/CH$_2$Cl$_2$ (1: 19, v/v), 3 x 2 min; (4) washing with CH$_2$Cl$_2$, 6 x 1 min, and drain for 1 min; (5) at some stages of the synthesis, 2-5 mg sample of PNA-resin is taken out and dried thoroughly for a ninhydrin analysis to determine the substitution; (6) addition of Boc-protected PNA monomer (free acid) in X ml DMF followed by addition of DCC in X ml CH$_2$Cl$_2$; the coupling reaction was allowed to proceed for a total of Y hrs shaking; (7) washing with DMF, 1 x 2 min; (8) washing with CH$_2$Cl$_2$, 4 x 1 min; (9) neutralization with DIEA/CH$_2$Cl$_2$ (1: 19, v/v), 2 x 2 min; (10) washing with CH$_2$Cl$_2$, 6 x 1 min; (11) occasionally, 2-5 mg sample of protected PNA-resin is taken out and dried thoroughly for a ninhydrin analysis to determine the extent of coupling; (12) at some stages of the synthesis, unreacted amino groups are blocked by acetylation with a mixture of acetic anhydride/pyridine/CH$_2$Cl$_2$ (1:1:2, v/v/v) for 2 h followed by washing with CH$_2$Cl$_2$, 6 x 1 min, and, occasionally, ninhydrin analysis.

EXAMPLE 89
Solid-Phase Synthesis of H-[Taeg]4-(NBaeg)-[Taeg]5-Lys-NH$_2$. (NB = COCH3)

(a)   Stepwise Assembly of Boc-[Taeg]4-(NBaeg)-[Ta g]5-Lys(ClZ)-MBHA Resin.

About 1 g of wet Boc-[Taeg]5-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]4-(NBaeg)-

-118-

[Taeg]5-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC coupling utilizing 0.16 M of Boc(NBaeg)-OH t gether with 0.16 M DCC in 2.0 ml neat CH_2Cl_2 or 0.16 M BocTaeg-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH_2Cl_2 ("Synthetic Protocol 9").
5 Each coupling reaction was allowed to proceed for a total of 20-24 hrs with shaking. The NBaeg residue was coupled three times and the Taeg residues were all coupled once. The synthesis was monitored by the ninhydrin reaction which showed >99% total incorporation of NBaeg (about 88% after the first
10 coupling and about 93% after the second coupling) and close to quantitative incorporation of all the Taeg residues.

(b) Cleavage, Purification, and Identification of H-[Taeg]4-(NBaeg)-[Taeg]5-Lys-NH_2.

The protected Boc-[Taeg]4-(NBaeg)-[Taeg]5-Lys(ClZ)-MBHA
15 resin was treated as described in Example 17c to yield about 33.6 mg of crude material upon HF cleavage of 108.9 mg dry H-[Taeg]4-(NBaeg)-[Taeg]5-Lys(ClZ)-MBHA resin. Crude product (20.6 mg) was purified to give 4.6 mg of H-[Taeg]4-(NBaeg)-[Taeg]5-Lys-NH_2. For (M+H)+, the calculated m/z value was
20 2683.12 and the measured m/z value was 2683.09.

EXAMPLE 90
Solid-Phase Synthesis of H-[Taeg]4-aeg-[Taeg]5-Lys-NH_2.

(a) Stepwise Assembly of Boc-[Taeg]4-aeg-[Taeg]5-
25 Lys(ClZ)-MBHA Resin.

About 1 g of wet Boc-[Taeg]5-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]4-aeg-[Taeg]5-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC single coupling of all residues utilizing: (1) 0.16 M of
30 Bocaeg-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH_2Cl_2 or (2) 0.16 M BocTaeg-OH together with (2) 0.16 M DCC in 2.0 ml 50% DMF/CH_2Cl_2 ("Synthetic Protocol 9"). Each coupling reaction was allowed to proceed for a total of 20-24 hrs with shaking. The synthesis was monitored by the ninhydrin
35 reaction, which showed close to quantitative incorporation of all the residues.

-119-

(b) Cl avage, Purificati n, and Identification f H-
[Taeg]4-aeg-[Taeg]5-Lys-NH₂.

        The protected Boc-[Taeg]4-aeg-[Taeg]5-Lys(ClZ)-MBHA
resin was treated as described in Example 17c to yield about
5 22.2 mg of crude material upon HF cleavage of 126.0 mg dry H-
[Taeg]4-aeg-[Taeg]5-Lys(ClZ)-MBHA resin. Crude product (22.2
mg) was purified to give 7.6 mg of H-[Taeg]4-aeg-[Taeg]5-Lys-
NH₂. For (M+H)+, the calculated m/z value was 2641.11 and the
measured m/z value was 2641.16.

10

EXAMPLE 91
Solid-Phase Synthesis of H-[Taeg]4-Gly-[Taeg]5-Lys-NH₂.
        (a) Stepwise Assembly of Boc-[Taeg]4-Gly-[Taeg]5-
Lys(ClZ)-MBHA Resin.
15   About 1 g of wet Boc-[Taeg]5-Lys(ClZ)-MBHA resin was
placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]4-Gly-
[Taeg]5-Lys(ClZ)-MBHA resin was assembled by in situ DCC
single coupling of all residues utilizing: (1) 0.16 M of
BocGly-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH₂Cl₂ or
20 (2) 0.16 M BocTaeg-OH together with 0.16 M DCC in 2.0 ml 50%
DMF/CH₂Cl₂ ("Synthetic Protocol 9"). Each coupling reaction
was allowed to proceed for a total of 20-24 hrs with shaking.
The synthesis was monitored by the ninhydrin reaction, which
showed close to quantitative incorporation of all the
25 residues.
        (b) Cleavage, Purification, and Identification of H-
[Taeg]4-Gly-[Taeg]5-Lys-NH₂.
        The protected Boc-[Taeg]4-Gly-[Taeg]5-Lys(ClZ)-MBHA
resin was treated as described in Example 18c to yield about
30 45.0 mg of crude material upon HF cleavage of 124.1 mg dry H-
[Taeg]4-Gly-[Taeg]5-Lys(ClZ)-MBHA resin. Crude product (40.4
mg) was purified to give 8.2 mg of H-[Taeg]4-Gly-[Taeg]5-Lys-
NH₂.

EXAMPLE 92

S lid-Phas Synth sis f H-[Taeg]4-Gly2-[Taeg]5-Lys-NH$_2$.

(a) Stepwise Assembly of Boc-[Taeg]4-Gly2-[Taeg]5-Lys(ClZ)-MBHA Resin.

5   About 1 g of wet Boc-[Taeg]5-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]4-[C[Z]aeg]2-Taeg-C[Z]aeg-Taeg-C[Z]aeg-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC single coupling of all residues utilizing: (1) 0.16 M of BocGly-OH together with 0.16 M DCC

10 in 2.0 ml 50% DMF/CH$_2$Cl$_2$ or (2) 0.16 M BocTaeg-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH$_2$Cl$_2$ ("Synthetic Protocol 9"). Each coupling reaction was allowed to proceed for a total of 20-24 hrs with shaking. The synthesis was monitored by the ninhydrin reaction, which showed close to quantitative

15 incorporation of all the residues.

(b) Cleavage, Purification, and Identification of H-[Taeg]4-Gly2-[Taeg]5-Lys-NH$_2$.

The protected Boc-[Taeg]4-Gly2-[Taeg]5-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about

20 32.6 mg of crude material upon HF cleavage of 156.6 mg dry H-[Taeg]4-Gly2-[Taeg]5-Lys(ClZ)-MBHA resin. Crude product (30 mg) was purified to give 7.8 mg of H-[Taeg]4-Gly2-[Taeg]5-Lys-NH$_2$. For (M+H)+, the calculated m/z value was 2655.09 and the measured m/z value was 2655.37.

25

-121-

EXAMPLE 93

S lid-Phas Synthesis of H-[Taeg]4-[Caeg]2-Taeg-Ca g-Ta g-Caeg-Lys-NH₂.

(a) Stepwise Assembly of Boc-[Taeg]4-[C[Z]aeg]2-Taeg-
5 C[Z]aeg-Taeg-C[Z]aeg-Lys(ClZ)-MBHA Resin.

About 1.5 g of wet Boc-Lys(ClZ)-MBHA (0.28 mmol.Lys/g) resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]4-[C[Z]aeg]2-Taeg-C[Z]aeg-Taeg-C[Z]aeg-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC single coupling of all residues
10 utilizing: (1) 0.16 M of BocC[Z]-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH₂Cl₂ or (2) 0.16 M BocTaeg-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH₂Cl₂ ("Synthetic Protocol 9"). Each coupling reaction was allowed to proceed for a total of 20-24 hrs with shaking. The synthesis was monitored
15 by the ninhydrin reaction, which showed close to quantitative incorporation of all the residues.

(b) Cleavage, Purification, and Identification of H-[Taeg]₄-[Caeg]₂-Taeg-Caeg-Taeg-Caeg-Lys-NH₂.

The protected Boc-[Taeg]4-[C[Z]aeg]2-Taeg-C[Z]aeg-Taeg-
20 C[Z]aeg-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 52.1 mg of crude material upon HF cleavage of 216.7 mg dry H-[Taeg]4-[C[Z]aeg]2-Taeg-C[Z]aeg-Taeg-C[Z]aeg-Lys(ClZ)-MBHA resin. Crude product (30.6 mg) was purified to give 6.2 mg of H-[Taeg]4-[Caeg]2-Taeg-Caeg-
25 Taeg-Caeg-Lys-NH₂. For (M+H)+ the calculated m/z value was 2747.15 and the measured m/z value was 2746.78.

EXAMPLE 94

Solid-Phase Synthesis of H-Caeg-Taeg-Caeg-Taeg-[Caeg]3-Taeg-
30 Caeg-Taeg-Lys-NH₂.

(a) Stepwise Assembly of Boc-C[Z]aeg-Taeg-C[Z]aeg-Taeg-[C[Z]aeg]3-Taeg-C[Z]aeg-Taeg-Lys(ClZ)-MBHA Resin.

About 1.5 g of wet Boc-Lys(ClZ)-MBHA (0.28 mmol Lys/g) resin was placed in a 5 ml SPPS reaction vessel. B c-C[Z]aeg-
35 Taeg-C[Z]aeg-Taeg-[C[Z]aeg]3-Taeg-C[Z]aeg-Taeg-Lys(ClZ)-MBHA resin was assembled by *in situ* DCC single coupling of all residues utilizing: (1) 0.16 M of B cC[Z]-OH together with

-122-

0.16 M DCC in 2.0 ml 50% DMF/CH$_2$Cl$_2$ r (2) 0.16 M BocTaeg-OH together with 0.16 M DCC in 2.0 ml 50% DMF/CH$_2$Cl$_2$ ("Synthetic Protocol 9"). Each coupling reaction was allowed to proceed for a total of 20-24 hrs with shaking. The synthesis was
5 monitored by the ninhydrin reaction, which showed close to quantitative incorporation of all the residues.

     (b) Cleavage, Purification, and Identification of H-Caeg-Taeg-Caeg-Taeg-[Caeg]3-Taeg-Caeg-Taeg-Lys-NH 2.

     The protected Boc-C[Z]aeg-Taeg-C[Z]aeg-Taeg-[C[Z]aeg]3-
10 Taeg-C[Z]aeg-TaegLys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 56.1 mg of crude material upon HF cleavage of 255.0 mg dry H-C[Z]aeg-Taeg-C[Z]aeg-Taeg-[C[Z]aeg]3-Taeg-C[Z]aeg -TaegLys(ClZ)-MBHA resin. Crude product (85.8 mg) was purified to give 46.2 mg of H-Caeg-Taeg-
15 Caeg-Taeg-[Caeg]3-Taeg-Caeg-Taeg-LysNH$_2$. For (M+H)+ the calculated m/z value was 2717.15 and the measured m/z value was 2716.93.

EXAMPLE 95
20 Solid-Phase Synthesis of H-[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-Lys-NH$_2$, H-Caeg-[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-Lys-NH$_2$, and H-Tyr-[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-Lys-NH$_2$.

     (a) Stepwise Assembly of Boc-[Taeg]2-[C(Z)aeg]3-[Taeg]2-[C(Z)aeg]2-Lys(ClZ)-MBHA Resin, Boc-Caeg-[Taeg]2-
25 [C(Z)aeg]3-[Taeg]2-[C(Z)aeg]2-Lys(ClZ)-MBHA Resin, and Boc-Tyr(BrZ)-[Taeg]2-[C(Z)aeg]3-[Taeg]2-[C(Z)aeg]2-Lys(ClZ)-MBHA Resin.

     About 3 g of wet Boc-Lys(ClZ)-MBHA (0.28 mmol Lys/g) resin was placed in a 20 ml SPPS reaction vessel. Boc-
30 [Taeg]2-[C(Z)aeg]3-[Taeg]2-[C(Z)aeg]2-Lys(ClZ)-MBHA resin was assembled by in situ DCC single coupling of all residues utilizing: (1) 0.16 M of BocC[Z]-OH together with 0.16 M DCC in 3.0 ml 50% DMF/CH$_2$Cl$_2$ or (2) 0.16 M BocTaeg-OH together with 0.16 M DCC in 3.0 ml 50% DMF/CH$_2$Cl$_2$ ("Synthetic Protocol
35 9"). Each coupling reaction was allowed to proceed f r a total of 20-24 hrs with shaking. The synthesis was monitored by the ninhydrin reacti n, which showed close to quantitativ

-123-

inc rporati n of all the residues. After deprotecti n of the
N-terminal Boc group, half of the PNA-resin was coupled
quantitatively onto Tyr(BrZ)-OH and a small portion was
coupled quantitatively onto one more Caeg residue.   Both
5 couplings employed the above-mentioned synthetic protocol.

        (b) Cleavage, Purification, and Identification of H-
[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-Lys-NH₂.

        The   protected   Boc-[Taeg]2-[C(Z)aeg]3-[Taeg]2-
[C(Z)aeg]2-Lys(ClZ)-MBHA resin was treated as described in
10 Example 17c to yield about 50.9 mg of crude material upon HF
cleavage of 182.5 mg dry H-[Taeg]2-[C(Z)aeg]3-[Taeg]2-
[C(Z)aeg]2-Lys(ClZ)-MBHA resin. Crude product (50.9) mg was
purified to give 13.7 mg of H-[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-
LysNH₂. For (M+H)+ the calculated m/z value was 2466.04; the
15 m/z value was not measured.

        (c) Cleavage, Purification, and Identification of H-
Tyr-[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-Lys-NH₂.

        The protected Boc-Tyr(BrZ)-[Taeg]2-[C(Z)aeg]3-[Taeg]2-
[C(Z)aeg]2-Lys(ClZ)-MBHA resin was treated as described in
20 Example 17c to yield about 60.8 mg of crude material upon HF
cleavage of 188.8 mg dry H-Tyr(BrZ)-[Taeg]2-[C(Z)aeg]3-
[Taeg]2-[C(Z)aeg]2-Lys(ClZ)-MBHA resin. Crude product (60.8
mg) was purified to give 20.7 mg of H-Tyr-[Taeg]2-[Caeg]3-
[Taeg]2-[Caeg]2-LysNH₂. For (M+H)+ the calculated m/z value
25 was 2629.11 and the measured m/z value was 2629.11.

        (d) Cleavage, Purification, and Identification of H-
Caeg-[Taeg]2-[Caeg]3-[Taeg]2-[Caeg]2-Lys-NH₂.

        The protected Boc-C(Z)aeg-[Taeg]2-[C(Z)aeg]3-[Taeg]2-
30 [C(Z)aeg]2-Lys(ClZ)-MBHA resin was treated as described in
Example 17c to yield about 11.7 mg of crude material upon HF
cleavage of 42.0 mg dry H-C(Z)aeg-[Taeg]2-[C(Z)aeg]3-[Taeg]2-
[C(Z)aeg]2-Lys(ClZ)-MBHA resin. Crude product (11.6 mg) was
purified to give 3.1 mg of H-Caeg-[Taeg]2-[Caeg]3-[Taeg]2-
35 [Caeg]2-LysNH₂.   For (M+H)+ the calculated m/z value was
2717.15; the m/z value was n t measur d.

-124-

EXAMPLE 96

S lid-Phas Synth sis f H-[Caeg]2-[Ta g]2-[Caeg]3-[Taeg]2-Lys-NH₂,

H-Taeg-[Caeg]2-[Taeg]2-[Caeg]3-[Taeg]2-Lys-NH₂, and H-Tyr-
5 [Caeg]2-[Taeg]2-[Caeg]3-[Taeg]2-Lys-NH₂.

(a) Stepwise Assembly of Boc-[C(Z)aeg]2-[Taeg]2-
[C(Z)aeg]3-[Taeg]2-Lys(ClZ)-MBHA Resin, Boc-Taeg-[C(Z)aeg]2-
[Taeg]2-[C(Z)aeg]3-[Taeg]2-Lys(ClZ)-MBHA Resin, and Boc-
Tyr(BrZ)-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-[Taeg]2-Lys(ClZ)-MBHA
10 Resin.

About 3 g of wet Boc-Lys(ClZ)-MBHA (0.28 mmol Lys/g)
resin was placed in a 20 ml SPPS reaction vessel. Boc-
[Taeg]2-[C(Z)aeg]3-[Taeg]2-[C(Z)aeg]2-Lys(ClZ)- MBHA resin was
assembled by *in situ* DCC single coupling of all residues
15 utilizing: (1) 0.16 M of BocC[Z]-OH together with 0.16 M DCC
in 3.0 ml 50% DMF/CH₂Cl₂ or (2) 0.16 M BocTaeg-OH together
with 0.16 M DCC in 3.0 ml 50% DMF/CH₂Cl₂ ("Synthetic Protocol
9"). Each coupling reaction was allowed to proceed for a
total of 20-24 hrs with shaking. The synthesis was monitored
20 by the ninhydrin reaction, which showed close to quantitative
incorporation of all the residues. After deprotection of the
N-terminal Boc group, half of the PNA-resin was coupled
quantitatively onto Tyr(BrZ)-OH and a small portion was
coupled quantitatively onto one more Taeg residue. Both
25 couplings employed the above-mentioned synthetic protocol.

(b) Cleavage, Purification, and Identification of H-
[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-[Taeg]2-Lys-NH₂.

The protected Boc-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-
[Taeg]2-Lys(ClZ)-MBHA resin was treated as described in
30 Example 17c to yield about 57.6 mg of crude material upon HF
cleavage of 172.7 mg dry H-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-
[Taeg]2-Lys(ClZ)-MBHA resin. Crude product (57.6 mg) was
purified to give 26.3 mg of H-[Caeg]2-[Taeg]2-[Caeg]3-[Taeg]2-
Lys-NH₂. For (M+H)+ the calculated m/z value was 2466.04; the
35 m/z value was n t measured.

(c) Cleavag , Purificati n, and Id ntificati n f H-
Tyr-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-[Taeg]2-Lys-NH₂ .

The protected Boc-Tyr(BrZ)-[C(Z)aeg]2-[Taeg]2-
[C(Z)aeg]3-[Taeg]2-Lys(ClZ)-MBHA resin was treated as
described in Example 17c to yield about 57.6 mg of crude
material upon HF cleavage of 172.7 mg dry H-Tyr(BrZ)-
[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-[Taeg]2-Lys(ClZ)-MBHA resin.
Crude product (47.1 mg) was purified to give 13.4 mg of H-Tyr-
[Caeg]2-[Taeg]2-[Caeg]3-[Taeg]2-Lys-NH₂.   For (M+H)+ the
calculated m/z value was 2629.11 and the measured m/z value
was 2629.11.

(d) Cleavage, Purification, and Identification of H-
Taeg-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-[Taeg]2-Lys-NH₂.

The protected Boc-Taeg-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-
[Taeg]2-Lys(ClZ)-MBHA resin was treated as described in
Example 17c to yield about 53.4 mg of crude material upon HF
cleavage of 42.4 mg dry H-Taeg-[C(Z)aeg]2-[Taeg]2-[C(Z)aeg]3-
[Taeg]2-Lys(Cl Z)-MBHA resin.   Crude product (11.9 mg) was
purified to give 4.3 mg of H-Taeg-[Caeg]2-[Taeg]2-[Caeg]3-
[Taeg]2-Lys-NH₂.   For (M+H)+ the calculated m/z value was
2732.15; the m/z value was not measured.

(c) Synthetic Protocol 10 (General Protocol)

Same protocol as "Synthetic Protocol 9", except that
DCC has been replaced with DIC.

EXAMPLE 97

SYNTHESIS OF THE BACKBONE MOIETY FOR SCALE UP BY REDUCTIVE
AMINATION

(a) Preparation of (bocamino)acetaldehyde.

3-Amino-1,2-propanediol(80.0 g; 0.88 mol) was dissolved
in water (1500 ml) and the solution was cooled to 4°C,
whereafter Boc anhydride (230 g; 1.05 mol) was added at once.
The solution was gently heated to room temperature with a
water bath. The pH was kept at 10.5 by the dropwise addition
of sodium hydr xide. Over the course of the reaction a total
 f 70.2 g NaOH, dissolved in 480 ml water, was added. After
stirring ov rnight, thyl acetate (1000 ml) was added and th

mixtur was c oled t 0°C and the pH was adjusted t 2.5 by
the addition of 4 M hydr chloric acid. The ethyl acetat
layer was removed and the acidic aqueous solution was
extracted with more ethyl acetate (8x500 ml). The combined
5 ethyl acetate solution was reduced to a volume of 1500 ml
using a rotary evaporator. The resulting solution was washed
with half saturated potassium hydrogen sulphate (1500 ml) and
then with saturated sodium chloride. It then was dried over
magnesium sulphate and evaporated to dryness, *in vacuo*.
10 Yield. 145.3 g (86%)

3-Bocamino-1,2-propanediol (144.7 g; 0.757 mol) was
suspended in water (750 ml) and potassium periodate (191.5 g;
0.833 mol) was added. The mixture was stirred under nitrogen
for 2.5 h and the precipitated potassium iodate was removed
15 by filtration and washed once with water (100 ml). The
aqueous phase was extracted with chloroform (6x400 ml). The
chloroform extracts were dried and evaporated to dryness, *in
vacuo*. Yield 102 g (93%) of an oil. The
(bocamino)acetaldehyde was purified by kugelrohr distillation
20 at 84°C and 0.3 mmHg in two portions. The yield 79 g (77%)
of a colorless oil.

(b) **Preparation of (N'-bocaminoethyl)glycine methyl
ester**

Palladium on carbon (10%; 2.00 g) was added to a
25 solution of (bocamino)acetaldehyde (10.0 g; 68.9 mmol) in
methanol (150 ml) at 0°C. Sodium acetate (11.3 g; 138 mmol)
in methanol (150 ml), and glycine methyl ester hydrochloride
(8.65 g; 68.9 mmol) in methanol (75 ml) then were added. The
mixture was hydrogenated at atmospheric pressure for 2.5 h,
30 then filtered through celite and evaporated to dryness, *in
vacuo*. The material was redissolved in water (150 ml) and the
pH was adjusted to 8.0 with 0.5 N NaOH. The aqueous solution
was extracted with methylene chloride (5 x 150 ml). The
combined extracts were dried over sodium sulphate and
35 evaporated to dryness, *in vacuo*. This resulted in 14.1 g
(88%) of (N'-bocaminoethyl)glycine methyl ester. The crud
material was purified by kug lrohr destination at 120°C and

0.5 mmHg to give 11.3 g (70%) of a colorless il. The product had a purity that was higher than the material pr duced in example 26 according to tlc-analysis (10% methanol in methylene chloride).

5   Alternatively, sodium cyanoborohydride can be used as reducing agent instead of hydrogen (with Pd(C) as catalyst), although the yield (42%) was lower.

      (c) Preparation of (N'-bocaminoethyl)glycine ethyl ester.

10   The title compound was prepared by the above procedure with glycine ethyl ester hydrochloride substituted for glycine methyl ester hydrochloride. Also, the solvent used was ethanol. The yield was 78%.

15 EXAMPLE 98
Solid-Phase Synthesis of H-Tyr-[Taeg]₁₁-Lys-NH₂

      (a) Stepwise Assembly of Boc-Tyr(BrZ)-[Taeg]₁₁-Lys(ClZ)-MBHA Resin.

      About 0.2 g of wet Boc-[Taeg]₁₀-Lys(ClZ)-MBHA resin was
20 placed in a 5 ml SPPS reaction vessel. Boc-Tyr(BrZ)-[Taeg]₁₀-Lys(ClZ)-MBHA resin was assembled by standard in situ DCC coupling utilizing 0.32 M of BocCTyr(BrZ)-OH together with 0.32 M DCC in 3.0 ml neat CH₂Cl₂ overnight. The ninhydrin reaction showed about 97% incorporation of BocTyr(BrZ).

25   (b) Cleavage, Purification, and Identification of H-Tyr-[Taeg]₁₁-Lys-NH₂.

      The protected Boc-Tyr(BrZ)-[Taeg]₁₀-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 5.5 mg of crude material upon HF cleavage of 20.7 mg dry H-Tyr(BrZ)-
30 [Taeg]₁₀-Lys(ClZ)-MBHA resin. The crude product was purified to give 2.5 mg of H-Tyr-[Taeg]₁₀-Lys-NH₂.

-128-

EXAMPLE 99

S lid-Phase Synthesis f Dansyl-[Taeg]₁₀-Lys-NH₂

(a) **Stepwise Assembly of Dansyl-[Taeg]₁₀-Lys(ClZ)-MBHA Resin.**

5   About 0.3 g of wet Boc-[Taeg]₁₀-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Dansyl-[Taeg]₁₀-Lys(ClZ)-MBHA resin was assembled by coupling of 0.5 M dansyl-Cl in 2.0 ml neat pyridine overnight. The ninhydrin reaction showed about 95% incorporation of dansyl.

10   (b) **Cleavage, Purification, and Identification of Dansyl-[Taeg]₁₀-Lys-NH₂.**

The protected dansyl-[Taeg]₁₀-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 12 mg of crude material upon HF cleavage of 71.3 mg dry dansyl-[Taeg]₁₀-

15 Lys(ClZ)-MBHA resin. The crude product was purified to give 5.4 mg of dansyl-[Taeg]₁₀-Lys-NH₂.

EXAMPLE 100

Solid-Phase Synthesis of Gly-Gly-His-[Taeg]₁₀-Lys-NH₂

20   (a) **Stepwise Assembly of Boc-Gly-Gly-His(Tos)-[Taeg]₁₀-Lys(ClZ)-MBHA Resin.**

About 0.05 g of Boc-[Taeg]₁₀-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Boc-Gly-Gly-His(Tos)-[Taeg]₁₀-Lys(ClZ)-MBHA resin was assembled by standard double

25 *in situ* DCC coupling of Boc-protected amino acid (0.1 M) in 2.5 ml 25% DMF/CH₂Cl₂, except for the first coupling of BocHis(Tos), which was done by using a preformed symmetrical anhydride (0.1M) in 25% DMF/CH₂Cl₂. All couplings were performed overnight and ninhydrin reactions were not carried

30 out.

(b) **Cleavage, Purification, and Identification of Gly-Gly-His-[Taeg]₁₀-Lys-NH₂.**

The protected Boc-Gly-Gly-His(Tos)-[Taeg]₁₀-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield

35 ab ut 10.3 mg of crude material (about 40% purity) upon HF cleavage of 34.5 mg dry Boc-Gly-Gly-His(Tos)-[Taeg]₁₀-Lys(ClZ)-

MBHA resin. A small porti n of the crude pr duct (taken out
before ly philization) was purified to give 0.1 mg of Gly-Gly-
His-[Taeg]₁₀-Lys-NH₂.

5 **EXAMPLE 101**

Solid-Phase Synthesis of H-[Taeg]₅-[Caeg]₂-NH₂.

(a) **Stepwise Assembly of Boc-[Taeg]₅-[C(Z)aeg]₂-MBHA
Resin.**

About 0.2 g of MBHA resin was placed in a 3 ml SPPS
10 reaction vessel and neutralized. The loading was determined
to be about 0.64 mmol/g. BocC(Z)aeg-OPfp was coupled onto the
resin using a concentration of 0.13 M in 2.5 ml 25%
phenol//CH₂Cl₂. The ninhydrin analysis showed a coupling yield
of about 40%. The remaining free amino groups were acetylated
15 as usual. Boc-[Taeg]₅-[C(Z)aeg]₂-MBHA resin was assembled by
single *in situ* DCC coupling of the next residue utilizing 0.11
M of BocC(Z)aeg-OH together with 0.11 M DCC in 2.5 ml 50%
DMF/CH₂Cl₂ and by coupling with 0.13 M BocTaeg-OPfp in neat
CH₂Cl₂ for the remaining residues ("Synthetic Protocol 8").
20 Each coupling reaction was allowed to proceed with shaking
overnight. The synthesis was monitored by the ninhydrin
reaction, which showed close to quantitative incorporation of
all the residues.

(b) **Cleavage, Purification, and Identification of H-
25 [Taeg]₅-[Caeg]₂-NH₂.**

The protected Boc-[Taeg]₅-[C(Z)aeg]₂-MBHA resin was
treated as described in Example 17c to yield about 21.7 mg of
crude material (>80% purity) upon HF cleavage of 94.8 mg dry
H-[Taeg]₅-[C(Z)aeg]₂-MBHA resin. Crude product (7.4 mg) was
30 purified to give 2.0 mg of H-[Taeg]₅-[Caeg]₂-NH₂ (>99% purity).

EXAMPLE 102

Solid-Phase Synthesis of H-[Taeg]₅-Caeg-[Taeg]₄-NH₂.

(a) **Stepwise Assembly of Boc-[Taeg]₅-C(Z)aeg-[Taeg]₄-
35 MBHA R sin.**

About 0.2 g of the above-mentioned MBHA resin was
placed in a 5 ml SPPS reaction vessel and neutraliz d. Boc-

-130-

[Taeg]$_3$-C(Z)aeg-[Taeg]$_4$-MBHA resin was assembled by single *in situ* DCC c upling of the C(Z)aeg residue utilizing 0.13 M of BocC[Z]aeg-OH together with 0.13 M DCC in 2.5 ml 50% DMF/CH$_2$Cl$_2$ and by coupling the Taeg residues with 0.13 M BocTaeg-OPfp in
5   2.5 ml neat CH$_2$Cl$_2$. Each coupling reaction was allowed to proceed with shaking overnight. The synthesis was monitored by the ninhydrin reaction, which showed close to quantitative incorporation of all the residues.

(b) Cleavage, Purification, and Identification of H-
10 [Taeg]$_3$-Caeg-[Taeg]$_4$-NH$_2$.

The protected Boc-[Taeg]$_3$-C(Z)aeg-[Taeg]$_4$-MBHA resin was treated as described in Example 17c to yield about 44.4 mg of crude material upon HF cleavage of about 123 mg dry H-[Taeg]$_3$-C(Z)aeg-[Taeg]$_4$-MBHA resin.   Crude product (11.0 mg) was
15 purified to give 3.6 mg of H-[Taeg]$_3$-Caeg-[Taeg]$_4$-NH$_2$.

EXAMPLE 103
Solid-Phase Synthesis of H-Taeg-Caeg-[Taeg]$_8$-LysNH$_2$.

(a) Stepwise Assembly of Boc-Taeg-C(Z)aeg-[Taeg]$_8$-
20 Lys(ClZ)-MBHA Resin.

About 0.3 g of wet Boc-[Taeg]$_8$-Lys(ClZ)-MBHA resin was placed in a 3 ml SPPS reaction vessel. Boc-Taeg-C(Z)aeg-[Taeg]$_8$-Lys(ClZ)-MBHA resin was assembled by single *in situ* DCC coupling overnight of the C(Z)aeg residue ("Synthetic
25 Protocol" 9) utilizing 0.2 M of BocC[Z]aeg-OH together with 0.2 M DCC in 2.5 ml 50% DMF/CH$_2$Cl$_2$ (incorporation was about 80% as judged by ninhydrin analysis; remaining free amino groups were acetylated) and by overnight coupling the Taeg residue with 0.15 M BocTaeg-OPfp in 2.5 ml neat CH$_2$Cl$_2$ (nearly
30 quantitatively).

(b) Cleavage, Purification, and Identification of H-
Taeg-Caeg-[Taeg]$_8$-LysNH$_2$.

The protected Boc-Taeg-C(Z)aeg-[Taeg]$_8$-Lys(ClZ)-MBHA resin was treated as d scribed in Example 17c to yield about
35 22.3 mg of crude material upon HF cleavage of ab ut 76.5 mg dry H-Taeg-C(Z)aeg-[Ta g]$_8$-Lys(ClZ)-MBHA resin. Crude product

(6.7 mg) was purified to give 2.6 mg f H-Ta g-Caeg-[Taeg]₄-LysNH₂. For (M+H)⁺ the calculated m/z value was 2792.15 and the measured m/z value was 2792.21.

5 EXAMPLE 104

Solid-Phase Synthesis of H-Caeg-[Taeg]₄-Lys-NH₂ and H-[Taeg]₂-Caeg-[Taeg]₃-Lys-NH₂.

(a) Stepwise Assembly of Boc-[Taeg]₂-C(Z)aeg-[Taeg]₃-Lys(ClZ)-MBHA Resin.

10 About 0.5 g of wet Boc-[Taeg]₃-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. Boc-[Taeg]₂-C(Z)aeg-[Taeg]₃-Lys(ClZ)-MBHA resin was assembled by single *in situ* DCC coupling of all residues utilizing: (1) 0.12 M of BocC[Z]aeg-OH together with 0.12 M DCC in 3.0 ml 50% DMF/CH₂Cl₂

15 or (2) 0.12 M BocTaeg-OH together with 0.12 M DCC in 3.0 ml 50% DMF/CH₂Cl₂ ("Synthetic Protocol 9"). Each coupling reaction was allowed to proceed overnight with shaking. Th synthesis was monitored by the ninhydrin reaction, which showed close to quantitative incorporation of all th

20 residues. During the synthesis, a small portion of H-C(Z)aeg-[Taeg]₃-Lys(ClZ)-MBHA resin was taken out for HF cleavage.

(b) Cleavage, Purification, and Identification of H-Caeg-[Taeg]₃-Lys-NH₂.

The protected Boc-C[Z]aeg-[Taeg]₃-Lys(ClZ)-MBHA resin

25 was treated as described in Example 17c to yield about 3.0 mg of crude material upon HF cleavage of 37.5 mg dry H-C[Z]aeg-[Taeg]₃-Lys(ClZ)-MBHA resin. About 0.7 mg of the crude product was purified to give about 0.5 mg of H-Caeg-[Taeg]₃-Lys-NH₂.

30

(c) Cleavage, Purification, and Identification of H-[Taeg]₂-Caeg-[Taeg]₃-Lys-NH₂.

The protected Boc-[Taeg]₂-C[Z]aeg-[Taeg]₃-Lys(ClZ)-MBHA

35 resin was treated as described in Example 17c to yield about 37.7 mg of crude material upon HF cleavage of 118.6 mg dry H-[Taeg]₂-C[Z]aeg-[Taeg]₃-Lys(ClZ)-MBHA resin.

EXAMPLE 105

Solid-Phase Synthesis of H-[Caeg]₄-Lys-NH₂, H-[Caeg]₆-Lys-NH₂, H-[Caeg]₈-Lys-NH₂, and H-[Caeg]₁₀-Lys-NH₂

(a) Stepwise Assembly of Boc-[C(Z)aeg]₁₀-Lys(ClZ)-MBHA

5 Resin and Shorter Fragments.

About 5 g of wet Boc-Lys(ClZ)-MBHA resin (substitution = 0.3 mmol Lys/g) was placed in a 30 ml SPPS reaction vessel. Boc-[C(Z)aeg]₁₀-Lys(ClZ)-MBHA resin was assembled by single *in situ* DCC coupling of the first three residues with 0.1 M of

10 BocC(Z)aeg-OH together with 0.1 M DCC in 10 ml 50% DMF/CH₂Cl₂ ("Synthetic Protocol 9") and by single *in situ* DIC coupling of the remaining seven residues with 0.1 M of BocC(Z)aeg-OH together with 0.1 M DIC in 10 ml 50% DMF/CH₂Cl₂ ("Synthetic Protocol 10"). All the coupling reactions were allowed to

15 proceed overnight. The synthesis was monitored by the ninhydrin reaction, which showed close to quantitative incorporation of all residues. During the synthesis, portions of the shorter fragments H-[C(Z)aeg]₄-Lys(ClZ)-MBHA resin, H-[C(Z)aeg]₆-Lys(ClZ)-MBHA resin, H-[C(Z)aeg]₇-Lys(ClZ)-MBHA

20 resin, H-[C(Z)aeg]₈-Lys(ClZ)-MBHA resin, and H-[C(Z)aeg]₉-Lys(ClZ)-MBHA resin were taken out for HF cleavage.

(b) Cleavage, Purification, and Identification of H-[Caeg]₄-Lys-NH₂.

The protected Boc-[C(Z)aeg]₄-Lys(ClZ)-MBHA resin was treated

25 as described in Example 17c to yield about 10.8 mg of crude material upon HF cleavage of 60.1 mg dry H-[C(Z)aeg]₄-Lys(ClZ)-MBHA resin.

(c) Cleavage, Purification, and Identification of H-[Caeg]₆-Lys-NH₂.

30 The protected Boc-[C(Z)aeg]₆-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 13.4 mg of crude material upon HF cleavage of 56.2 mg dry H-[C(Z)aeg]₆-Lys(ClZ)-MBHA resin.

-133-

(d)   Cleavage, Purificati n, and Identificati n of H-[Caeg]₈-Lys-NH₂.

The protected Boc-[C(Z)aeg]₈-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 16.8 mg of crude material upon HF cleavage of 65.6 mg dry H-[C(Z)aeg]₈-Lys(ClZ)-MBHA resin.

(e)   Cleavage, Purification, and Identification of H-[Caeg]₁₀-Lys-NH₂.

The protected Boc-[C(Z)aeg]₁₀-Lys(ClZ)-MBHA resin was treated as described in Example 17c to yield about 142.4 mg of crude material upon HF cleavage of 441 mg dry H-[C(Z)aeg]₁₀-Lys(ClZ)-MBHA resin.

EXAMPLE 106

Solid-Phase Synthesis of H-[Taeg]₂-Caeg-[Taeg]₂-Caeg-[Taeg]₄-Lys-NH₂

(a)   Stepwise Assembly of Boc-[Taeg]₂-C(Z)aeg-[Taeg]₂-C(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA Resin.

About 0.3 g of wet H-[Taeg]₂-C(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA resin from the earlier synthesis of Boc-[Taeg]₂-C(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA resin was placed in a 5 ml SPPS reaction vessel. After coupling of the next residue five times, a total incorporation of BocC(Z)aeg of 87% was obtained. The five repeated couplings were carried out with 0.18 M BocC(Z)aeg-OPfp in 2 ml of TFE/CH₂Cl₂ (1:2, v/v), 2 ml of TFE/CH₂Cl₂ (1:2, v/v), 2 ml of TFE/CH₂Cl₂ (1:2, v/v) with two drops of dioxane and two drops of DIEA (this condition gave only a few per cent coupling yield), 2 ml of TFE/CH₂Cl₂ (1:2, v/v) plus 0.5 g phenol, and 1 ml of CH₂Cl₂ plus 0.4 g of phenol, respectively. The two final Taeg residues were incorporated close to quantitatively by double couplings with 0.25 M BocTaeg-OPfp in 25% phenol/CH₂Cl₂. All couplings were allowed to proceed overnight.

-134-

(b)   Cleavag , Purification, and Identificati n of H-[Taeg]₂-Caeg-[Ta g]₂-Ca g-[Taeg]₄-Lys-NH₂

The protected Boc-[Taeg]₂-C(Z)aeg-[Taeg]₂-C(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA resin was treated as described in Example 17c
5 to yield about 7 mg of crude material upon HF cleavage of 80.7 mg dry H-[Taeg]₂-C(Z)aeg-[Taeg]₂-C(Z)aeg-[Taeg]₄-Lys(ClZ)-MBHA resin.   The crude product was purified to give 1.2 mg of H-[Taeg]₂-Caeg-[Taeg]₂-Caeg-[Taeg]₄- Lys-NH₂ (>99.9% purity).

10 EXAMPLE 107

SYNTHESIS OF A PNA WITH TWO ANTI PARALLEL STRANDS TIED TOGETHER

Synthesis   of   H-[Taeg]-[Taeg]-[Taeg]-[Gaeg]-[Taeg]-[Taeg]-[Taeg]-[6-AHA]-[aeg]-[6-AHA]-[Taeg]-[Taeg]-[Taeg]-[Aaeg]-[
15 Taeg]-[Taeg]-[Taeg]-LYS-NH₂. (6-AHA = 6-aminohexanoic acid) (Figure 26)

The protected PNA was assembled onto a Boc-Lys(ClZ) modified MBHA resin with a substitution of approximately 0.30 mmol/g.   Capping of uncoupled amino groups was only carried
20 out before the incorporation of the BocGaeg-OH monomer. Synthesis was initiated on 1.00 g (dry weight) of preswollen (overnight in DCM) and neutralized Boc-Lys(ClZ)-MBHA resin. The incorporation of the monomers followed the protocol of Example 32 and Example 71.   The coupling reaction was
25 monitored by qualitative ninhydrin reaction (kaiser test). In case of a positive Kaiser test, the coupling reaction was repeated until the test showed no coloration of the beads. Final deprotection, cleavage from support, and purification were performed according to standard procedures.
30

EXAMPLE 108

Alternative· protecting group strategy for PNA-synthesis (Figure 27).

(a)   Synthesis f test c mp nds.
35   2-amino-6-O-benzyl purine.   T a solution f 2.5 g (0.109 mol) f sodium in 100 ml of benzyl alcohol was added 10.75 g (0.063 mol) of 2-amino-6-chl ropurine.   The mixture

-135-

was stirred for 12 h at 120 0°C. The solution was cooled to room temperature and neutraliz d with ac tic acid and extracted with 10 portions of 50 ml of 0.2 N sodium hydroxide. The collected sodium hydroxide phases were washed with 100 ml of diethyl ether and neutralized with acetic acid, whereby precipitation starts. The solution was cooled to 0°C and the yellow precipitate was collected by filtration. Recrystallization from ethanol gave 14.2 g 92% of pure white crystals of the target compound. 1H-NMR (250 MHz--DMSO-d6) d ppm: 8-H, 7.92; benzyl aromatic, 7.60-7.40; 2NH$_2$, 6.36; benzyl CH2, 5.57.

(2-amino-6-O-benzyl purinyl)methylethanoate. A mixture of 5 g (0.0207 mol) of 2-amino-6-O-benzyl-purine, 30 ml of DMF and 2.9 g (0.021 mol) of potassium carbonate was stirred at room temperature. Methyl bromoacetate (3.2 g; 1.9 ml; 0,0209 mol) was added dropwise. The solution was filtrated after 4 h and the solvent was removed under reduced pressure (4 mmHg, 40°C). The residue was recrystallized two times from ethyl acetate to give 3.7 g (57%) of the target compound. 1H-NMR (250 MHz, DMSO-d6) d ppm: 8-H, 7.93; benzyl aromatic 7.4-7.6; 2-NH$_2$, 6.61; benzyl CH2, 5.03; CH2, 5.59; OCH3, 3.78.

(2N-p-Toluene sulfonamido-6-O-benzyl purinyl) methyl ethanoate. To a solution of 0.5 g (1.6 mmol) of (2-amino-6-O-benzyl purinyl) methyl ethanoate in 25 ml methylene chloride was added 0.53 g (1.62 mmol) of p-toluenesulfonic anhydride and 0.22 g (1.62 mmol) of potassium carbonate. The mixture was stirred at room temperature. The mixture was filtered and the solvent was removed at reduced pressure (15 mmHg, 40°C). Diethyl ether was added to the oily residue. The resulting solution was stirred overnight, whereby the target compound (0.415 mg; 55%) precipitated and was collected by filtration. 1H-NMR (250 MHz, DMSO-d6) d ppm: 8-H, 8.97; aromatic 7.2-7.8; benzyl CH2, 5,01; CH2, 4.24; OCH3, 3.73; CH3, 2.43.

(b) Stability f the t syl protect d base-residue in TFA and HF.

The material was subjected t the standard deprotecti n conditions (TFA-depr tection) and the final cleavage

-136-

conditions with HF. The pr ducts were then subjected to HPLC-
analysis using a 4 μ RCM 8x10 Nova pack column and s lvents
A (0.1% TFA in water) and B (0.1% TFA in acetonitrile)
according to the following time gradient with a flow of 2
5 ml/min.

Time	% A	%B
0	100	0
5	100	0
35	0	100
37	0	100
39	100	0

(the "10" appears in the left margin beside the 37 row)

The following retention times were found: (a) Compound 1:
30.77 min; (b) compound 2: 24.22 min; and (c) compound 3:
11.75 min. The analysis showed that the O6-benzyl group was
15 removed both by TFA and HF, whereas there was no cleavage of
the tosyl group in TFA, but quantitative removal in HF under
the standard cleavage conditions.

EXAMPLE 109

20 **5-Bromouracil-N^1-methyl acetate**

        5-Bromouracil (5.00 g; 26.2 mmol) and potassium
carbonate (7.23 g; 52.3 mmol) were suspended in DMF (75 ml).
Methyl bromoacetate (2.48 ml; 26.1 mmol) was added over a
period of 5 min. The suspension was stirred for 2 h at room
25 temperature, and then filtered. The solid residue was washed
twice with DMF, and the combined filtrates were evaporated to
dryness, *in vacuo*. The residue was an oil containing the
title compound, DMF and some unidentified impurities. It is
not necessary to purify the title compound before hydrolysis.
30 ^{1}H-NMR (DMSO-d$_6$, 250 MHz); 8.55 (impurity); 8.27 (CBr=CHN);
8.02 (impurity); 4.76 (impurity); 4.70 (impurity); 4.62
(NCH$_2$COOCH$_3$); 3.78 (COOCH$_3$); 2.96 (DMF); 2.80 (DMF). ^{13}C-NMR
(DMSO-d$_6$, 250 MHz); 168.8 (COOCH$_3$); 172.5 (CH=CBrCON); 161.6
(DMF); 151.9 (NCON); 145.0 (CO-CBr=CHN); 95.6 (COCBr=CHN);
35 52.6 (impurity); 52.5 (OCH$_3$); 49.7 (impurity); 48.8
(NCH$_2$COOMe); 43.0 (impurity); 36.0 (DMF). UV(Methanol; $_{max}$nm);
226; 278. IR (KBr;cm^{-1}_; 3158s (_NH); 1743vs (_C=O, COOMe);
1701vs (_C=O, CONH); 1438vs (∂ CH, CH$_3$O); 1223vs (_ C-O,

COOMe); 864 m (∂ CH, Br=C-H). FAB-MS m/z (assignment):
265/263 (M+H).

EXAMPLE 110

5 **(5-Bromouracil)acetic acid**

Water (30 ml) was added to the oil of the crude
product from Example 109 and the mixture was dissolved by
adding sodium hydroxide (2M, 60 ml). After stirring at 0°C
for 10 min, hydrochloric acid (4M, 45 ml) was added to pH=2
10 and the title compound precipitated. After 50 min, the solid
residue was isolated by filtration, washed once with cold
water, and then dried *in vacuo* over sicapent. Yield: 2.46 g
(38%). Mp, 250°-251°C. Anal. for $C_6H_5BrN_2O_4$. Found (calc.):
C: 28.78 (28.94); H: 2.00 (2.02); Br: 32.18 (32.09); N: 11.29
15 (11.25). ^{1}H-NMR (DMSO-d_6, 250 MHz): 12,55 (1H,s,COOH); 11.97
(1H,s,NH); 8.30 (1H,s,C=C-H); 4.49 (2H,s,NCH$_2$COOH). ^{13}C-NMR
(DMSO-d_6, 250 MHz); 169.4 (COOH); 159.8 (NHCOCBr=CH); 150.04
(NCON); 145.8 (COCBr=CHN); 94.6 (COCBr=CHN); 48.8 (NCH$_2$COOH).
UV (Methanol; $_{max}$nm); 226; 278. IR (KBr; cm^{-1}); 3187s (_NH);
20 1708vs (_C=O,COOH); 1687vs; 1654VS (_C=O, CONH); 1192s (_C-O,
COOH); 842 m (∂ CH, Br-C=C-H). FAB-MS m/z (assignment,
relative intensity); 251/249 (M + H,5).

EXAMPLE 111

25 **N-(Boc-aminoethyl)-N-(5-bromouracil)methylenecarbonoylglycine
ethyl ester**

Boc-aminoethylglycine ethyl ester (1.80 g; 7.30 mmol)
was dissolved in DMF (10 ml). Dhbt-OH (1.31 g; 8.03 mmol) was
added, whereby a precipitate was formed. DMF (2 x 10 ml) was
30 added until the precipitate was dissolved. The product of
Example 110 (2.00 g; 8.03 mmol) was added slowly to avoid
precipitation. Methylene chloride (30 ml) was added, and the
mixture was cooled to 0°C and then filtered. The precipitate,
DCU, was washed twice with methylene chloride. To th
35 c mbined filtrat was added methylene chloride (100 ml). The
mixture was washed with half saturat d NaHCO$_3$-soluti n (3 x
100 ml, H$_2$O:saturated NaHCO$_3$-solution 1:1 v/v), then with

-138-

dilute KHSO₄-s luti n (2 x 100 ml, H₂O:saturated KHSO₄-solution
4:1 v/v), and finally with saturated NaCl-s luti n (1 x 100
ml). The organic phase was dried over magnesium sulphate,
filtered, and evaporated to dryness *in vacuo* (about 15 mmHg
5 and then about 1 mmHg). The residue was suspended in
methylene chloride (35 ml), stirred for 45 min at room
temperature, and filtered (the precipitate was DCU).
Petroleum ether (2 volumes) was added dropwise to the filtrate
at 0°C, whereby an oil precipitated. The liquor was decanted
10 and the remaining oil dissolved in methylene chloride (20-50
ml). Precipitated was effected by the addition of petroleum
ether (2 volumes). This procedure was repeated 5 times until
an impurity was removed. The impurity can be seen at TLC with
10% MeOH/CH₂Cl₂ as the developing solvent. The resulting oil
15 was dissolved in methylene chloride (25 ml) and evaporated to
dryness *in vacuo*, which caused solidification of the title
compound. Yield: 2.03 g ((58%). Mp. 87°-90°C. Anal. for
$C_{17}H_{25}BrN_4O_7$. Found (calc.): C: 42.33 (42.78); H: 5.15 (5.28);
Br: 17.20 (16.74); N: 1.69 (11.74). ^{1}H-NMR (DMSO-d_6, 250 MHz,
20 J in Hz): 1.93 & 11.92 (1H,s,C=ONHC=O); 8.09 & 8.07
(1H,s,C=C-H); 7.00 & 6.80 (1H,t,b,BocNH); 4.80 & 4.62
(2H,s,NCH₂CON); 4.35 & 4.24 (2H,s,NCH₂COOEt); 4.27-4.15
(2H,m's, COOCH₂CH₃O); 3.47-3.43 (2H,m's, BocNHCH₂CH₂N); 3.28-
3.25 & 3.12-3.09 (2H,m's,BocNHCH₂CH-₂N): 1.46 & 1.45
25 (9H,s,^{t}Bu); 1.26 & 1.32 (3H,t,J=7.1, COOCH₂CH₃). ^{13}C-NMR (DMSO-
d_6, 250 MHz); 169.3 & 169.0 (^{t}BuOC=O); 167.4 & 167.1 (COOEt);
159.8 (C=C-CON); 155.9 (NCH₂CON); 150.4 (NCON); 145.9 (COCBr-
CHN); 94.5 (COCBr=CHN); 78.2 (Me₃C); 61.3 & 60.7 (COCH₂CH₃);
49.1 & 48.0 (NCH₂COOH); 48.0 & 47.0 (NCH₂CON); 38.6
30 (BocNHCH₂CH₂N); 38.2 (BocNHCH₂CH₂N); 26.3 (C(CH₃)₃); 14.1
(COCH₂CH₃). UV (Methanol; $_{max}$ NM): 226; 280. IR (KBr, CM^{-1}):
3200ms, broad (_NH); 168vs, vbroad (_C=O, COOH, CONH); 1250s
(_ C-O, COOEt); 1170s (_C-O, COO^{t}Bu); 859m (∂ CH, Br-C=C-H).
FAB-MS m/z (assignm nt, relative intensity): 479/477 (M + H,
35 5); 423/421 (M + 2H - ^{t}Bu, 8); 379/377 (M + 2H - B c, 100);
233/231 (M - backbone, 20).

-139-

EXAMPLE 112

N-(B -amin thyl)-N-(5-brom uracyl-N^1-methylenecarb noyl)-glycine

The product of Example 111 (1.96 g; 4.11 mmol) was
5 dissolved in methanol (30 ml) by heating, and then cooled t
0°C. Sodium hydroxide (2M, 30 ml) was added, and the mixture
stirred for 30 min. HCl (1M, 70 ml) was added to pH = 2.0.
The water phase was extracted with ethyl acetate (3 x 65 ml
+ 7 x 40 ml). The combined ethyl acetate extractions wer
10 washed with saturated NaCl-solution (500 ml). The ethyl
acetate phase was dried over magnesium sulphate, filtered and
evaporated to dryness in vacuo. Yield: 1.77 g (96%). Mp. 92°-
97°C. Anal. for $C_{15}H_{21}BrN_4O_7$. Found (calc.): C: 40.79 (40.10);
H: 5.15 (4.71); Br: 14.64 (17.70); N: 11.35 (12.47). ^{1}H-NMR
15 (DMSO-d$_6$, 250 MHz, J in Hz): 12.83 (1H,s,COOH); 11.93 & 11.91
(1H,s,C=ONHC=O); 8.10 & 8.07 (1H,s,C=C-H); 7.00 & 6.81
(1H,t,b,BocNH); 4.79 & 4.61 (2H,s,NCH$_2$CON); 4.37 & 4.25
(2H,s,NCH$_2$COOH); 3.46-3.39 (2H,m's, BocNHCH$_2$CH$_2$N); 3.26-3.23
& 3.12-3.09 (2H,m's, BocNHCH$_2$CH$_2$N); 1.46 (9H,s,^{t}Bu). ^{13}C-NMR
20 9DMSO-d$_6$,250 MHz); 170.4 (^{t}BuOC=O); 166.9(COOH); 159.7 (C=C-
CON); 155.8 (NCH$_2$CON); 150.4 (NCON); 145.9 (COCBr=CHN); 94.4
(COCBr=CHN); 78.1 (Me$_3$C); 49.1 & 48.0 (NCH$_2$COOH); 47.7 & 47.8
(NCH$_2$CON); 38.6 (BocNHC$_2$CH$_2$N); 38.1 (Boc NHCH$_2$CH$_2$N); 28.2
(C(CH$_3$)$_3$). UV (Methanol; $_{max}$nm); 226; 278. IR (KBr,cm^{-1}):
25 3194ms, broad (_NH); 1686vs, vbroad (_C=O COOH, CONH); 1250s
(_C-O,COOH); 1170s (_C-O,COO^{t}Bu); 863m (∂ CH, Br-C=C-H). FAB-
MS m/z (assignment, relative intensity): 449/451 (M + H, 70);
349/351 (M + 2H -Boc, 100); 231/233 (M - backbone, 20).

30 ## EXAMPLE 113

Uracil-N^1-methyl acetate

Uracil (10.0 g; 89.2 mmol) and potassium carbonate
(24.7 g; 178 mmol) were suspended in DMF (250 ml). Methyl
bromoacetate (8.45 ml; 89.2 mmol) was added over a period of
35 5 min. The suspension was stirred vernight under nitrogen
at room temperature, and th n filtered. TLC (10% methan l in
ethylene chl ride) indicated incomplete c nversion of uracil.

The solid residue was washed twic with DMF, and the combined filtrates were evap rated to dryn ss *in vacuo*. The precipitate was suspended in water (60 ml) and HCl (2.5 ml, 4M) was added to pH = 2. The suspension was stirred for 30

5 min at 0°C, and then filtered. The precipitated title compound was washed with water and dried, *in vacuo*, over sicapent. Yield: 9.91 g (60%). Mp. 182° - 183°C. Anal. for $C_6H_8N_2O_4$. Found (calc.): C: 45.38 (45.66); H: 4.29 (4.38); N: 15.00 (15.21). ^{1}H-NMR (DMSO-d_6, 250 MHz, J in Hz): 1.47

10 (1H,s, N$\underline{H}$); 7.68 (1H,d,$J_{H-C=C-H}$=7.9), CH=C$\underline{H}$N); 5.69 (1H,d,$J_{H-C=C-H}$=7.9), C$\underline{H}$=CHN); 4.59 (2H,s,NC$\underline{H}_2$COOMe); 3.76 (3H,s,COOC$\underline{H}_3$). ^{13}C-NMR (DMSO-d_6, 250 MHz); 168.8 ($\underline{C}$OOMe); 164.0 (C=C-$\underline{C}$ON); 151.1 (N$\underline{C}$ON); 146.1 (CO$\underline{C}$H=$\underline{C}$HN); 101.3 (CO$\underline{C}$H=CHN); 52.5 (COO$\underline{C}$H$_3$); 48.7 (N$\underline{C}$H$_2$COOMe). UV (Methanol; $_{max}$nm): 226; 261.

15 IR (KBr; cm^{-1}); 3164s (_NH); 1748vs (_C=O, COOMe); 1733vs (_C=O, CONH); 1450vs (∂ CH, CH$_3$O); 1243VS (_C-O,COOMe); 701m (∂ CH, H-C=C-H). FAB-MS m/z (assignment); 185 (M+H).

EXAMPLE 114

20 **Uracilacetic acid**

Water (90 ml) was added to the product of Example 113 (8.76 g; 47.5 mmol), followed by sodium hydroxide (2M, 40 ml). The mixture was heated for 40 min, until all the methyl ester has reacted. After stirring at 0°C for 15 min, hydrochloric

25 acid (4M, 25 ml) was added to pH=2. The title compound precipitated and the mixture was filtered after 2-3 h. The precipitate was washed once with the mother liquor and twice with cold water and dried *in vacuo* over sicapent. Yield: 6,.66 g (82%). Mp. 288°-289°C. Anal. for $C_6H_6N_2O_4$. Found

30 (calc.): C: 42.10 (42.36), H: 3.43 (3.55); N: 16.25 (16.47)/ ^{1}H-NMR (DMSO-d_6), 250 MHz, J in Hz): 13.19 (1H,s,COO$\underline{H}$); 11.41 (1H,s,N$\underline{H}$); 7.69 (1H,d,$J_{H-C=C-H}$=7.8, $J_{H-C-C-N-H}$=2.0, coc$\underline{h}$=chn); 4.49 (2H,s,NC$\underline{H}_2$COOH). ^{13}C-NMR (DMSO-d_6, 2509 MHz); 169.9 ($\underline{C}$OOH); 163.9 (CH=CH$\underline{C}$ON); 151.1 (N$\underline{C}$ON); 146.1 (CO$\underline{C}$H=$\underline{C}$HN); 100.9

35 (CO$\underline{C}$H=CHN); 48.7 N$\underline{C}$H$_2$COOH. UV (Methanol; $_{max}$nm): 246; 263. IR (KBr; cm^{-1}): 3122s (_NH); 1703vs (_C=O, COOH); 1698vs,

-141-

1692vs (_C=O, CONH); 1205s (_C-O,COOH); 676 (∂ CH, H-C=C-H).
FAB-MS m/z (assignment): 171 (M + H).

EXAMPLE 115

N-(Bocaminoethyl)-N-(uracil-N^1-methylenecarbonoyl)glycine
ethyl ester

         (Bocaminoethyl)glycine ethyl ester (2.00 g; 8.12 mmol)
was dissolved in DMF (10 ml). Dhbt-OH (1.46 g; 8.93 mmol) was
added and a precipitate was formed. DMF (2 x 10 ml) was added
until all was dissolved. The product of Example 114 (1.52 g;
8.93 mmol) was added slowly to avoid precipitation. Methylene
chloride (30 ml) was added, and the mixture was cooled to 0°C,
whereafter DDC (2.01g; 9.74 mmol) was added. The mixture was
stirred for 1 h at 0°C, at 2 h at room temperature, and then
filtered.   The precipitated DCU was washed twice with
methylene chloride. To combined filtrate was added methylene
chloride (100 ml), and the solution washed with half-saturated
NaHCO3-solution (3 x 100 ml, H$_2$O:saturated NaHCO$_3$-solution 1:1
v/v), then with dilute KHSO$_4$.solution (2 x 100 ml,
H$_2$O:saturated KHSO$_4$-solution 4:1 v/v) and finally with
saturated NaCl-solution (1 x 100 ml). The organic phase was
dried over magnesium sulphate, filtered and evaporated to
dryness in vacuo (about 15 mmHg and then about 1mmHg). Th
residue was suspended in methylene chloride (32 ml), and
stirred for 35 min at room temperature, and 30 min at 0°C, and
then filtered.   The precipitate (DCU) was washed with
methylene chloride. Petroleum ether (2 volumes) was added
dropwise to the combined filtrate at 0°C, which caused
separation of an oil. The mixture was decanted, the remaining
oil was then dissolved in methylene chloride (20 ml), and then
again precipitated by addition of petroleum ether (2 volumes).
This procedure was repeated 5 times until an impurity was
removed. The impurity can be seen by TLC with 10% MeOH/CH$_2$Cl$_2$
as the developing solvent. The resulting oil was dissolved
in methylene chloride (20 ml) and evaporated to dryness *in
vacuo*, which caused s lidification of the title compound.
Yield: 1.71 g (53%). Mp. 68.5° - 75.7°C. Anal for C$_{17}$H$_{26}$N$_4$O$_7$.

-142-

Found (calc.): C: 50.61 (51.25); H: 6.48 (6.58); N: 13.33 (14.06). ^{1}H-NMR (DMSO-d_6,250 MHz,J in Hz): 11.36 (1H,s,C=ON$\underline{H}$C=O); 7.51 & 7.47 (1H,d,$J_{H-C=C-H}$+ 6.1; COCH=X-$\underline{H}$); 7.00 & 6.80 (1H,t,b, BocN$\underline{H}$); 5.83 & 5.66 (1H,d,$J_{H-C=C-H}$= 5.7,

5 COC$\underline{H}$=CH); 4.78 & 4.60 (2H,s,NC$\underline{H}_2$CON); 4.37 & 4.12 (2H,s,NC$\underline{H}_2$COOEt); 4.30 - 4.15 (2H,m's,COOC$\underline{H}_2$CH$_3$); 3.49-3.46 (2H,m's, BocNHCH$_2$C$\underline{H}_2$n); 3.27 3.23 & 3.11-3.09 (2H, m's, BocNHC$\underline{H}_2$CH$_2$N; 1.46 (9H, s, ^{t}Bu); 1.39-1.23 (3H, m's, COOCH$_2$C$\underline{H}_3$). ^{13}C-NMR (DMSO-d_6, 250 MHz): 169.4 & 169.0 (^{t}BuO$\underline{C}$=O); 167.6 &

10 167.3 ($\underline{C}$OOEt); 163.8 (CH=CH$\underline{C}$ON); 155.8 (NCH$_2$$\underline{C}$ON); 151.0 (N$\underline{C}$ON); 146.3 (COCH=$\underline{C}$HN); 100.8 (CO$\underline{C}$H=CHN); 78.1 (Me$_3$$\underline{C}$); 61.2 & 60.6 (COO$\underline{C}H_2CH_3$); 49.1 (N$\underline{C}H_2$COOEt); 47.8 & 47.0 (N$\underline{C}H_2$CON); 38.6 (BocNHCH$_2$$\underline{C}H_2$N); 38.1 & 37.7 (BocNH$\underline{C}H_2$N); 28.2 (C($\underline{C}H_3$)$_3$); 14.1 (CO-OCH$_2$$\underline{C}H_3$. UV (Methanol; $_{max}$ nm); 226; 264. IR (KBr; cm$^-$

15 ^{1}): 3053m (_NH); 1685vs, vbroad (_C=O, COOH, CONH); 1253s (_C-O, COOEt); 1172s (_C-O, COO^{t}Bu); 718w (∂ CH, C-C-C-H), FAB-MS m/z (assignment, relative intensity); 399 (M + H, 35); 343 (M + 2H - ^{t}Bu, 100); 299 (M + 2H - Boc, 100); 153 (M-backbone, 30).

20

EXAMPLE 116

N-(Bocaminoethyl)-N-(uracilmethylenecarbonoyl)glycine

The product of Example 115 (1.56 g; 3.91 mmol) was dissolved in methanol (20 ml) and then cooled to 0°C. Sodium

25 hydroxide (2M, 20 ml) was added, and the mixture was stirred for 75 min at 0°C. Hydrochloric acid (1M, 46 ml) was added to pH = 2.0. The water phase was extracted was ethyl acetate (3 X 50 ml + 7 x 30 ml). The combined ethyl acetate extractions were washed with saturated NaCl solution (360 ml).

30 The ethyl acetate phase was dried over magnesium sulphate, filtered, and evaporated to dryness, in vacuo. The residue was dissolved in methanol and evaporated to dryness, in vacuo. Yield: 0.55 g (38%). Mp 164° - 170°C. Anal. for $C_{15}H_{22}N_4O_7$. F und (calc.): C: 46.68 (48.65); H: 6.03 (5.99); N: 1461

35 (15.13). ^{1}H-NMR (DMSO-d_6, 250 MHz, J in Hz); 12.83 (1H, s, COO$\underline{H}$); 11.36 (1H, s, C=ON$\underline{H}$C=O); 7.52-7.45 (1H, m's, COCH=C$\underline{H}$N); 7.00 & 6.82 (1H, t,b, BocN$\underline{H}$); 5.67-5.62 (1H, M's, COC$\underline{H}$=CHN);

4.76 & 4.58 (2H, s, NCH$_2$CON); 4.26 & 4.05 (2H, s, NCH$_2$COOH);
3.46-3.39 (2H, m's, BocNHCH$_2$CH$_2$N); 3.25-3.23 & 3.15-3.09 (2H,
m's, BocNHCH$_2$CH$_2$N); 1.46 (9H, s, ^{t}Bu). ^{13}C-NMR (DMSO-d$_6$, 250
MHz); 170.5 (^{t}BuO$\underline{C}$=O); 167.2 (COOH); 163.9 (C=C-$\underline{C}$ON); 155.8
5 (NCH$_2$$\underline{C}$ON); 151.1 (N$\underline{C}$ON); 146.4 (CO$\underline{C}$H=CHN); 100.8 (CO$\underline{C}$H=CHN);
78.1 (Me$_3$$\underline{C}$); 49.1 & 47.8 (N$\underline{C}H_2$ COOH); 47.6 & 46.9 (N$\underline{C}$H$_2$CON);
38.6 (BocNHCH$_2$$\underline{C}H_2$N); 38.1 & 37.6 (BocNH$\underline{C}H_2CH_2$N); 28.2 (C($\underline{C}H_3$)$_3$).
UV (Methanol; λ_{max} nm); 226; 264. IR (KBr; cm^{-1}); 3190 (_NH);
1685vs, vbroad (_C=O, COOH, CONH); 1253s (_C-O, COOH); 1171s
10 (_C-O, COO^{t}BU); 682w (∂ CH, H-C=C-H). FAB-MS m/z (assignment,
relative intensity): 371 (M + H, 25); 271 (M + H -Boc, 100).
EXAMPLE 117

H-U10-LysNH$_2$

        Synthesis of the title compound was accomplished by
15 using "Synthetic Protocol 10". The synthesis was initiated
on approximately 100 mg Lys (ClZ)-MHBA-resin. The crude
product (12 mg) was pure enough for hybridization studies.
The hybrid between 5'-(dA)10 and H-U10 had Tm of 67.5°C.
EXAMPLE 118

20 Deprotection and Cleavage of H-[Cacg]$_{10}$-Lys-NH$_2$ by
Trifluoromethansulfonic Acid (TFMSA). An Alternative Method
to Deprotection and Cleavage by Hydrogen Fluoride (HF).
        (a)   Deprotection of Side-Chain Protecting Groups
                by a "Low-Acidity" TFMSA-TFA-DMS Procedure
25   A portion of ca. 0.4 g wet Boc-[Cacg]$_{10}$-Lys(ClZ)-MBHA
resin (prepared in one of the previous examples) was placed
in a 5 ml solid-phase reaction vessel. The n-Terminal Boc
group was removed by the following protocol: (1) 50%
TFA/CH$_2$Cl$_2$, 2 x 1 min and 1 x 30 min; (2) 100% TFA, 2 x 1 min
30 and drain. In order to deprotect the benzyl-based side-chain
protecting groups a so-called "low-acidity" TFMSA procedure
was carried out as follows: A stock solution (a) containing
5 ml of TFA-DMS-m-cresol (2:6:2, v/v/v) and a stock soluti n
(B) c ntaining TFA-TFMSA (8:2, v/v) were pr par d. Next, the
35 f llowing steps w re carri d out: (3) 1 ml of stock solution
(A) is add d to the PNA-r sin in th r action vessel with
shaking for 2 min. N drain; (4) 1 ml of stock solution (B)
(cool d with ic /water) is add d in porti ns of 200 μl ev ry

-144-

10th minute ov r a period f 40 min, and shaking is continued
for another 50 min; (5) drain and washing with 100% TFA, 5 x
1 min. and drain.

(b)   Cleavage from the Resin by a "High-Acidity"
        TFMSA-TFA Procedure

In order to cleave the above-mentioned deprotected PNA
from the resin a so-called "high acidity" TFMSA procedure was
carried out as follows: A stock solution (C) containing m-
cresol-TFA (2:8, v/v) was prepared. Next, the following steps
were carried out: (6) 1 ml of stock solution (C) was added to
the deprotected PNA-resin in the SPPS vessel with shaking for
2 min; (7) 1 ml of stock solution (B) (cooled with ice/water)
is added in portions of 200 µl over a period of 30 min and
shaking is continued for another 150 min; (5) the 2 ml solutin
in the reaction vessel is "blown out" through the filter into
a 20 ml solution of diethylether cooled with dry
ice/isopropanol.   In order to complete the precipitation
process, 200 µl of anhydrous pyridine is added dropwise to th
acid-ether mixture; (8) centrifugalization at 3000 rpm for 5
min; (9) the supernatant is decanted and the precipitate is
washed three times with cold diethylether, dried, dissolved
in water, and lyophilized.

(c)   Purification and Identification of H-
        [Caeg]$_{10}$-Lys-NH$_2$

An analytical HPLC chromatogram showed a nice crude
product of good purity and a profile almost identical to that
obtained from the HF cleavage of H-[Caeg]$_{10}$-Lys-NH$_2$, except
that an additional peak, of course, arising from pyridin
TFMSA salt elutes early in the chromatogram. Purification and
identification was carried out by the usual procedures.

Those skilled in the art will appreciate that numerous
changes and modifications may be made to the preferr d
embodiments of the invention and that such changes and
modifications may be made without departing fr m th spirit
of the invention. It is therefore intended that the appended
claims cover all such quival nt variations as fall within the
true spirit and scope of the invention.

-145-

WHAT IS CLAIMED IS:

1. A compound comprising a polyamide backbone bearing a plurality of ligands that are individually bound to aza nitrogen atoms located within said backbone, at least one of said ligands being a naturally occurring nucleobase, a n n-naturally occurring nucleobase, a DNA intercalator, or a nucleobase-binding group.

2. The compound of claim 1 wherein said aza nitrogen atoms are separated from one another in said backbone by from 4 to 6 intervening atoms.

3. A compound having the formula:

wherein:

n is at least 2,

each of L^1-L^n is independently selected from the group consisting of hydrogen, hydroxy, $(C_1$-$C_4)$alkanoyl, naturally occurring nucleobases, non-naturally occurring nucleobases, aromatic moieties, DNA intercalators, nucleobase-binding groups, heterocyclic moieties, and reporter ligands, at least one of L^1-L^n being a naturally occurring nucleobase, a non-naturally occurring nucleobase, a DNA intercalator, or a nucleobase-binding group;

each of A^1-A^n is a single bond, a methylene group or a group of formula:

-146-

where:

X is O, S, S , NR^3, CH_2 or $C(CH_3)_2$;

Y is a single bond, O, S or NR^4;

each of p and q is zero or an integer from 1 to 5, the sum p+q being not more than 10;

each of r and s is zero or an integer from 1 t 5, the sum r+s being not more than 10;

each R^1 and R^2 is independently selected from the group consisting of hydrogen, (C_1-C_4)alkyl which may be hydroxy- or alkoxy- or alkylthio-substituted, hydroxy, alkoxy, alkylthio, amino and halogen; and

each R^3 and R^4 is independently selected from the group consisting of hydrogen, (C_1-C_4)alkyl, hydroxy- r alkoxy- or alkylthio-substituted (C_1-C_4)alkyl, hydroxy, alkoxy, alkylthio and amino;

each of B^1-B^n is N or R^3N^+, where R^3 is as defined above;

each of C^1-C^n is CR^6R^7, CHR^6CHR^7 or $CR^6R^7CH_2$, where R^6 is hydrogen and R^7 is selected from the group consisting of the side chains of naturally occurring alpha amino acids, or R^6 and R^7 are independently selected from the group consisting of hydrogen, (C_2-C_6)alkyl, aryl, aralkyl, heteroaryl, hydroxy, (C_1-C_6)alkoxy, (C_1-C_6)alkylthio, NR^3R^4 and SR^5, where R^3 and R^4 are as defined above, and R^5 is hydrogen, (C_1-C_6)alkyl, hydroxy-, alkoxy-, or alkylthio- substituted (C_1-C_6)alkyl, r R^6 and R^7 taken together complete an alicyclic or heterocyclic system;

each of D^1-D^n is CR^6R^7, $CH_2CR^6R^7$ or CHR^6CHR^7, where R^6 and R^7 are as defined above;

each of G^1-G^{n-1} is $-NR^3CO-$, $-NR^3CS-$, $-NR^3SO-$ or $-NR^3SO_2-$, in either orientation, where R^3 is as defined above;

Q is $-CO_2H$, $-CONR'R''$, $-SO_3H$ or $-SO_2NR'R''$ or an activated derivative of $-CO_2H$ or $-SO_3H$; and

I is $-NHR'''R''''$ or $-NR'''C(O)R''''$, where R', R'', R''' and R'''' are independently select d from the gr up c nsisting f hydrogen, alkyl, amino protecting groups, reporter ligands, intercalators, chelators, peptides,

-147-

proteins, carbohydrates, lipids, steroids, olig nucleotides
and soluble and non-s luble p lymers.

    4. The compound of claim 3 having the formula:

wherein:

    each L is independently selected from the group
consisting of hydrogen, phenyl, heterocyclic moieties,
naturally occurring nucleobases, and non-naturally occurring
nucleobases;

    each $R^{7'}$ is independently selected from the group
consisting of hydrogen and the side chains of naturally
occurring alpha amino acids;

    n is an integer from 1 to 60,

    each k and m is, independently, zero or 1;

    each l is zero or an integer from 1 to 5;

    R^h is OH, NH_2 or $-NHLysNH_2$; and

    R^i is H or $COCH_3$.

    5. The compound of claim 4 having formula:

each L is independently selected from the group
c nsisting of the nucle bas s thymine, adenine, cytosine,
guanine, and uracil;

each $R^{7''}$ is hydrogen; and

n is an integer from 1 to 30.

6. A compound having one of the following formulas:

wherein:

L is selected from the group consisting of hydrogen,
hydroxy, (C_1-C_4)alkanoyl, naturally occurring nucleobases,
non-naturally occurring nucleobases, aromatic moieties, DNA
intercalators, nucleobase-binding groups, and heterocyclic
moieties, reporter ligands, wherein:

at least one of L^1-L^n is a naturally
occurring nucleobase, a non-naturally occurring
nucleobase, a DNA intercalator, or a nucleobase-
binding group; and

amino groups are, optionally, protected by
amino protecting groups;

A is a single bond or a group of the formula:

where:

X is O, S, Se, NR^3, CH_2 or $C(CH_3)_2$;

Y is a single bond, O, S or NR^4;

each of p and q is zer   r an integer from 1 to
5, the sum p+q being not m re than 10;

-149-

each of r and s is zero r an integ r from 1 to
5, the sum r+s being n t more than 10;

each R^1 and R^2 is independently selected from the
group consisting of hydrogen, (C_1-C_4)alkyl, hydroxy- or
alkoxy- or alkylthio-substituted (C_1-C_4)alkyl, hydroxy,
alkoxy, alkylthio, amino and halogen; and

each R^3 and R^4 is independently selected from th
group consisting of hydrogen, (C_1-C_4)alkyl, hydroxy- or
alkoxy- or alkylthio-substituted (C_1-C_4)alkyl, hydroxy,
alkoxy, alkylthio and amino;

B is N or R^3N^+, where R^3 is as defined above;

each C is CR^6R^7, CHR^6CHR^7 or $CR^6R^7CH_2$, where R^6 is
hydrogen and R^7 is selected from the group consisting of the
side chains of naturally occurring alpha amino acids, or R^6
and R^7 are independently selected from the group consisting of
hydrogen, (C_2-C_6)alkyl, aryl, aralkyl, heteroaryl, hydroxy,
(C_1-C_6)alkoxy, (C_1-C_6)alkylthio, NR^3R^4 and SR^5, where R^3 and R^4
are as defined above, and R^5 is hydrogen or (C_1-C_6)alkyl,
hydroxy-, alkoxy-, or alkylthio- substituted (C_1-C_6)alkyl, or
R^6 and R^7 taken together complete an alicyclic or heterocyclic
system;

each D is CR^6R^7, $CH_2CR^6R^7$ or CHR^6CHR^7, where R^6 and R^7 are
as defined above;

each E is COOH, CSOH, SOOH, SO_2OH or an activated or
protected derivative thereof; and

each F is NHR^3 or $NPgR^3$, where R^3 is as defined above,
and Pg is an amino protecting group.

-150-

7.   The comp und f claim 6 having the formula:

wherein:

each L is independently selected from the group consisting of hydrogen, phenyl, heterocyclic moieties, naturally occurring nucleobases, and non-naturally occurring nucleobases;

each $R^{7''}$ is independently selected from the group consisting of hydrogen and the side chains of naturally occurring alpha amino acids; and

each k, 1, and m is, independently, zero or an integer from 1 to 5.

8.   The compound of claim 7 having formula:

wherein:

L is selected from the group consisting of the nucleobases thymine, adenine, cytosine, guanine, uracil, 5-methylcyt sine, 6-thioguanine and 5-bromouracil, and pr tected derivatives thereof;

$R^{7''}$ is hydr gen;

E is COOH r an activated r protected derivative there f; and

F is NH_2 or NHPg, where Pg is an amino protecting group.

9. A compound having the formula:

wherein:

each L is independently selected from the group consisting of hydrogen, phenyl, heterocyclic moieties, naturally occurring nucleobases, and non-naturally occurring nucleobases;

each $R^{7'}$ is independently selected from the group consisting of hydrogen and the side chains of naturally occurring alpha amino acids;

n is an integer from 1 to 60,

each k, l, and m is, independently, zero or an integer from 1 to 5;

R^h is OH, NH_2 or $-NHLysNH_2$; and

R^l is H or $COCH_3$.

10. A process for preparing a compound according to claim 1, comprising the steps of:

A) providing a polymer substrate, said polymer being functionalized with a chemical group capable of forming an anchoring linkage with an amino acid;

B) coupling said polymer with a first amino acid through said anchoring linkage, said first amino acid having f rmula (IV):

-152-

$$\begin{array}{c} L \\ | \\ A \\ | \\ E\diagdown_C{-}B\diagdown_D{-}F \end{array}$$

(IV)

wherein:

L is selected from the group consisting of naturally occurring nucleobases, non-naturally occurring nucleobases, aromatic moieties, DNA inter-calators, nucleobase-binding groups, heterocyclic moieties, and reporter ligands, wherein amino groups are, optionally, protected by amino protecting groups;

A is a single bond or a group of the formula:

$$\left[\begin{array}{c} R^1 \\ | \\ {-}C{-} \\ | \\ R^2 \end{array}\right]_p {-}Y{-}\left[\begin{array}{c} R^1 \\ | \\ {-}C{-} \\ | \\ R^2 \end{array}\right]_q \quad \text{or} \quad \left[\begin{array}{c} R^1 \\ | \\ {-}C{-} \\ | \\ R^2 \end{array}\right]_r {-}Y{-}\left[\begin{array}{c} R^1 \\ | \\ {-}C{-} \\ | \\ R^2 \end{array}\right]_s \begin{array}{c} X \\ || \\ {-}C{-} \end{array}$$

where:

X is O, S, Se, NR^3, CH_2 or $C(CH_3)_2$;

Y is a single bond, O, S or NR^4;

p and q are zero or integers from 1 to 5, the sum p+q being not more than 10;

r and s are zero or integers from 1 to 5, the sum r+s being not more than 10;

R^1 and R^2 are independently selected from the group consisting of hydrogen, (C_1-C_4)alkyl, hydroxy- or alkoxy- or alkylthio-substituted (C_1-C_4)alkyl, hydroxy, alkoxy, alkylthio, amino and halogen; and

R^3 and R^4 are independently selected from the group consisting of hydrogen, (C_1-C_4)alkyl, hydroxy- r alk xy- or alkylthio-substituted (C_1-C_4)alkyl, hydroxy, alk xy, alkylthio and amino;

B is N r R^3N^+, where R^3 is as defined above;

C is CR^6R^7, CHR^6CHR^7 or $CR^6R^7CH_2$, where R^6 is hydrogen and R^7 is selected from the gr up consisting

-153-

of the side chains of naturally occurring alpha amino acids, r R^6 and R^7 are independently selected fr m th group consisting of hydrogen, (C_2-C_6)alkyl, aryl, aralkyl, heteroaryl, hydroxy, (C_1-C_6)alkoxy, (C_1-C_6)alkylthio, NR^3R^4 and SR^5, where R^3 and R^4 are as defined above, and R^5 is hydrogen or (C_1-C_6)alkyl, hydroxy-, alkoxy-, or alkylthio- substituted (C_1-C_6)alkyl, or R^6 and R^7 taken together complete an alicyclic or heterocyclic system;

D is CR^4R^7, $CH_2CR^4R^7$ or CHR^6CHR^7, where R^6 and R^7 are as defined above;

E is COOH or an activated or protected derivative thereof; and

F is $NPgR^3$ where R^3 is as defined above and Pg is an amino protecting group;

C) removing said amino protecting group from said coupled first amino acid to generate a free amino group; and

D) reacting said free amino group with a second amin acid having formula (IV) to form a peptide chain.

11. The process of claim 10 further comprising the steps of:

E) removing said amino protecting group from said second amino acid to generate a terminal free amino group n said peptide chain; and

F) reacting said free amino group on said peptide chain with a further amino acid having formula (IV) to lengthen said peptide chain.

12. The process of claim 11 wherein steps E and F are performed a plurality of times.

13. The process of claim 11 further comprising removing at l ast one protecting group remaining on the amino acid moieties of the peptide chain.

-154-

14. The pr cess of claim 10 further c mprising cleaving said anch ring linkage without substantially degrading said peptide chain.

15. The process of claim 10 wherein the polymer substrate contains polystyrene, polyacrylamide, silica, a composite material, cotton, or a derivative thereof.

16. The process of claim 10 wherein the chemical group capable of forming said anchoring linkage is chloro-, bromo- and iodo-substituted alkyl, amino-substituted alkyl, amino and aryl-substituted alkyl, amino- and alkylaryl-substituted alkyl, hydroxy-substituted alkyl, or a derivative thereof having a spacer group that can be cleaved substantially without degradation of said polypeptide.

17. The process of claim 16 wherein chloro-substituted alkyl is chloromethyl, amino-substituted alkyl is aminomethyl, amino- and alkyl-substituted aryl is α-aminobenzyl, amino- and alkylaryl-substituted alkyl is selected from the group consisting of α-amino-3- and α-amino-4-methylbenzyl, and hydroxy-substituted alkyl is hydroxymethyl.

18. The process of claim 16 wherein:
the chemical group is derived from an amino-containing moiety selected from amino-substituted alkyl, amino- and aryl substituted alkyl, and amino- and alkylaryl-substituted alkyl; and
the chemical group includes a spacer group derived from the group consisting of 4-(haloalkyl)aryl-lower alkanoic acids, Boc-aminoacyl-4-(oxymethyl)aryl-lower alkanoic acids, N-Boc-p-acylbenzhydrylamines, N-Boc-4'-(lower alkyl)-p-acylbenzhydrylamines, N-Boc-4'-(lower alkoxy)-p-acylbenzhydrylamines, and 4-hydr xymethylphenoxy-lower alkanoic acids.

-155-

19. A process for sequence-sp cific recognition of a
d ubl -stranded polynucleotide, comprising contacting said
polynucleotide with a compound that is different from natural
RNA and that binds to one strand of the polynucleotide,
thereby displacing the other strand.

20. The process of claim 19 wherein said compound is
an oligomer comprising a homogenous or heterogenous backbone
to which are linked naturally occurring nucleobases, non-
naturally occurring nucleobases or other ligands that
individually bind by hydrogen to at least one natural
nucleobase in said bound polynucleotide strand.

21. The process of claim 20 wherein said compound is
the compound of claim 1.

22. The process of claim 20 wherein said compound is
the compound of claim 4.

23. A process for modulating the expression of a gene
in an organism, comprising administering to said organism a
compound according to claim 1 that specifically binds to DNA
or RNA deriving from said gene.

24. The process of claim 23 wherein said compound is
the compound of claim 1.

25. The process of claim 23 wherein said compound is
the compound of claim 4.

26. The process of claim 23 wherein said modulation
includes inhibiting transcription of said gene.

27. Th process of claim 23 wherein said modulation
includes inhibiting replication of said gene.

28.   A pr cess for treating conditions associated with undesired protein production in an organism, c mprising contacting said organism with an effective amount of a compound according to claim 1 that specifically binds with DNA or RNA deriving from a gene controlling said protein production.

29.   The process of claim 28 wherein said compound is the compound of claim 1.

30.   The process of claim 28 wherein said compound is the compound of claim 4.

31.   A process for inducing degradation of DNA or RNA in cells of an organism, comprising administering to said organism a compound according to claim 1 that specifically binds to said DNA or RNA.

32.   A process for killing cells or virus, comprising contacting said cells or virus with a compound according to claim 1 that specifically binds to a portion of the genome of said cells or virus.

33.   A pharmaceutical composition comprising a compound according to claim 1 and at least one pharmaceutically effective carrier, binder, thickener, diluent, buffer, preservative, or surface active agent.

Fig. 1(A)

Fig. 1(B)

Fig. 2(A)

Fig. 2(B)

300nm RADIATION
PHOTOCLEAVAGE

Fig. 3(a)   5'-GATCCAAAAAAAAAAGGATC
              3'-CTAGGTTTTTTTTTTCCTAG

DIAZOACRIDINE
PHOTOFOOTPRINT

Fig. 3(b)   5'-GATCCAAAAAAAAAAGGATC
              3'-CTAGGTTTTTTTTTTCCTAG

KMnO₄ CLEAVAGE

Fig. 3(c)   5'-GATCCAAAAAAAAAAGGATC
              3'-CTAGGTTTTTTTTTTCCTAG

S₁- NUCLEASE
CLEAVAGE

Fig. 3(d)   5'-GATCCAAAAAAAAAAGGATC
              3'-CTAGGTTTTTTTTTTCCTAG

MICROCOCCUS NUCLEASE
ENHANCEMENT

SUBSTITUTE SHEET

6/31

Fig. 4

Acr¹

Fig.5

I) Boc·O·Ph·4·NO₂ IN DIOZENE/WATER
II) BrCH₂CO₂Me/K₂CO₃ IN DRY DMF
III) aq. NaOH
IV) pip·OH/DCC IN DMF
V) 2/Et₃N IN DMF
VI) Z·CI IN DRY PYRIDINE

R=X=H; aeg
R=Boc, X=H; Boc·aeg

Fig. 6

Fig.7

I) SOCl₂/DMF(cat.) REFLUX
II) ⁺H₂N(CH₂)₅ CO₂CH₃/Et₃N/CH₂Cl₂ AT 0°C
III) PhOH/4-NO₂-Ph-CONH(CH₂)₆NH₂ AT 120°C
IV) DMF/aq. NaOH
V) DMF/CH₂Cl₂/PipOH/DCC

10/31

Fig. 8

SUBSTITUTE SHEET

Fig. 9

Fig. 10

^{32}P-oligo	1	1	1	1	1	1	2	2	2
oligo 2	-	-	-	+	+	+	-	-	-
AcrT10Lys	0	+	++	0	+	++	0	+	++

complex

ss

dsDNA

ssDNA

FIG. IIA

^{32}P-oligo	1	1	1	1	1	1	2	2	2
oligo 2	-	-	-	+	+	+	-	-	-
AcrT10Lys	0	+	++	0	+	++	0	+	++

complex

ssDNA

FIG. 11B

FIG. 12 A

FIG. 12 B

S₁-nuclease   0.1 1 10 0.1 1 10

AcrT10Lys   - - - + + +

FIG. 12 C

T$_{10}$

Fig. 13

Fig. 14

Fig. 15

21/31

AMINOETHYL GLYCINE

β-ALANINE

AMINOPROPYL

PROPIONYL

Fig. 16

Fig. 17

R^1=AMINO ACID SIDECHAIN
R^2=METHYL, ETHYL ETC.

Fig. 18(a)

Fig. 18(b)

Fig.19

FIG. 20

Fig. 21

Fig. 22

FIG. 23

FIG. 24

Fig. 25

Fig. 26

COMPOUND

1

→

COMPOUND 1 IN
50% TFA: 50% METHYLENE CHLRIDE, 5h, rt.

COMPOUND 1 IN
100% HF, 0°C, 1h

2

QUANTITATIVE DE-BENZYLATION

3

QUANTITATIVE DE-BENZYLATION
AND DE-SULFONYLATION

Fig. 27

INTERNATIONAL SEARCH REPORT

International Application No PCT/EP 92/01219

I. CLASSIFICATION F SUBJECT MATTER   (If several classification symbols apply, indicate all)[6]
According to International Patent Classification (IPC) or to both National Classification and IPC
Int.Cl.5   C 07 K   5/00   C 07 K   7/00   C 12 Q   1/68 C 08 L   77/00

II. FIELDS SEARCHED

Minimum Documentation Searched[7]	
Classification System	Classification Symbols
Int.Cl.5	C 07 K 5/00 C 07 K 7/00 C 12 Q 1/00 C 08 L 77/00

Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched[8]

III. DOCUMENTS CONSIDERED TO BE RELEVANT[9]

Category[*]	Citation of Document, [11] with indication, where appropriate, of the relevant passages [12]	Relevant to Claim No.[13]
X	WO,A,8605518 (J. SUMMERTON) 25 September 1986 (cited in the application) ---	1
Y	WO,A,8605519 (J. SUMMERTON) 25 September 1986 ---	1
P,X	Journal of the American Chemical Society, vol. 114, no. 5, 26 February 1992, American Chemical Society, M. EGHOLM et al.: "Peptide nucleic acids (PNA). Oligonucleotide analogues with an achiral peptide backbone", pages 1895-1897 ---	5
P,X	Science, vol. 254, 6 December 1991, P.E. NIELSEN et al.: "Sequence-selective recognition of DNA by strand displacement with a thymine-substituted polyamide", pages 1497-1500 --- -/-	5

Special categories of cited documents[10]

° Special categories of cited documents : [10]

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

IV. CERTIFICATION

Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report
10-09-1992	07. 10. 92
International Searching Authority EUROPEAN PATENT OFFICE	Signature of Authorized Officer

Form PCT/ISA/210 (second sheet) (January 1985)

III. D CUMENTS CONSIDERED TO BE RELEVANT   (CONTINUED FROM THE SECOND SHEET)

Category*	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
A	Journal of The American Chemical Society, vol. 110, no. 22, 26 October 1988, American Chemical Society, D.P. MACK et al.: "Design and chemical synthesis of a sequence-specific DNA-cleaving protein", pages 7572-7574	
A	Journal of Medicinal Chemistry, vol. 33, no. 7, 1990, American Chemical Society, L.P.G. WAKELIN et al.: "Kinetic and equilibrium binding studies of amsacrine-4-carboxamides: a class of asymmetrical DNA-intercalating agents which bind by threading through the DNA helix", pages 2039-2044	
A	BIOCHEMISTRY, vol. 27, no. 17, 23 August 1988, American Chemical Society, P.E. NIELSEN et al.: "Photochemical cleavage of DNA by nitrobenzamides linked to 9-aminoacridine", pages 6338-6343	

INTERNATIONAL SEARCH REPORT

Box I   Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)( ) for the following reasons:

1. ☐ Claims Nos.:
    because they relate to subject matter not required to be searched by this Authority, namely:

    Remark: Although claims 23-31 are directed to a method of treatment of the
    human/animal body the search has been carried out and based on the alleged
    effects of the compounds.

2. ☐ Claims Nos.:
    because they relate to parts of the international application that do not comply with the prescribed requirements to such
    an extent that no meaningful international search can be carried out, specifically:

3. ☐ Claims Nos.:
    because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II   Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all
    searchable claims.

2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment
    of any additional fee.

3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report
    covers only those claims for which fees were paid, specifically claims Nos.:

4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is
    restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest   ☐ The additional search fees were accompanied by the applicant's protest.

                         ☐ N protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on 24/09/92
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A- 8605518	25-09-86	AU-A- 5661386	13-10-86
		AU-A- 5698186	13-10-86
		CA-A- 1268404	01-05-90
		EP-A- 0216860	08-04-87
		EP-A- 0215942	01-04-87
		JP-T- 62502338	10-09-87
		JP-T- 62502357	10-09-87
		WO-A- 8605519	25-09-86
		US-A- 5034506	23-07-91
WO-A- 8605519	25-09-86	AU-A- 5661386	13-10-86
		AU-A- 5698186	13-10-86
		CA-A- 1268404	01-05-90
		EP-A- 0216860	08-04-87
		EP-A- 0215942	01-04-87
		JP-T- 62502338	10-09-87
		JP-T- 62502357	10-09-87
		WO-A- 8605518	25-09-86
		US-A- 5034506	23-07-91